

### General

Leader Key	,
Fast Saving	,w
Sudo Saving	:W

### Visual Mode

Search for Current Selection	* or #
Search Forwards	<space>
Search Backwards	Ctrl-<Space>
Ack Text (search for Text)	,gv
Search & Replace Selected Text	,r
Surround selection in ( )	\$1
Surround selection in [ ]	\$2
Surround selection in { }	\$3
Surround selection in " "	\$\$ or \$e
Surround selection in ' '	\$q

### Insert Mode

Insert ( )	\$1
Insert [ ]	\$2
Insert { }	\$3
Insert ' '	\$q
Insert " "	\$e
Insert < >	\$t
Date format: %d/%m/%y %H:%M:%S	

### Windows

Move to Upper Window	Ctrl-j
Move to Lower Window	Ctrl-k
Move to Lefter Window	Ctrl-h
Move to Righter Window	Ctrl-l

### Buffers

Close Current Buffer	,bd
Close All Buffers	,ba
Go to Next Buffer	,l
Go to Previous Buffer	,h

### Tabs

Open New Tab	,tn
Close All Other Tabs	,to
Close Current Tab	,tc
Move Current Tab	,tm
Go to Next Tab	,t,
Toggle b/w This Tab and Previous Tab	,t1
Open New Tab w/ Current Buffer's Path	,te
Switch CWD to Open Buffer's Directory	,cd

### Editing

Go to First Non-blank Char	0
Move Line of Text Down	Alt-j
Move Line of Text Up	Alt-k

### Spell Checking

Toggle Spell Checking	,ss
Move to Next Misspelled Word	,sn
Move to Previous Misspelled Word	,sp
Add Word to Dictionary	,sa
Suggest Spellings for Word	,s?

### Misc

Remove ^M	,m
Open Buffer for Notes	,q
Open Markdown Buffer for Notes	,x
Toggle Paste Mode	,pp
Open File Under Cursor	gf

### bufExplorer Plugin

Open bufExplorer	,o
Normal Open	\be
Force Horizontal Split Open	\bs
Force Vertical Split Open	\bv

Once the bufexplorer window is open you can use the normal movement keys (hjk) to move around and then use <Enter> or <Left-Mouse-Click> to select the buffer you would like to open. If you would like to have the selected buffer opened in a new tab, simply press either <Shift-Enter> or 't'.

### Most Recently Used (MRU)

Open MRU	,f
Open File in Current Window	<Enter>
Open File in New Window	o or <Shift-Enter>
Open File in Read-only Mode	v
Open File in New Tab	t
Update File List	u
Close MRU	q or <Esc>

You can open multiple files from the MRU window by specifying a count before pressing '<Enter>' or 'v' or 'o' or 't'. You can also visually (using linewise visual mode) select multiple filenames and invoke the commands to open the files. Each selected file will be opened in a separate window or tab.



By [aaukerochan](#)

Not published yet.

Last updated 21st December, 2017.

Page 1 of 3.

Sponsored by [CrosswordCheats.com](#)

Learn to solve cryptic crosswords!

<http://crosswordcheats.com>

### CTRL-P (Full Path Fuzzy \_ Finder)

Open CTRL-P / Find File	Ctrl-f
Find Buffer/MRU	Ctrl-b
Update Results	<F5>
Filename Only	Ctrl-d
RegExp Mode	Ctrl-r
Go Down	Ctrl-j
Go Up	Ctrl-k
Open in New Tab	Ctrl-t
Open in New Tab (Vertical Split)	Ctrl-v
Open in New Tab (Horizontal Split)	Ctrl-x
Select Next String in History	Ctrl-n
Select Previous String in History	Ctrl-p
Create New File (and parent directories)	Ctrl-y
Mark/Unmark Multiple Files	Ctrl-z

### CTRL-P (Full Path Fuzzy \_ Finder) (cont)

Open File	Ctrl-o
Run <code>:help ctrlp-mappings</code> or <code>submit ?</code> in CtrlP for more mapping help.	
Submit two or more dots <code>..</code> to go up the directory tree by one or multiple levels.	
End the input string with a colon <code>:</code> followed by a command to execute it on the opening file(s): Use <code>:25</code> to jump to line 25. Use <code>:diffthis</code> when opening multiple files to run <code>:diffthis</code> on the first 4 files.	

### Cope

Open Error List Window	,cc
Close Error List Window	:ccl
Go to Next Search Results	,n
Go to Previous Search Results	,p

Use `:help cope` to learn about cope  
When searching in Ack.vim, display results in cope with `,cc`

### NERDTree (File Directory Tree)

Toggle NERDTree	,nn
NERDTree from Bookmark	,nb
NERDTree Find	,nf

### SnipMate

Insert/Navigate Snippet	<Tab>
-------------------------	-------

### VIM Multiple Cursors

Add Cursor	Ctrl-n
Remove Current Cursor (Go to Prev)	Ctrl-p
Remove Current Cursor (Go to Next)	Ctrl-x

### surround.vim

Change Surroundings	cs<old><new>
Remove Surroundings	ds<old>
Revert Surroundings	cst<new>
Wrap Text Object	ysiw<new>
Wrap Line	yss<new>
Wrap (In Visual mode)	S<new>

### Vimroom (Distraction-free Editing)

Embrace the Zen	,z
Abandon the Zen	,z!

### Git Gutter

Toggle Git Gutter	,d
-------------------	----

### Ack (super fast grep for searching)

Open Ack	,g
----------	----

`:Ack [options] {pattern} [{directories}]`  
Use `:Ack!` if you don't want to jump to first result automatically

Must enclose pattern in `'` if it has whitespace.

Must escape `#` -> `\\#`

? a quick summary of shortcuts, repeat to close

### Vim-Commentary

Comment out a line (takes a count)	gcc
Comment out target of a motion	gc
Uncomment adjacent commented lines	gcu
Repeat command to toggle	

### Vim-Expand-Region

Expand Visual Selection	+
Shrink Visual Selection	-



By aauukerochan

[cheatography.com/aauukerochan/](http://cheatography.com/aauukerochan/)

Not published yet.

Last updated 21st December, 2017.

Page 2 of 3.

Sponsored by [CrosswordCheats.com](http://CrosswordCheats.com)

Learn to solve cryptic crosswords!

<http://crosswordcheats.com>

### Git Fugitive

View x in Repository	:Gedit x
Diff files against repository	:Gdiff
git status (- to add/reset changes, p to add/reset --patch)	:Gstatus
git commit	:Gcommit
git blame	:Gblame
git mv	:Gmove
git grep	:Ggrep
git log	:Glog
git checkout -- filename (on buffer)	:Gread
git add/checkout	:Gwrite
Open file on Web (ex. github)	:Gbrowse
git <command>	:Git <command>
git <command> with open output in new file	:Git! <command>

Preface regular vim commands with G to do the git version.

Ex: :Gtabedit will open up the blob/tree/commit/tag in a new tab



By [aaukerochan](#)

[cheatography.com/aaukerochan/](http://cheatography.com/aaukerochan/)

Not published yet.

Last updated 21st December, 2017.

Page 3 of 3.

Sponsored by [CrosswordCheats.com](#)

Learn to solve cryptic crosswords!

<http://crosswordcheats.com>