Cheatography

ultimate vim Cheat Sheet

by aauukerochan via cheatography.com/51373/cs/14060/

General	
Leader Key	,
Fast Saving	,W
Sudo Saving	:W

Visual Mode	
Search for Current Selection	* or #
Search Forwards	<space></space>
Search Backwards	Ctrl- <spa- ce></spa-
Ack Text (search for Text)	,gv
Search & Replace Selected Text	,r
Surround selection in ()	\$1
Surround selection in []	\$2
Surround selection in { }	\$3
Surround selection in " "	\$\$ or \$e
Surround selection in ' '	\$q

Insert Mode	
Insert ()	\$1
Insert []	\$2
Insert { }	\$3
Insert''	\$q
Insert " "	\$e
Insert < >	\$t
Date format: %d/%m/	%y %H:%M:%S

Windows	
Move to Upper Window	Ctrl-j
Move to Lower Window	Ctrl-k
Move to Lefter Window	Ctrl-h
Move to Righter Window	Ctrl-l

Buffers	
Close Current Buffer	,bd
Close All Buffers	,ba
Go to Next Buffer	,
Go to Previous Buffer	,h

Taba	
Tabs	
Open New Tab	,tn
Close All Other Tabs	,to
Close Current Tab	,tc
Move Current Tab	,tm
Go to Next Tab	,t,
Toggle b/w This Tab and Previous Tab	,t1
Open New Tab w/ Current Buffer's Path	,te
Switch CWD to Open Buffer's Directory	,cd

Editing	
Go to First Non-blank Char	0
Move Line of Text Down	Alt-j
Move Line of Text Up	Alt-k

Spell Checking	
Toggle Spell Checking	,ss
Move to Next Misspelled Word	,sn
Move to Previous Misspelled Word	,sp
Add Word to Dictionary	,sa
Suggest Spellings for Word	,s?

Misc	
Remove ^M	,m
Open Buffer for Notes	,q
Open Markdown Buffer for Notes	,х
Toggle Paste Mode	,pp
Open File Under Cursor	gf

bufExplorer Plugin	
Open bufExplorer	,О
Normal Open	\be
Force Horizontal Split Open	\bs
Force Vertical Split Open	\bv

Once the bufexplorer window is open you can use the normal movement keys (hjkl) to move around and then use <Enter> or <Le-ft-Mouse-Click> to select the buffer you would like to open.

If you would like to have the selected buffer opened in a new tab, simply press either <Shift-Enter> or 't'.

Open MRU ,f Open File in Current Window Open File in New o or <shift-enter> Window Vindow Open File in Read-only Mode Open File in New Tab Update File List Uclose MRU Close MRU</shift-enter>	Most Recently Used (MRU)		
Window Open File in New o or <shift-enter ter="" window=""> Open File in Read-only work Mode Open File in New Tab t Update File List u</shift-enter>	Open MRU	,f	
Window ter> Open File in Read-only v Mode Open File in New Tab t Update File List u		<enter></enter>	
Mode Open File in New Tab t Update File List u	'		
Update File List u	,	V	
,	Open File in New Tab	t	
Close MRU q or <esc></esc>	Update File List	u	
	Close MRU	q or <esc></esc>	

You can open multiple files from the MRU window by specifying a count before pressing '<Enter>' or 'v' or 'o' or 't'. You can also visually (using linewise visual mode) select multiple filenames and invoke the commands to open the files. Each selected file will be opened in a separate window or tab.



By aauukerochan

Not published yet.
Last updated 21st December, 2017.
Page 1 of 3.

Sponsored by **CrosswordCheats.com** Learn to solve cryptic crosswords! http://crosswordcheats.com

cheatography.com/aauukerochan/

Cheatography

ultimate vim Cheat Sheet

by aauukerochan via cheatography.com/51373/cs/14060/

CTRL-P (Full Path Fuzzy _ Finder)	
Open CTRL-P / Find File	Ctrl-f
Find Buffer/MRU	Ctrl- b
Update Results	<f5></f5>
Filename Only	Ctrl- d
RegExp Mode	Ctrl-r
Go Down	Ctrl-j
Go Up	Ctrl- k
Open in New Tab	Ctrl-t
Open in New Tab (Vertical Split)	Ctrl- v
Open in New Tab (Horizontal Split)	Ctrl- x
Select Next String in History	Ctrl-
Select Previous String in History	Ctrl-
Create New File (and parent directories)	Ctrl- y
Mark/Unmark Multiple Files	Ctrl-

CTRL-P (Full Path Fuz	zzy _ Finder) (cont)	
Open File	Ctrl-o	
Run :help ctrlp-mappings or submit ? in CtrlP for more mapping help.		
Submit two or more dots to go up the directory tree by one or multiple levels.		
End the input string with a colon: followed by a command to execute it on the opening file(s): Use: 25 to jump to line 25. Use		
:diffthis when opening multiple files to run :diffthis on the first 4 files.		

Submit two or more dots to go up th directory tree by one or multiple levels		
End the input string with a colon: follows a command to execute it on the operation ille(s): Use: 25 to jump to line 25. Use diffthis when opening multiple files to diffthis on the first 4 files.	ening	
Соре		
Open Error List Window	,cc	
Close Error List Window	:ccl	
Go to Next Search Results	,n	
Go to Previous Search Results	,p	1
Jse :help cope to learn about cope When searching in Ack.vim, display re n cope with ,cc	esults	
NERDTree (File Directory Tree)		
Гoggle NERDTree	,nn	
NERDTree from Bookmark	,nb	
NERDTree Find	,nf	

	,
NERDTree Find	,nf
SnipMate	
Insert/Navigate Snippet	<tab></tab>
VIM Multiple Cursors	

VIM Multiple Cursors	
Add Cursor	Ctrl-
	n
Remove Current Cursor (Go to	Ctrl-
Prev)	р
Remove Current Cursor (Go to	Ctrl-
Next)	Х

surround.vim	
Change Surroundings	cs <old><new></new></old>
Remove Surroundings	ds <old></old>
Revert Surroundings	cst <new></new>
Wrap Text Object	ysiw <new></new>
Wrap Line	yss <new></new>
Wrap (In Visual mode)	S <new></new>

Vimroom (Distraction-free Editing)	
Embrace the Zen	,Z
Abandon the Zen	,z!

Git Gutter	
Toggle Git Gutter	,d
Ack (super fast grep for searching)	

Open Ack	,g
:Ack [options] {pattern} [{c Use :Ack! if you don't war result automatically	,,

Must enclose pattern in ' ' if it has whitespace. Must escape # -> \\\#

? a quick summary of shortcuts, repeat to close

Vim-Commentary	
Comment out a line (takes a count)	gcc
Comment out target of a motion	gc
Uncomment adjacent commented lines	gcu
Repeat command to toggle	

Vim-Expand-Region	
Expand Visual Selection	+
Shrink Visual Selection	-



By aauukerochan

cheatography.com/aauukerochan/

Not published yet. Last updated 21st December, 2017. Page 2 of 3.

Sponsored by CrosswordCheats.com Learn to solve cryptic crosswords! http://crosswordcheats.com



ultimate vim Cheat Sheet by aauukerochan via cheatography.com/51373/cs/14060/

· · ·	
Git Fugitive	
View x in Repository	:Gedit x
Diff files against repository	:Gdiff
git status (- to add/reset changes, p to add/reset patch)	:Gstatus
git commit	:Gcommit
git blame	:Gblame
git mv	:Gmove
git grep	:Ggrep
git log	:Glog
git checkout filename (on buffer)	:Gread
git add/checkout	:Gwrite
Open file on Web (ex. github)	:Gbrowse
git <command/>	:Git <co- mmand></co-
git <command/> with open	:Git! <co-< td=""></co-<>
output in new file	mmand>
Preface regular vim commands with G to do	
the git version.	
Ex: :Gtabedit will open up the blob/tree/co-	
mmit/tag in a new tab	



By aauukerochan

cheatography.com/aauukerochan/

Not published yet. Last updated 21st December, 2017. Page 3 of 3. Sponsored by CrosswordCheats.com
Learn to solve cryptic crosswords!
http://crosswordcheats.com