Linux Commands

Commands for Process Management

nice

Sets the priority of a process to determine its share of CPU time.

renice

Changes the priority of an already running process.

jobs

Lists the background jobs currently running in the shell.

fg

Brings a background job to the foreground.

bg

Sends a job to the background.

Linux Commands

Additional Linux Commands

alias

Creates a shortcut for a command or a group of commands.

df -h

Shows the disk usage of all the mounted file systems in human-readable format.

du -h

Displays the disk usage of a file or directory in human-readable format.

scp

Securely copies files between hosts over a network.

find

Searches for files and directories in a specified location based on different criteria.

locate

Quickly finds files and directories by name or pattern in a specified location.

tar

Compresses and archives files and directories into a single file.

Linux Commands

Additional Linux Commands

curl

Transfers data to or from a server using various protocols like HTTP, FTP, etc.

sed

Stream editor that can perform find-and-replace operations on text data.

Git/GitHub Commands

GitLab Commands Cheat Sheet

gitlab-runner

The GitLab Runner is the open source project that is used to run your jobs and send the results back to GitLab.

gitlab-ci.yml

The configuration file for defining GitLab CI/CD pipelines.

Git/GitHub Commands

Additional Git Commands Cheat Sheet

Sponsored by **Readable.com**
Measure your website readability!
https://readable.com

Git/GitHub Commands (cont)

git diff

Shows the difference between two commits, branches, or files.

git tag

Adds a tag to a specific commit to mark it as a milestone or release.

git rebase

Reapplies the changes from one branch to another, preserving the commit history.

git cherry-pick

Applies a specific commit from one branch to another.

Git/GitHub Commands

Additional Git Commands Cheat Sheet

git bisect

Helps to identify the commit that introduced a bug or issue by performing a binary search on the commit history.

git submodule

Manages submodules or external repositories within the main repository.

git archive

Creates a compressed archive of the repository's source code.

Sponsored by **Readable.com**
Measure your website readability!
https://readable.com