

### zendesk Cheat Sheet by Rutger (aCCuReRaS) via cheatography.com/599/cs/253/

## Bold and italic Italics \*I will display in italics\* Bold \*\*While I will display in bold\*\*

Unordened lists		
Input	Output	
	<ul><li><ul></ul></li></ul>	
* Item 1	<li>ltem 1</li>	
* Item 2	<li>ltem 2</li>	
* Item 3	<li>ltem 3</li>	

Lists must begin and end with a blank line. Unordered lists can begin with an asterisk followed by a space.

Ordened lists	
Input	Output
	<ol><li><ol></ol></li></ol>
1. Item 1	<li>ltem 1</li>
2. Item 2	<li>ltem 2</li>
3. Item 3	<li>ltem 3</li>

Lists must begin and end with a blank line. You create numbered lists using a number and a period followed by a space.

Image with alt text	![I am an image's alt text](htt- p://www.example.com/imag- e.png)
Image without alt text	![](http://www.example.com/- image.png)
Link with link text	[I am the text to be linked](h-ttp://www.example.com)
Link without link text	http://www.example.com

#### Headings

Images and links

# Heading 1

## Heading 2

### Heading 3

Heading levels are expressed using the hash character (#) followed by a space. You must add blank lines above and below each heading.

#### **Block quotes**

> This is a quote

Quotes are created using the right arrow character (>) and a space, which you add before each line of the quote.

The quote must begin and end with a blank

# Inline code and code blocks Inline code codeIsAwesome() Code block Code blocks are great for display large amount of code that need to maintain whitespace

A code block must begin and end with a blank line.

and indenting

Within the code block itself, you use spaces to indent your lines of code.



By **Rutger** (aCCuReRaS) cheatography.com/accureras/www.procurios.be

Published 7th February, 2013. Last updated 10th May, 2016. Page 1 of 1. Sponsored by **Readable.com**Measure your website readability!
https://readable.com