


Container Tools		Aliases (cont)	
<code>docker ps</code>	lists all currently running containers	<code>docker _cache_clear</code>	runs Cache
<code>docker ps -a</code>	lists all containers (including stopped ones)	<code>docker _cache_force_clear</code>	o mmand in remove cacl
<code>docker logs CONTAINER(S)</code>	shows the output of the given container(s)	<code>docker _run_sing le_test TEST_F ILE _LO</code>	rm -rf ap
<code>docker rm CONTAINER(S)</code>	removes a container(s) - including any local data changes	IGATION	runs a single test file
<code>docker rm -f CONTAINER(S)</code>	same as <code>docker rm</code> except also force stops a container(s)	cmd	starts a new using the sc image and s interactive b session
<code>docker start CONTAINER(S)</code>	attempts to start a stopped container(s)		
<code>docker stop CONTAINER(S)</code>	attempts to stop a running container(s)		
<code>docker restart CONTAINER(S)</code>	stops and then starts the specified container(s)		
<code>docker cp SRC DEST</code>	copies files to/from a specific container to a local location container location format: CONTAINER :PA TH_ ON_ CON TAINER		
<code>docker exec -it CONTAINER bash</code>	starts a bash terminal session in the CONTAINER specified		

Terms	
Image	A snapshot of a lightweight filesystem in order to run specific tasks
Container	An instantiation of an environment created from a specific image
Fileca- binet	A file mount that is shared across all containers

Aliases	
<code>docker _build</code>	<code>docker _co mpose</code> followed by a <code>docker -_bu ild_js</code>
<code>docker _bu ild_ js</code>	builds front-end components using <code>yarn ru n compile</code>
<code>docker _co mpos e</code>	installs dependencies as defined in <code>compos -er.lock</code> - does not update
<code>docker _start</code>	runs all containers as defined in <code>docker -c o mpo se.yml</code> with the default command as defined by the image
<code>dockerize</code>	logs in to aws in order to pull new images
<code>src_sync</code>	copies source code into all running containers and makes sure container source is up to date



`docker ps -a` use to see which container not starting linking error occur

`docker logs CONTAINER` use to see specific logs and error: a container trouble start bad exit code

`src_sync` use if logs reveal the files cannot be found

`docker build --build-arg /build-args /compose` use if parameters/dependencies seem to be incorrect

`docker rm CONTAINER` use if a file is corrupt in container
NOTE: DO NOT REMOVE data CONTAINERS AS THEY WILL TAKE A LONG TIME TO DOWNLOAD

`docker cache --clear /docker-cache-f -orc e_clear` use if annotations or operations seem to be corrupt/not updating



Docker ps columns

NAMES	Interchangeable with <code>CONTAINER ID</code> - used to reference a specific container
CONTAINER ID	Interchangeable with <code>NAMES</code> - used to reference a specific container
IMAGE	Image that the container environment is running on
COMMAND	Command(s) that the container is runs when started
CREATED	Date when container was first created
STATUS	Current status of container - will also display exit codes
PORTS	Displays external -> internal port mapping and protocol

xdebug - docker native

```
sudo ifconfig lo0 alias 10.254.25 4.254
```

```
docker exec -it webserver bash
```

```
vi /etc/php.d/xdebug.ini
```

press `i` to be able to edit, arrows to navigate

```
set xdebug.remote_mode=on
```

```
set xdebug.remote_host=10.254.254
```

```
set xdebug.remote_enable=1
```

to save and quit from vi:

```
press esc
```

```
type :wq
```

```
press enter
```

exit to get out of the container

run `docker restart webserver` in order to have the new config values take place

