

ADDRESS CLASS: A, B, C

Class:	A	B	C
Range	0-127	128-191	192-223
N/H	N.H.H.H	N.N.H.H	N.N.N.H
Network Bits	Nx8 = 8	Nx8 = 16	Nx8 = 24
Host Bits	Hx8 = 24	Hx8 = 16	Hx8 = 8
# Addresses	16,777,210	66,536	256
Private Range	10.0.0.0 - 10.255.255.255	172.16.0.0 - 172.31.255.255	192.168.0.0 - 192.168.255.255
Subnet Mask	255.0.0.0	255.255.0.0	255.255.255.0

ADDRESS CLASS: D & E

CLASS	RANGE	NOTE
D	224 - 239	reserved for multicasting
E	240 - 255	reserved for research & development

Power of 2 table

2 ⁰	1	2 ⁸	256
2 ¹	2	2 ⁹	512
2 ²	4	2 ¹⁰	1,024
2 ³	8	2 ¹¹	2,048
2 ⁴	16	2 ¹²	4,096
2 ⁵	32	2 ¹³	8,192
2 ⁶	64	2 ¹⁴	16,384
2 ⁷	128	2 ¹⁵	32,768

BIT, VALUE, MASK

BIT	VALUE	N-BITS / H-BITS	MASK
1	128	1 / 7	10000000
2	192	2 / 6	11000000
3	224	3 / 6	11100000
4	240	4 / 4	11110000
5	248	5 / 3	11111000
6	252	6 / 2	11111100
7	254	7 / 1	11111110
8	255	8 / 0	11111111



SOME FORMULAS

BLOCKS FOR LARGE #s $2^H / 256 = \# \text{ BLOCKS}$

NUMBER OF SUBNETS = 2^n (n = Number of borrowed bits from host)

NUMBER HOSTS PER SUBNET = $(2^h - 2)$ (h = Number of Host bits)

Hosts have always been with the "-2" part. Because the network address and broadcast address have always been unusable for hosts.

C

By **Goldilocks** (adeason)
cheatography.com/adeason/

Published 14th April, 2015.
Last updated 12th May, 2016.
Page 2 of 2.

Sponsored by **Readable.com**
Measure your website readability!
<https://readable.com>