

Lec 1	Lec 1 (cont)	Lec 2 (cont)	Lec 3 (cont)
<p>Abstraction Removing(or hiding) unneccessary complication/detail Good: Array.Sort(); Bad: nested for loops etc.</p> <p>Abstraction Levels Programming Languages(Assembly low) ← High Compiler OS Architecture Circuits Physics ← Low API- Defines operations (and efficiencies)</p> <p>API-Application Programming Interface High level specs of ops, e.g. Array, Add, Remove, Contains, IsEmpty, Graphics.Draw, etc.</p> <p>Levels within Programs API ← High Classes/Data Structs Functions/Methods Variables/Statements Types/Operators ← Low</p> <p>Software Practices Steps 1. Analysis – what do we need to do? 2. Design – how do we do it? 3. Implement it - Coding Yay! 4. Test, debug, improve 5. Go back to 1-4 as needed</p> <p>Why Comment/Document? Your code (in the RW™) will outlive you. Make your successor's life easier Make your (future) life easier</p>	<p>XML Syntax <tag> info </tag> e.g., <summary> ... </summary> <param name='val'> ... </param></p> <p>When to Comment? ALL files must have a header comment! ALL methods must have a header comment All fields/properties should have a comment</p> <p>Why XML? Machine readable, parsable, intellisensable</p> <p>C# source files can have structured comments that produce API documentation for the types defined in those files. The C# compiler produces an XML file that contains structured data representing the comments and the API signatures. Other tools can process that XML output to create human-readable documentation in the form of web pages or PDF files, for example.</p>	<p>Delegates are fully object-oriented, delegates encapsulate both an object instance and a method. Delegates allow methods to be passed as parameters. Delegates can be used to define callback methods. Delegates can be chained together; for example, multiple methods can be called on a single event. Methods don't have to match the delegate type exactly. i.e. Variance in Delegates.</p> <p>Delegate is the definition of the "Type" of function. Lookup is just a name I choose!</p> <p>Example public delegate int Lookup(string name);</p> <p>Delegates as Params Delegates allow you to "pass" functions to other functions int doit(string x){ ... } // ← Meets Delegate Requirements ... Evaluate("1+var", doit)</p>	<p>C# Differences w/ Java C# functions are "first-class" (see delegates) Generics can use primitives (List<int> vs. <Integer>)</p> <p>C# Access Modifiers public, protected, and private are the same as in Java. Internal means any method in the compilation unit (e.g., project) can treat the variable as public, but "outside" users treat it as private. Why do we have these? i.e. Answer: Because programmers are human and programming is hard. These modifiers "say": Only allow the person most familiar with the code to make changes to data; e.g., the library code itself has private variables (such as the stacks) and only the person writing that code "knows enough" to use them. The "outside world" user just uses the Evaluate method.</p> <p>ReadOnly declaration readonly int max_stack_depth = 5; "variable" can only be set in constructor (or in field declaration)</p> <p>Interfaces Same as java Contract for a method (somewhat like a delegate)</p>
	<p>Lec 2</p> <p>Delegates A delegate is a way to provide a TYPE for a function return type, parameter list/types You can use delegate types to store functions in variables "call" those saved functions using the variable name</p>	<p>Lec 3</p> <p>C# Similarities w/ Java Compiled to an intermediate form Run with a "runtime environment" Automatic memory management Syntax mostly the same (or one-to-one transition)</p>	



By [_allisonwalker](#)

Not published yet.

Last updated 16th March, 2023.

Page 1 of 14.

Sponsored by [ApolloPad.com](#)

Everyone has a novel in them. Finish

Yours!

<https://apollopod.com>

Lec 3 (cont)

Namespaces

Keep common terms separate
e.g.,
namespace Math { public
Vector{...} }
namespace Collections { public
Vector { ... } }
Requires "using" statement
using Math;

Escaped Strings

How do you put a "new line" into a string?
Answer: "\n" The \ (back slash) is called the "Escape Character"
Used to combine "regular characters", i.e., 'n' and \ to form a special character
Common escaped characters: /t, /n, /e
Example: string filename = "c:\\documents\\files\\abc.txt";
Note: Unix uses slashes, so you don't have to "double up": (e.g., /home/germain)

Verbatim Strings

Use the @ symbol
Escaped strings are ugly :(hard to read)
Remove some of the ugliness:
string filename = "c:\\documents-\\files\\abc.txt"; vs. BAD: string filename = "c:\\documents\\files\\abc.txt"; GOOD: string filename = @"c:\\documents\\files\\abc.txt";
Useful sometimes in regular expressions

Lec 3 (cont)

Interpolated Strings - \$

Do This! (Almost always!)
How do you put variable values into a string?
Old, Bad way: string s = "Your score of " + score + " is a good one!";
New, Good way: string s = \$"Your score of {score} is a good one!";

Solutions & Projects

Solution → Spreadsheet
Contains:
Projects FormulaEvaluator (Library Application)
FormulaEvaluatorTester (Console Application)
Projects Contain:
code files, etc.
Contain References to other projects/libraries
Tester must "reference" FormulaEvaluator

Lambdas

Shorthand notation for: Defining small anonymous functions
Inline
Useful for: Testing, "One offs", Some GUI applications, etc.
Syntax:
([param1, param2, ...]) => { code };
([param1, param2, ...]) => expression to return;

Lec 4

Version Control Use

Collaborative development
Branching/Merging Code
archeology/File history
Differences
Backup

GIT Functions

Committing: Save work as a "Version" with a "Message"
Branching: Try something else out which may or may not come back into the main branch later via Merging.
Push/Pull: Send changes from one place to another
TAG: Like a "bookmark" to find a particular state of your code
Code History: Compare one Commit to Another
Diffs Split vs. Unified

Extensions

Extensions allow us to add "dot methods" to classes we don't own, use this new functionality as if it is "built in"
Example: name.CapitalizeFirstLetters();

Lec 4 (cont)

IEnumerable

Guarantees that something is countable and can be iterated over Arrays, Lists, Trees, Dictionaries, etc ← all are IEnumerable
Can convert the above to "base" types using: toList, toArray
Allows support for: foreach loop
Has a templated type
Is an Interface: GetEnumerator
Current (array → int current = 0;)
MoveNext (array → current++;)
Reset() (array → current = 0;)

Interface

A specification guaranteeing that an implementing class will have certain functions
Guarantee made by the compiler
There is no guarantee the functions work, just that they are there.
Aside: Useful also with Polymorphism:
Movable x; // A Movable must have a .move() method
Car c = new Car();
x = c; // public class Car : Movable
x.move(); c.move()

Enumerator

Enumerator is an object that allows iterating over the object



By [_allisonwalker](https://cheatography.com/allisonwalker/)

cheatography.com/allisonwalker/

Not published yet.

Last updated 16th March, 2023.

Page 2 of 14.

Sponsored by [ApolloPad.com](https://apollopod.com)

Everyone has a novel in them. Finish

Yours!

<https://apollopod.com>

Lec 4 (cont)

IEnumerable

A high level type (interface) that allows us to apply actions to a list of objects

Useful with foreach loop

Useful when we don't care (or know) the underlying data structure

Makes our code more robust and general!

Lec 5

Unit Tests

Test the "smallest" pieces of the software system (e.g., methods)

Simplifies tests, simplifies debugging

"Easy" to find the failure point

Self Contained Testing

Tests should not rely on "outside" state

Test should:

define data (e.g., build a Dependency Graph)

Execute algorithm (e.g., remove/add dependencies)

Verify (e.g., using asserts)

Code Review

Higher Quality Code

Fewer Defects

Easier to Maintain

Developer Training Learn about other parts of codebase Learn about other techniques

Lec 6

Immutable

Strings are immutable, they cannot change.

Thus once we write:

```
string s = "jim";
```

That string object will `_always_` contain "jim"

Question: `s = "jess"` does not change the string, but instead creates a reference.

Mutable

Example: a stack is mutable (it can be changed),

StringBuilder class allows us to modify strings

Methods that Modify(Mutate) an Object

are called mutators

The stack class is "Mutable"

Can be modified after creation

The string class is "Immutable"

Cannot be modified after creation

Q: How can you make any object Immutable (to a programmer using your object?)

A: Make all fields/Properties/-setters PRIVATE! (protected)

Lec 6 (cont)

Properties

C# has a convenient notation for building getters/setters

Can control public/private of get and set independently

Often properties are "backed" by private member fields

As always, member fields

should default to private

"private" properties can often

just be private member variables

Example:

a private property could be used for lazy instantiation of an

expensive field: e.g., private

password (get if password==null, do expensive

password get operation)

Lec 6 (cont)

Properties

Properties are similar to named fields in the object

Properties should be aspects of an object that can be understood independently of the rest of the representation

Think, for example, of the current hour of the day (from a Date class where internal representation is seconds since a prior date)

Public properties (which is usually the case) provide a "contract" with user of your code

Has a convenient notation for building getters/setters Can control access to get and set

(i.e., private) independently

As always, don't make every member variable public

"private" properties can often

just be private member variables



By [_allisonwalker](#)

cheatography.com/allisonwalker/

Not published yet.

Last updated 16th March, 2023.

Page 3 of 14.

Sponsored by [ApolloPad.com](#)

Everyone has a novel in them. Finish

Yours!

<https://apollopad.com>

Lec 6 (cont)

Func v.s. Delegate Notation

If you aren't going to have (1) any useful/descriptive words, or (2) Or it is a "one off" then use "Func" notation

```
delegate int MathOnTwoNumbers(int x1, int x2);
int add(int a, int b) { ... }
AddTwoNumbers f1 = (a,b) => a+b; // lambda to fulfill Delegate
Func<int,int,int> f2 = (a,b) => a+b; // lambda to fulfill Func
AddTwoNumbers f3 = add; // regular function to fulfill Delegate
Func<int,int,int> f4 = add; // regular function to fulfill Func
```

Delgate v.s. Func

Why Use Delegate?
Named, Documented, Provides More Context
Evaluate(string formula, VariableLookupMethod lookup)
Why Use Func?
Shortcut, Types are "right there to see"
Evaluate(string formula, Func<string,int> lookup)

Lec 7

Global Variables

Data that is accessible from "anywhere" in the program
If a method modifies one, it is a "hidden side-effect"
Software Practice - Almost always:
Best Case: Data → Function → return New Data
Nothing else changes!
Okay Case: Data → Function → parameters "change" (see out/ref params)

Lec 7 (cont)

Memory

Stack
Methods (and their Variables)
Heap
Objects
Methods go on the Stack
Variables in Methods go on the Stack
Objects go on the Heap
Changing something about a "Shared" (Aliased) variables is "seen" by all other aliased variables

Memory Diagram

Every function should be labeled on the stack
Every variable is kept on the call/activation stack
References (to objects) have "arrows" to heap
Value variables have values on stack
Object methods should show "this" explicitly on the stack
Every new object is kept on the heap

Pass by Value & Ref

By Value
- a copy of the value is added to the stack frame of the called method
By Reference
- a "pointer" to the object is added to the stack frame of the called method

Lec 7 (cont)

In, Out, Ref Params

In
- makes Reference constant
WARNING: does not make object constant
Out
- refers to calling methods variable
Places object "in" calling methods variable
Must be assigned a value
Cannot use "what was there before"
Ref
- refers to calling method variable
Can use what is there
Does not have to assign a value
Out and Ref the same except compiler enforces semantics

Structs

Structs are like VALUE types
They go on the Stack
Unless part of an object
Let's Draw a picture for
struct Pt { int x; int y; } main() { Pt pt1 = new pt(); Pt pt2;

Structs

Constructors allowed, but not required
new() → calls constructor
Does not put object on heap
Can have methods
Getters/Setters/Properties
Usually do not!
Why do structs go on the stack?
Efficiency!
No allocation!
No deallocation/Garbage Collection.

Lec 7 (cont)

Memory Efficiency

the closer the data is to the CPU the faster the memory (and the more costly, thus there is less of it)

Lec 8

IEnumerable

What is the "High Level English" meaning of an IEnumerable?
Guarantees a "list" of "stuff" coming back.
What are some classes that implement IEnumerable?
List, HashTable, BST, Array, etc.
IEnumerable iterable = new BST();
IEnumerable iterable = new List<string>(...); // etc
What does an IEnumerable "give you"?
A way for OUTSIDE CODE to "walk" the data:
foreach (var item in iterable) { Print(item); }

IEnumerable uses an Enumerator

Implemented by an Enumerator Class
Enumerator has low level functionality
Bool ← MoveNext // if there is another item, return true
Current // return the current item



By [_allisonwalker](#)

cheatography.com/allisonwalker/

Not published yet.

Last updated 16th March, 2023.

Page 4 of 14.

Sponsored by [ApolloPad.com](#)

Everyone has a novel in them. Finish

Yours!

<https://apollopadd.com>

Lec 8 (cont)

Linq

Adds "Database-like" syntax to C# (somewhat modeled on SQL database language).

Can convert IEnumerable to Arrays or Lists

Using System.Linq;

```
public void doit( IEnumerable container ) {
```

```
List list = container.ToList();
```

Yield Return

C# has a way to Only partially execute a function

Can later return and complete more of it later!

This is called: Yield Return

Yield Return SAVES the entire execution state of the method call (i.e., the call (activation) stack) for continued execution at a future point!

Yield Return Explained

When the line with yield return is encountered:

The runtime saves the entire STATE of the method

Local Variables

Parameters

When the method is called

again, the runtime restores the state and continues

From the last point of execution!

Lec 8 (cont)

Why we need Yield Return

Example: Imagine a GUI with a button that populates a textbox with the next prime.

```
static IEnumerator iterator = next_prime().GetEnumerator(); //
```

actually need Enumerator

```
void button_action()
```

```
{
```

```
iterator.MoveNext(); // hidden:
```

computes next prime and saves

state of method

```
text_box.Text = iterator.Current;
```

```
}
```

REGEX

[abc] ← Square Brackets: match any character in here

a|b ← OR - Match an 'a' or 'b' character

a ← Match zero or more (little)

a's

d+ ← Match one or more (little)

d's

ld+ ← Escape: Match one or more digits!

ls ← Match whitespace

a? ← Match zero or one little a's

(a) ← If we find this, put it in "group" 1

a\$ ← a at end of string!

Lec 8 (cont)

Yield Return

Use when you either

CANNOT create entire list of results

TOO COSTLY to create entire list of results

Need to SPREAD computation over longer time Might not need all values!

Question: Binary Search Tree with Nodes

```
{ Node left; Node right;}
```

How would you build the

iterator?

Answer: yield return can use recursion!

Yield Return BST pseudocode

```
IEnumerable traverse( Node current )
```

```
{
```

```
if (current == null) return;
```

```
yield return this.Value;
```

```
traverse ( this.left );
```

```
traverse ( this.right );
```

```
}
```

Func ↔ Delegate shortcut

```
public delegate string Normalize(string); // Definition
```

```
Normalize function = s => s; //
```

Usage with Lambda

```
Func<string,string> function =
```

```
s=> s; // Func notation
```

Func is simply inline (shortcut)

notation for delegates without a name.

Lec 8 (cont)

What does == do?

== is REFERENCE equality

Are X and Y the same object in memory.

overloaded ==

Can mean anything you want it to mean, but...

Usually means VALUE equivalence "jim" == "jim"

.Equals

Means value equivalence

DRY -Don't Repeat Yourself

Dry is a fundamental principles of good software development

Don't repeat Data!

Violate sometimes for speed

(can be a good reason)

Don't repeat Code!

Violate sometimes because we are lazy (bad reason)

Example: using extensions is a good dry practice

Dry Code

Move common code to helper method(s) Make Library for

common code Use Extensions Library

What is an Invariant?

A condition that must always be true.

For example:

If A1 depends on B1

Then B1 must have A1 as a dependee



By [_allisonwalker](#)

cheatography.com/allisonwalker/

Not published yet.

Last updated 16th March, 2023.

Page 5 of 14.

Sponsored by [ApolloPad.com](https://apollopad.com)

Everyone has a novel in them. Finish

Yours!

<https://apollopad.com>

Lec 8 (cont)

How do we ensure the Invariant on this?

```
public void ReplaceDependents(string s, IEnumerable<string> newDependents) { }
```

Answer: this function should not touch Map 1 or Map 2
Answer 2: this function should only use addDependency and removeDependency

MVC

Model - Data (and some methods to compute on data)
View - What the user sees
Controller - Interactions between User and Model

NameSpaces

SpreadsheetUtilities
Internal namespace to your project for your use/protection
SS ← Added to project now
External namespace your project "shows" to the world, similar to System, or Math, or Collections...

Lec 9

Abstract Class

Defines WHAT must be done (via methods)
Defines Return and Parameter Type Signatures
Defines generic (reusable) code
Defines generic data (if applicable)
A child class can only implement one
Can have a constructor

Lec 9 (cont)

Interfaces

Defines WHAT must be done (via methods)
Defines Return and Parameter Type Signatures
No Code
No Data
A class can implement many
No constructor

MVC

Model - Working on this now
Data → Cells - Contents / Values
Functionality → Dependencies (See requirements in Abstract class)
View - GUI (not working on this now)
Controller - actions available to user
often initiated through the GUI
Not working on this now

Why Comment?

Shows that you understand your code
Allows partners and future developers to understand your code before reading it line by line
Can be used PRIOR to coding to set specifications/reminders
Can be "scraped" to provide external documentation
<inheritdoc>
Does just that. `{[nl]}`Inherits documentation from parent (class)
Why is this DRY?
DRY since we don't repeat ourselves/code

Lec 9 (cont)

How/When to Comment

Header Comment vs. Inline
Header - High-level overview of desired functionality
Don't "re-write" code in comments
Question: What is "comment rot"?
Inline
For sections of a long function (alternatively, helper methods)
For tricky code
Use descriptive variable names to alleviate the need for some comments

Self-Documenting Code

Wrong - "Don't Comment your Code!"
Right Comment for Why
Provide links to algorithms, examples, docs
Rename complicated expressions with understandable names

Lec 9 (cont)

DRY

Do not repeat yourself
Do not repeat code
Use helper methods
Do not repeat data*
Transform requests/inputs into a single standard form
Question: when "can" we repeat data
Answer: in a very local location (e.g., a single class file) where invariants are set (e.g., input into the dependents always updates dependees) and only if we get a strong efficiency boost that (in your expert opinion) is worth the SE hit.

Yield Return

Used for Enumerations (IEnumerableable)
Operationally: Saves Code/Method Call Stack
Used for: "infinite" or "costly" enumerations

Lec 10

GSP- Good Software Practices

Good use of Versioning
Multiple Commits. Good Commit Messages
Tags at "Releases"
Good use of Testing
Extensive Unit Tests
Well named/useful tests.
Documentation
READMEs
Located in Solution Folder (and all Project Folders)
Hour tracking
Software Practice Section
Header Comments
Who, what, verification
Method and Field Documentation



By [_allisonwalker](#)

cheatography.com/allisonwalker/

Not published yet.

Last updated 16th March, 2023.

Page 6 of 14.

Sponsored by [ApolloPad.com](#)

Everyone has a novel in them. Finish

Yours!

<https://apollopad.com>

Lec 10 (cont)

Diagrams

Intrinsically encode:
Basic functionality of each piece
How pieces fit together to form the whole
Overall design philosophy

UML -Unified Modeling

Language

Unified Modeling Language
"Syntax" for drawing diagrams
Programming Language
agnostic
Not all fields/methods need to be shown
Only those required for an understanding

UML Visibility Modifiers

- private
+ public
protected
underline static

Connectivity

Arrow indicates that one class is aware of another
Direction indicates whom is aware of whom

Aggregation

Something is composed of independent entities
When the "container" goes away, the entities do not ("weak" ownership)
e.g. A Course containing Students, but the students don't "go away" when the course is cancelled.

Lec 10 (cont)

Composition

Entities within are not whole on their own ("strong" ownership)
e.g. A Student containing a Transcript, and the transcript "goes away" when the student leaves the University

Diagrams

UML:
Formal
Persistent documentation
"Suggests" more information
Whiteboard:
Less Formal
Might be erased
Likely to "miss" information
This information is likely to be somewhere else (API file)

Incremental Testing

Test incrementally!
The longer you go without testing, the bigger your "haystack" becomes
Catch design flaws early
Problems will become apparent before bolting it all together
Keep the "haystack" small!
Testing is a lot like debugging

Complex Systems

Butterfly effect
Even for a tiny change in an obscure region of the code Run the test suite!

Lec 10 (cont)

Regression Testing

Regression refers to "going backward" (regressing)
When new code is added the number of bugs goes up, therefore the code "regresses"
Try to minimize this
Run existing (old) tests regularly
As code changes, tests might start failing
Note: Sometimes the Test needs to be updated
Test suite continuously grows
Never discard a valid test!
Must start test suite on "day one" or it won't get done
Must keep tests up to date (prioritize them)
Or it won't get done
Must run tests every day
Or it won't get done!

Smoke Tests

Subset of full suite
should run in < 5 minutes
if your entire suite runs quickly, use them all!
Try to pick broad range of coverage
Run them after every compile

Lec 10 (cont)

Code Coverage

100% coverage is often difficult
Huge systems – countless paths
Irregular interaction (e.g. GUIs)
That being said:
"Model" code is easier to cover
Eliminate "dead" code
You have access to the "white box"

Gray Box Tests

Combine Black Box and White Box
First, design tests of the specification (black)
Then, design tests for code coverage (white)
Keep them both in a test suite

Debug Assertions

Assertions in regular code:
Debug.Assert(some condition);
Condition should always be true – fails otherwise
Sprinkle these throughout your code where invariants should hold
Get removed in release builds – important for performance!
Use them if your code assumes preconditions
Good use of assertions can save countless hours of debugging
Fail Fast!



By [_allisonwalker](#)

cheatography.com/allisonwalker/

Not published yet.

Last updated 16th March, 2023.

Page 7 of 14.

Sponsored by [ApolloPad.com](#)

Everyone has a novel in them. Finish

Yours!

<https://apollopadd.com>

Lec 10 (cont)	Lec 10 (cont)	Lec 11 (cont)	Lec 11 (cont)
<p>Variable/Object Review</p> <p>An "empty" (class) variable is a placeholder for an object</p> <p>An "empty" (value type) variable is a value</p> <p>For example:</p> <pre>int x; Student s;</pre> <p>Explicit Nullables Syntax</p> <p>? - The Question Mark is used to denote that a variable is allowed to contain nulls:</p> <p>How to use Explicit Nullables</p> <p>If there is a case where you may need a variable or parameter to contain nulls, write it like so:</p> <pre>public Student? function(Student? s) // s may contain null { Student? temp = s; // temp may contain null ... return temp; }</pre> <p>How to use Non-Nullables</p> <p>Non nullables REPLACE the old syntax:</p> <pre>public Student function(Student s) // s must contain an object { Student temp = s; // temp must contain an object ... return temp; // temp cannot contain null (compiler enforced) }</pre>	<p>Nullables</p> <p>Summary:</p> <p>Class c;</p> <p>Good software practice: do not allow variable to contain null values</p> <p>OLD way - code does not enforce this (in fact it implies c contains null)</p> <p>NEW way - code/compiler enforces</p> <p>Therefore Class? c = null; // allows null</p> <p>Class c = new(); // does not allow null</p> <p>Enforced by compiler for a given Project!</p> <hr/> <p>Lec 11</p> <p>Testing</p> <p>Coverage != Good Tests</p> <p>Necessary but Not Sufficient</p> <p>Tests should be small and targeted</p> <p>(Hence Unit Tests)</p> <p>A _deep_ understanding of the project goals is very important to understanding the code</p> <p>A full reading of all specifications (both in the starter code and written documentation) is necessary!</p> <p>Stress Tests show correct use of complexity/big O</p> <p>Harder to write</p> <p>Harder to debug</p>	<p>Information Storage and Retrieval</p> <p>Saving and restoring information is fundamental to real programs</p> <p>Solutions:</p> <p>Files ← Old fashion (but still useful ;^(most of the time*)</p> <p>XML/JSON/ETC</p> <p>Databases ← Modern</p> <p>SQL/MySQL/Mongo/SQLite/Firebase/...</p> <p>Saving Files</p> <p>Need a "protocol" (i.e., what does a file structure mean?)</p> <p>XML and JSON</p> <p>Notations for saving information</p> <p>Machine readable</p> <p>Supported by Abstractions and Libraries</p> <p>Using Statement</p> <p>Forces "cleanup"!</p> <p>Operating System must close file</p> <p>Try renaming a file while Visual Studio open with it</p> <p>Advice for CS 3505</p> <p>C++ → Destructor</p> <p>All objects have an explicit action they take when they are no longer referenced/used</p> <p>Translates into:</p> <pre>Try Finally (always done regardless of exception) status)</pre> <p>Can only be used on Disposable Objects</p> <p>Should always be used on Disposable Objects!</p> <p>For Files, the finally closes the file stream!</p>	<p>XML-Attributes</p> <p>Attributes - inside of tag < >s</p> <p>Add extra information to tag</p> <p>Probably should be avoided</p> <p>Examples:</p> <pre><teacher name="Jim"> <param name="length"> <list type="number"> <record id="57"></pre> <p>JSON vs. XML</p> <p>JSON newer;</p> <p>XML older;</p> <p>Both "do the job"</p> <p>Both machine readable/parsable</p> <p>Same abstractions</p> <p>JSON ← Many (? most ?) Web applications use this</p> <p>JSON</p> <p>JSON – Representation – Object is {}</p> <p>Key Name/Value:</p> <pre>"key" : "value" }</pre> <p>Value can be a JSON object</p> <pre>{ "key" : { key1 : value, key2 : value } }</pre> <p>JSON Arrays:</p> <pre>{ "key" : [{ key: value, ... }, { ... }, ...] }</pre> <p>Reflection</p> <p>Computer language can inspect runtime objects</p> <p>Field Names</p> <p>Types</p> <p>Etc</p> <p>Serialization</p> <p>Uses Reflection to determine Run-Time structure of object</p> <p>Turns this structure into a machine readable format</p> <p>Can do this automagically</p>



By [_allisonwalker](#)

Not published yet.

Last updated 16th March, 2023.

Page 8 of 14.

Sponsored by [ApolloPad.com](#)

Everyone has a novel in them. Finish Yours!

<https://apollopad.com>

Lec 11 (cont)

XML Serialization

You can either use the sample code (with small modifications)
As many programmers before you have done
Read documentation on XML serialization and use this technique

Properties vs. Fields

Serialization works on Properties instead of fields
Field: int name;
Property: int Name { get; set; }
Warning
Default serialization works on public Properties.
If you want Private access, or to change the names, you must use some "meta-tags"

Lec 12

Business Logic

Where does the business logic error checking go?
M, V, or C ?
Answer:
Model and Controller (mainly) but also in the View! ←Trick
Question!
Example:
Model checks for cycles in graph
Controller does input sanitization
View only allows inputs in valid cells; View restricts input to only numbers (where appropriate)

Lec 12 (cont)

Spreadsheet ↔ MVC

Which of the following is a Model, a View, or a Controller?
FormulaEvaluator - Model
DependencyGraph - Model
Formula - Model
Spreadsheet - Model
GUI - Controller and View

GUI

Real world programs (usually using GUIs) are driven by inputs
Unpredictable (based on human input)
Execution is non-deterministic
You don't know the order of the users actions...

Design Pattern: Notifier ↔

Listener

Event: any occurrence that may require action by "someone" else

Making sure the "right event" gets to the Right place is challenging!

Listeners: "subscribe" to an event

Notifier: "sends" the event
Listeners take action upon "hearing"

Lec 12 (cont)

C# Event Handling

Note: Directly supported by the language!
Define a delegate for handling the event
All handlers match this signature
Declare an event (in the notifier)
Register a handler (in the listener)
Trigger the event (in the notifier)

C# Events

First, define a delegate for handling the event:
delegate void CancellationEventHandler();
All handlers must match this signature!
void return – No Parameters!
Next, declare an event (in the notifier):
class University {
event CancellationEventHandler canceller;
// Keyword Type Field Name

Event Abstraction

The event syntax provides:
a list
a foreach loop
an assignment operator
All "hidden" (abstracted) with simple/compact syntax!

Lec 13

Good Software Practices

All of the techniques and principles (e.g., DRY) that we discuss are designed to give developers "Best Practices" for creating code that:
a. Contains fewer defects
b. Is more maintainable
Easier to understand
Easier to modify
Safer to modify (see (a) above)

SOLID Code

Single Responsibility
Open-closed principle
Liskov substitution principle
Interface segregation principle
Dependency Inversion

(S)ingle Responsibility

Each class (dare we say even method) should have a single responsibility
Example: the spreadsheet model does not deal with:
The GUI
Dependency Graph
(Other than by using the DependencyGraph library)



By [_allisonwalker](#)

cheatography.com/allisonwalker/

Not published yet.

Last updated 16th March, 2023.

Page 9 of 14.

Sponsored by [ApolloPad.com](#)

Everyone has a novel in them. Finish

Yours!

<https://apollopod.com>

Lec 13 (cont)

(O)pen-Closed Principle

Best practice is NOT to modify existing code.

Why?

Added functionality is added by "extending"

Inheritance

Subclassing in C#

Extension (void doit (this Type, params) { })

Example: stack class is not rewritten but helper methods, such as "IsOnTop", are added

(L)iskov Substitution Principle

Variables in a program of a give (Parent) type should be replaceable with instances of their subtypes without altering the correctness of the code.

Example: The need for an Abstract Spreadsheet can be fulfilled with any students Spreadsheet implementation

(I)nterface Segregation Principle

Many small interface specifications are better than one large one

"Child" classes can implement multiple interfaces as necessary
Not a good example from Spreadsheet

Example: IDisposable

Only one method – Dispose

Lec 13 (cont)

(D)ependency Inversion

Principle

Classes should depend upon Abstraction not Concreteness. Where possible, variables/fields should be Interfaces or Abstract Classes rather than a concreted class.

Example: Spreadsheet GUI should have an Abstract Spreadsheet member variable, not a Spreadsheet.

This allows flexibility in expanding the project in the future
class GUI

```
{  
private Spreadsheet Spreadsheet; // WRONG  
private AbstractSpreadsheet Spreadsheet; // CORRECT
```

How do you "start" becoming a better software engineer?

Q: How do we get all of this "stuff" into our program.

Suggestion:

Concentrate on the S (single responsibility)

Remember the O (open/closed) when using other code

Try to remember to define (and use) Interfaces

Upon modifying (adding features to) the code, refactor to increase SOLIDness

As you grow more skilled, consider SOLID from the start

Lec 14

Software Practice and Parallel

Does Parallel make code easier to understand?

Does Parallel make code have fewer defects?

NO!

It might inspire you to better document, but it is intrinsically more complicated than single thread execution

So why do we do it?

Answer: efficiency gains out weight complexity

We must be even more diligent in our naming, documentation, testing, etc., when writing parallel code

Moore's Law

•Gordon Moore, 1975:

Transistor density will double every 2 years

What does this mean?

• It does not mean: processors get 2x faster every 2 years

Dennard Scaling

Robert Dennard, 1974: As transistors shrink, power-density remains constant

•What does this mean?

Moore's + Dennard

•What does this NOT mean?

• That computers automatically get faster

•What does this mean?

• In part, it means we're getting lots of cores

•We have to figure out how to use those cores!

Lec 14 (cont)

Parallel Computing

- We told the algorithm how to divide the work
- And more importantly, how to combine the results
- Writing code without thinking about parallelism will not (usually) produce a parallel solution

Thread

- Thread: a single sequential subprocess
- Almost like its own program
- Multi-threading is the ability of a computer to execute multiple threads concurrently

Non-Blocking

- thread.Start() is a non-blocking statement
- It returns right away
- Even though the other thread is still running
- thread.Join() is blocking
- Calling thread waits until thread finishes
- What defines when thread is finished?
- When the work function returns

Timing

- You can not make any assumptions about how long some computing operation will take
- With concurrency, there is no guarantee about the order in which events occur



By [_allisonwalker](#)

cheatography.com/allisonwalker/

Not published yet.

Last updated 16th March, 2023.

Page 10 of 14.

Sponsored by [ApolloPad.com](#)

Everyone has a novel in them. Finish

Yours!

<https://apollopad.com>

Lec 14 (cont)	Lec 14 (cont)	Lec 15	Lec 15 (cont)
<p>Concurrent</p> <ul style="list-style-type: none"> •Concurrent • Multiple tasks running • Thread can be interrupted, preempted at any time •Achieved by either: <ul style="list-style-type: none"> • OS rapidly switching threads/processes • Two threads/processes executing simultaneously •Concurrency via Context Switching <p>Parallel</p> <ul style="list-style-type: none"> •Parallel (simultaneous) • Actually at the same time (same cycle) • Parallelism is concurrency • Usually results in performance gains •Concurrency is not (necessarily) parallelism <p>Multi-Threading</p> <ul style="list-style-type: none"> •Multithreading does not (necessarily) mean parallel • But it does mean concurrent •The issues that arise with multithreaded programming are due to concurrency, not parallelism <p>SMT</p> <ul style="list-style-type: none"> •Simultaneous multithreading •The ability of a core to execute multiple threads simultaneously •Intel calls it “hyperthreading” • (a little more to it than this) 	<p>C# Form</p> <ul style="list-style-type: none"> •How does a C# Form control program flow? <pre>static void Main() { ... Application.Run(new Form1()); } public Form1() { InitializeComponent(); }</pre> <p>Message Loop</p> <ul style="list-style-type: none"> •A Form is an “application message loop” •System creates a new thread to run the loop •Thread essentially runs this code: <pre>while(m = NextMessage()) { HandleMessage(m); }</pre> •Messages are placed in to the thread’s “queue” by the OS •When the mouse is moved •When the mouse is clicked •When a key is pressed •When a window is resized •etc... •Most of the time, handling the message is just invoking event handlers <p>Handling Messages</p> <pre>while(m = NextMessage()) { HandleMessage(m); }</pre> <ul style="list-style-type: none"> •If handling the message is expensive, then other messages get stalled •GUI becomes unresponsive 	<p>Modals(Pop-Ups)</p> <pre>async void doit() { //async bool DisplayAlert(...) overwrite = await DisplayAlert("Warning", // Title "Spreadsheet changed, do you want to continue?", // Message "Yes", // True choice "No"); // False Choice</pre> <p>Partials</p> <pre>// file: YourCode.cs class MainPage XML → MauiCode.cs { partial class MainPage ... }</pre> <p>Good Software Practices lead to Better Architecture <input type="checkbox"/> FDMM</p> <p>MVC, Client Server, Event Driven</p> <p>Use of “tried and tested” libraries</p> <p>SOLID → FDMM</p> <p>Smaller “units” (multiple single responsibility functions)</p> <p>Documentation <input type="checkbox"/> FDMM</p> <p>Versioning <input type="checkbox"/> FDMM</p> <p>Testing <input type="checkbox"/> FDMM</p> <p>Design Patterns → FDMM</p> <p>FDMM – Fewer Defects, More Maintainable</p>	<p>Open/Closed Example</p> <p>Modifying the code in <code>_working_</code> software can lead to defects</p> <p>New software needs more functionality.</p> <p>Avenues of “Openness”</p> <p>Extend</p> <p>Inherit</p> <p>Open for extension/Closed for modification</p> <p>Code Alignment</p> <p>Makes code:</p> <p>Easier to Read</p> <p>Easier to spot “one offs” or “copy paste” mistakes</p> <p>float thousands = 1000;</p> <p>float millions = 1000000;</p> <p>float billions = 100000000;</p> <p>Even Better: Use number underscores</p> <p>Threads vs. Tasks</p> <p>You may read about/hear about “Tasks”</p> <p>Both allow processes to run in parallel.</p> <p>Task is a higher level abstraction with additional functionality:</p> <p>Can return a result</p> <p>Can be cancelled</p> <p>Can use Async and Await keywords*</p> <p>Can use the “Thread Pool”</p> <p>For our current purposes, there is little difference.</p>



By [_allisonwalker](#)

Not published yet.

Last updated 16th March, 2023.

Page 11 of 14.

Sponsored by [ApolloPad.com](#)

Everyone has a novel in them. Finish

Yours!

<https://apollopad.com>

Lec 15 (cont)

Shared Data is Problematic

Parallelism

When possible do work on separate data

When NOT use locking

We'll talk more about this later

Slows down the process

Key Methods

Constructor:

```
worker1 = new Thread() =>
function();
```

Start – actually begin the work
worker1.Start()

Join – wait for that work to be done

```
worker1.Join()
```

Parallel Vocab

Thread

A separate unit of execution (assigned a method/function)

Race Condition

Two (or more) threads have access to same data at the same time

Lock

Protects a critical region of code (which almost always should contain a shared resource, e.g., a common variable/data structure)

Deadlock

Two+ threads are waiting for each other in order to continue

Lec 15 (cont)

Deadlock Example

Note: You won't get Deadlock in Spreadsheet GUI

Need at least two locks

Only shared resource might be

GUI widgets (e.g., buttons)

Should "turn these off" when

doing a long computation

Protected by Backgroundworker

Semantics and/or Invoke

Characteristics of GSP

Defects (bugs) Reduction

Testing, Architecture, SOLID

Maintainability

Understandable/Readable

Testing Regression

resistant

Lec 16

Software Practice - Problem Solving(Coding)

Problem: I want to choose where to save a file (spreadsheet) in my MAUI application

Solution:

Software Practice in practice

Step 1: Google - choose good keywords

Step 2: Stackoverflow - verify it "looks legit"

Step 3: Nuget and Troubleshoot

Lec 16 (cont)

Networks

We will cover the introductory concepts about program to program communication over a network

For a deeper understanding, take CS 4480 - Networking

Two way Communication

Address and recipient

Address and sender

Identification Information

Real World (i.e., Apartment)

Address (# street state zip),

Mailbox/Apartment (#)

Computer

URL: e.g., www.cs.utah.edu

(human readable)

Really IP Address: e.g.,

155.98.65.24 (machine

readable)

Port: e.g., 80

Architecture: Client ↔ Server

Client wants to do some "work"/"play"

Server controls functionality

Client usually shows the GUI

Server usually manages the

Model/Data

Lec 16 (cont)

DNS -Domain Name System

How do you know "where" Jess lives?

Need an Address?

Could ask operator

"Where is the Jess' House?"

I suppose you could ask

Google...

How do you know "where"

cs.utah.edu lives?

DNS Domain Name

System

Provides "IP Address"

Need a computer address:

Where is:

cs.utah.edu

Aside: how do you know where DNS lives?

Google DNS:

Configure your network settings

to use the IP addresses

8.8.8.8 and 8.8.4.4 as your DNS

servers.

If you decide to try Google

Public DNS, your client

programs will perform all DNS

lookups using Google Public

DNS.

IP Version 6 and local nets: Too many computers...

Note IPv4 vs. IPv6 (number of addresses)

Think license plates in Utah vs.

California

Local network: 192.0.0.1

Most of your home routers



By [_allisonwalker](#)

cheatography.com/allisonwalker/

Not published yet.

Last updated 16th March, 2023.

Page 12 of 14.

Sponsored by [ApolloPad.com](#)

Everyone has a novel in them. Finish

Yours!

<https://apollopad.com>

Lec 16 (cont)

Ports -"MAIL BOXES"

ASSOCIATED WITH SPECIFIC PROGRAMS

Once at the "building", distribute to the recipient

Client ↔ Server Communications

Needs:

The address of the server machine

Initial port to talk to

A unique port for future communication

The Protocol(s)!

Can you have multiple Clients ↔ with a single Server?

see stackoverflow?

Initial Port vs. Continuing Port

For Query/Response programs (e.g., a web server):

the server will use a specific low port that is "known" so anyone can make an initial connection i.e., 80

Ongoing connections will be moved to a different (high) port number

So that new clients can talk to server at the same time

Lec 16 (cont)

Ports -1

"Mailbox Numbers" for the computer

Unique to for each program
If you try to "open" a port that is already in use you will get an error

Note: this could happen if you try to run/debug two versions of the same program at the same time

Numbers

Range: 0 - 64k

taken over -> used so much they have become defaults...

Ports -2

Who decides number?

Some programs have official ports

Other programs have "taken" over ports

Some ports screened/blocked by firewalls!

Especially low ports under 1000

Sockets -OPENING CONNECTIONS BETWEEN CLIENTS AND SERVER

Socket Unique Channel between Sender and Receiver
Client asks the Server for connection.

A Socket is defined!

Lec 16 (cont)

Socket

An identifier representing a particular point to point communication connection between two pieces of software

My IP ADDRESS

Their IP ADDRESS

My Port Number

Their Port Number

Combined into a single unique communication channel

Network Protocols

Agreed order and format of data for communication

What protocols do we have in this classroom?

Hand raise Professor Calls

Upon Acknowledged

person answers

Professor says Answer Clicker

Question Students input

data

XML Commenting Protocols

How do we define comments about parameters?

```
<param name="abc"> info </param>
```

IP -Internet Protocol

Responsible for sending packets of information from host to host
Hand-wave Hand-wave Hand-wave

(or Abstraction/Separation of concerns)

The internet and C#'s usage of it just works!

Lec 16 (cont)

TCP -Transmission Control Protocol

Runs on top of IP (Internet Protocol)

One to One Reliable Communication

Data will arrive

Verified Ordering

Verified Uncorrupted

Does not verify when data arrives or how much arrives at a given time!

C# libraries do all the work for you

Take the Networking course! CS 4480

UDP -User Datagram Protocol

Alternative to TCP

No Handshaking – no persistent connection

No guarantee of

Delivery

Ordering

Duplication Protection

Why would we use this?

Faster – less overhead

Basic Network Communication

Facts:

Happen at the BYTE level!!!!

Your program must

Translate useful data into bytes and

Translate bytes into useful data (e.g., strings, objects, etc)

TCP does not guarantee

When Information Goes Out

When Information Arrives

How much information is sent at any one time...

TCP does guarantee

order and validity



By [_allisonwalker](#)

cheatography.com/allisonwalker/

Not published yet.

Last updated 16th March, 2023.

Page 13 of 14.

Sponsored by [ApolloPad.com](#)

Everyone has a novel in them. Finish

Yours!

<https://apollopad.com>

Lec 16 (cont)

Stacking Protocols

Web browsing looks something like this

HTTP

TCP

IP

Need our own Protocol

If you can't guarantee when or how much data the program receives, how do you know when you have a full message:

jim is great... ☺

...ly overrated ☹

Answer: define a protocol

For example: the character '.' will mean we are done:

jim is great.

Problems?

Other Suggestions?

How about writing the number of characters as the first byte?

Communication Example

Question:

Have you written a Program to Communicate with another Program?

Answer:

The Spreadsheet communicates with "another program" (itself) via saving data

What the server's connection thread does

A SERVER DOES TWO

THINGS:

"NETWORK STUFF" (E.G.,

HANDLE MULTIPLE CLIENT

REQUESTS AND

CONNECTIONS)

"APPLICATION STUFF" (E.G.,

MANAGES A GAME)

Lec 16 (cont)

TCP Handling in C#

A TCPListener object is at the heart of the server.

Listens on a specific port for incoming connection requests.

TcpListener

BeginAcceptSocket – Wait for request to arrive

EndAcceptSocket - Obtains the Socket.

Lec 17

GSP Overview

GSPs refer to tools, techniques, processes, etc., that are used to ensure our code is:

Easier to maintain

Contains fewer defects

Examples include:

Versioning (git/github/github projects)

Design Patterns

System Architecture decisions

(e.g., MVC)

SOLID, DRY

Diagramming/UML

Testing

Unit Testing, Integration Testing, open/closed-box testing, C# test syntax, e.g., TestClass()...

Lec 17 (cont)

Chat Client Examples

Some Key Issues:

What is a stringBuilder (as opposed to a string)? Why do we use it?

What is a byte[] (as opposed to a string)?

Why do we use it?

What are character encodings (UTF8)?

Can we convert between these?

More Key Issues

Watch for Race Conditions in your code

What values can multiple threads access?

E.g., Client array

Removing items from a shared list

Network Realities

How much data comes at once?

Protocols: "what is a message?"

127.0.0.1 (localhost)

Simple Chat Client/Server Key

Methods

Key Methods

BeginAcceptSocket

Wait for someone to talk to you

BeginConnect

(Ask to) Start talking to someone

else

BeginSend, EndSend

Send data

BeginReceive, EndReceive

Receive data

Simple Chat Client/Server Key

Concepts

Key Concepts

"Event" callbacks

Older vs. Newer

Await Async

Lec 17 (cont)

Continued Key Issues

How do you convert from an "object type" to an "actual" Type?

Why is IAsyncResult.AsyncState not typed...?

What is meant by an Event (Receive Event) loop?

New Version of Code

Async - tells the system that the code may "pause" and "return" later

Allows other threads to execute

Await - tells the system to "wait"

here (pause thread) until an "event" happens

Let's look at the tcpclient version of the code.



By [_allisonwalker](#)

Not published yet.

Last updated 16th March, 2023.

Page 14 of 14.

Sponsored by [ApolloPad.com](#)

Everyone has a novel in them. Finish

Yours!

<https://apollopad.com>