

Linux Cheat Sheet by Almog1339 via cheatography.com/84407/cs/19949/

Linux files system		
/	root directory of the entire file system	
/bin/	Essential user command binaries	
/boot/	static files of the boot loader	
/dev/	device files	
/etc/	host-specific system configuration	
/home/	user home directories	
/lib/	essential shared libraries and kernel modules	
/media/	mount point for removable media such as USB	
/mnt/	mount point for a temporarily mounted files systems	
/opt/	optional commercial software	
/sbin/	system binaries	
/usr/	user utilities and applications	
/root/	home directory for the root user	
these are	these are not all the file system directories	

Not that important command

cal (yearN-	display the calendar for the
umber)	proper year
date	display the current date

,but they're the most important to know

Navigating Between directories

pwd	print working directory
cd ~	change directory to home
cd	go up one directory
cd /folder/floder	move to the wanted
	folder

operations	on files and directories
cp <file> <target dir=""></target></file>	copy file to a target directory
cp -i <fi- le1> <fi- le2></fi- </fi- 	Ask if to replace the new file with the old one
mv <file> <target dir=""></target></file>	move file to a target direct- ory,and can be used to rename files
rm <file></file>	remove file
rm -r <di-< td=""><td>remove directory recursively</td></di-<>	remove directory recursively
rm -i	prompt for every removal
nano <fi- le></fi- 	a terminal based text editor
mkdir <dir< td=""><td>makes new directory</td></dir<>	makes new directory

you can also use "rmdir -p (path)" this command will delete all of the tree archaic unless the tree has files inside of it.

name>

Is command

-S

(Endwith)

מציג את כל הקבצים כולל -a המוסתרים בנתיב -| מציג את הקבצים בצורה מפורטת רושם הרשאות, גודל ועוד מציג את הקבצים והתקיות ואת כתובתם בזיכרון

מהקטן לגדול -R מבוצע בצורה ריקורסיבית לתוך התיקיות מציג רק את הקבצים עם הסיומת

מציג את התיקיות לפי הגודל.

Not published yet. Last updated 27th June, 2019.

Page 1 of 1.

Is command (cont)		
(startWith)*	מציג את התווים המתחילים עם	
String	מציג את כל הקבצים שיש	
Permissions numbers		

Permissions numbers		
0	no permissions	
1	execute	
2	write	
3	write and execute	
4	read	
5	read and execute	
6	read and write	
7	read write and execute	

By Almog1339

cheatography.com/almog1339/

Sponsored by Readable.com Measure your website readability! https://readable.com