

### Handling Files

C-x C-f [C-f]	Open file [without IDO]
C-x C-s	Save file
C-x C-w	Save file as...
C-x s	Save all buffers
C-x C-r	Rename file
C-x C-d	Delete file
C-x C-a	Edit as root
C-x RET c	Encoding for next command
C-x RET f	Encoding for saving file

### TRAMP

/[user@]host:path	Remote access via SSH
/sudo::/path	Open as root

### General editing

C-y	Yank (paste)
... M-y	Cycle in kill ring
... C-c y	Browse kill ring
C-Spc [C-Spc]	Set mark [and deactivate it]
C-u C-Spc	Jump to mark

### Dired (open with C-x d)

C/R/D	Copy/rename/delete
!/&	Shell command/asynchronous
Z	Compress/uncompress
M/G/O	Change mode/group/owner
A/Q	Search/replace
m/u/U	Mark/unmark/unmark all
+	New directory
g	Refresh

### Frames

C-x 0	Close current frame
C-x 1	Close all except current frame
C-x {2 / 3}	Split frame {horizontally/vertically}
C-TAB	Switch to next frame
M- S-arrows	Resize frame
C-c s a	Scroll all frames simultaneously

### Screens

F9	Create new screen
S-F9	Kill current screen
M-1 ... M-0	Go to screen number 1 ... 10
C-z l	List active screens
C-z C-b	Escreen menu

### Desktops

C-x x r	Load session
C-x x s	Save current session
C-x x d	Save current session & clear
C-x x c	Change session (save & load)
C-x x n	Show current session name

### Google

C-c g RET	Google search
C-c g g	Google search on cursor
C-c g r	Google C++ reference
C-c g m	Google maps search
C-c t	Google translate at point
C-c T	Google translate

### Org-mode: General

[S-]TAB	Fold/unfold [all]
M-arrows	Move/change indentation level
M-S-arrows	... for entire subtree
C-c c	Quickly capture a note
... C-c C-c	... save the note
... C-c C-k	... abort

### Org-mode: Lists

+ - *	Un-ordered list
1. 1)	Ordered list
term :: def	Definition list
[ ]	Checkbox
C-c C-c	Toggle checkbox

Lists are recognized as sub-tasks for to-dos.

### Org-mode: To-dos

C-c C-d	Deadline for to-do item
C-c C-s	Schedule to-do item
C-c C-t	Rotate to-do state
C-c ,	Set to-do priority
C-c a a	Calendar-like agenda
C-c a t	Global to-do overview

[/] or [%] in a to-do heading show subtask completion.



### Org-mode: Misc.

[[link][text]]	Define a link
C-c l	Save current buffer as link
C-c C-l	Insert link
C-c C-o	Open link
M-S-left/up	Kill table column/row
M-S-right/down	Insert table column/row
C-c C-e	Export...
C-c C-e t	Insert options template

### Programming

C-c C-r	Comment in/out a line or region
F3	Next occurrence of symbol
S-F3	Previous occurrence of symbol
M-F3	Replace symbol
M-^	Jump to definition...
C-c C-c	<b>[Python]</b> Execute buffer
C-c !	<b>[Python]</b> Switch to interpreter
C-c C-e	<b>[Python]</b> Help on symbol
C-c C-x	<b>[sh]</b> Execute script
C-c C-f	<b>[HTML]</b> Fold/unfold block
C-c C-f	<b>[JS]</b> Fold/unfold all functions
C-c C-t	<b>[JS]</b> Fold/unfold block comments
C-c C-o	<b>[JS]</b> Fold/unfold at point

### Flycheck

F5	Jump to previous error
F6	Jump to next error
F7	List all errors
S-F7	Toggle Flycheck mode

### Magit (Open with F4)

M-S / M-H	Show/hide all diffs
s / S	Stage / Stage all
u / U	Unstage / Unstage all
i	Ignore untracked file
k	Delete file permanently
c	Open commit buffer
*** C-c C-c	Perform commit
l l / l L	List of revisions / Verbose list
a	Apply commit ("cherry-pick")
v	Revert commit
X	Revert all uncommitted changes
P P	Push current branch
F F	Pull current branch
b ***	Manipulate branches
q	Quit current Magit buffer

Many commands can be used on parts of a diff, e.g. to stage or revert partial changes.



By **Amaroid**  
[cheatography.com/amaroid/](https://cheatography.com/amaroid/)

Not published yet.  
Last updated 2nd February, 2015.  
Page 2 of 2.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>