

JENKINS

Jenkins is an open source automation tool written in Java that allows continuous integration and continuous delivery of projects.

JENKINS INSTALLATION

ON WINDOWS:

1. Install Java Development Kit (JDK)
2. Set the Path for the Environmental Variable for JDK.
3. Download and Install Jenkins.
4. Run Jenkins on Localhost 8080.

ON UBUNTU:

1. Install Java (\$sudo apt install openjdk-8-jdk or 11-jdk).
2. Add the Jenkins repository.
3. Install Jenkins (\$sudo apt update, \$sudo apt install Jenkins).
4. Set up Jenkins <http://localhost:8080>

JOB TYPES

1. **Freestyle build jobs** are general-purpose build jobs, which provides maximum flexibility. It can be used for any type of project.
2. **Pipeline** runs the entire software development workflow as code.
3. **Multiconfiguration project** allows us to run the same build job on different environments.
4. **Folder** allows users to create folders to organize and categorize similar jobs.
5. **GitHub Organization** scans your entire GitHub organization and creates Pipeline jobs for each repository containing a Jenkinsfile.
6. **Multibranch Pipeline** lets us implement different Jenkinsfiles for different branches of the same project.
7. **Maven** builds a maven project. Jenkins takes advantage of our POM files for packaging.

JENKINS PIPELINE

Jenkins pipeline is a single platform that runs the entire pipeline as code instead of building several jobs for each phase and it puts it in a Jenkinsfile. Jenkinsfile is a text file that stores the pipeline as code. It is written using the Groovy DSL. It can be written based on two syntaxes:

1. Scripted pipeline: Code is written on the Jenkins UI instance and is enclosed within the node block.

```
node {
    scripted pipeline code}
```

2. Declarative pipeline: Code is written locally in a file and is checked into a SCM and is enclosed within the pipeline block.

```
node {
    declarative pipeline code}
```

BUILD PIPELINE

Build Pipeline can be used to chain several jobs together and run them in a sequence.

BUILD PIPELINE EXAMPLE:

1. Create 3 freestyle Jobs.
2. Chain the 3 jobs together.

Job1 ->configure ->Post Build ->Build other projects ->Job2

Job2 ->configure ->Post Build ->Build other projects ->Job3

3. Create a build pipeline view.

Jenkins Dashboard ->Add view ->Enter a name ->Build pipeline view ->ok ->configure ->Pipeline flow ->Select Initial job ->Job1 ->ok

4. Run the Build Pipeline.

JENKINS PLUGINS

Jenkins comes with over 2000 plugins and each plugin has a unique functionality. But when it comes to software development most developers use a set of plugins, such as, **Maven, Git, Ant, Docker, Copy artefact**, etc. Follow the below step to install the above plugins or any other Jenkins plugin.

Jenkins Dashboard-> Manage Jenkins-> Manage Plugins-> Available

MAVEN PROJECT

1. Build Step where we can write goals and options. We can write different maven commands here such as **CLEAN, INSTALL, COMPILE, TEST, PACKAGE**, etc. that affect the **POM.xml** file present on our system or GitHub Repository.
2. We can also deploy **war/ear** to a container using post-build actions and archive the same.
3. We can execute batch or shell commands as a part of pre-build steps.

AUTOMATED DEPLOYMENT

1. Head to the manage plugins and install the respective plugins
2. It takes the war/ear file and deploys that to the running remote application build.
3. Go to build and configure and click on 'deploy to war/ear to container'
4. In the war container section save details about the destination server and click save.

EXAMPLE:

Open a freestyle project. Paste the URL of GitHub repository where POM.xml file is stored in SCM. Add a maven command (**MVN CLEAN INSTALL**). This will give us a war/jar file which we can deploy onto TOMCAT.



MANAGE USERS & ROLES

Jenkins allows us to give different permissions to a user across different jobs using "**Project Based Matrix Authorization strategy**". To use Project-based Matrix Authorization Strategy, First login with Admin user go to *Manage Jenkins -> Configure Global Security*. In "Authorization", Select "**Project-based Matrix Authorization Strategy**". Then add "Admin" user and check all the checkbox to grant all permission to admin user.



By **azka123**
cheatography.com/azka123/

Not published yet.
Last updated 4th March, 2022.
Page 3 of 2.

Sponsored by **CrosswordCheats.com**
Learn to solve cryptic crosswords!
<http://crosswordcheats.com>