lib/action_view/helpers/date_helper.rb

def datetime_select binding.pry	Then $ rails s (restart server)
f.datetime_select <select>	fstarts_at
def time_select binding.pry	
f.time_select <input> X 3 <select> X 2	fstarts_at

lib/action_view/helpers/form_options_helper.rb

d collection_select binding.pry	Then $ rails s (restart server)
f.collection_select <select>	
d select binding.pry	
f.select <select>	fassignee_id, fhow_heard, fstatus, ftransaction-_type
d time_zone_select binding.pry	
f.time_zone_select <select> <option> X N	ftime_zone

actiontext/app/helpers/action_text/tag_helper.rb

def rich_text_area_tag binding.pry	Then $ rails s (restart server)
f.rich_text_area_tag	fcontent

turbo-rails/app/helpers/turbo/frames_helper.rb

def turbo_frame_tag binding.pry	Then $ rails s (restart server)
f.turbo_frame_tag <turbo-frame>	

Snippets

routes.rb	
r	
xxxxx_controller.rb	
controller	class PluralController
ci or cindex	def index
cs or cshow	def show
cn or cnew	def new
cc or ccreate	def create
ce or cedit	def edit
cu or cupdate	def update
cd or cdestroy	def destroy
cni or cnindex	def index (nested)
cns or cnshow	def show (nested)
cnn or cnnew	def new (nested)
cnc or cncreate	def create (nested)
cne or cnedit	def edit (nested)
cnu or cnupdate	def update (nested)
cnd or cdestroy	def destroy (nested)

Sponsored by **ApolloPad.com**
Everyone has a novel in them. Finish Yours!
https://apollopad.com