

Main Classes (1 per entity)

```
public class Student
{
    public Student() { }
    public int StudentID { get; set; }
    public string StudentName { get; set; }
    public DateTime? DateOfBirth { get; set; }
    public byte[] Photo { get; set; }
    public decimal Height { get; set; }
    public float Weight { get; set; }

    public int StandardId { get; set; } // foreign key for line below (paired)
    public Standard Standard { get; set; } // 1 per student
}

public class Standard {
    public Standard() { }
    public int StandardId { get; set; }
    public string StandardName { get; set; }

    public ICollection<Student> Students { get; set; } // many per standard
}
```

If you don't define the foreign key field name <class>Id in the Student class, it will be created automatically and called Standard_StandardId

DbContext Class (1 required)

```
public class Context: DbContext
{
    // School Connection String is the connection string from the config file
    public SchoolContext(): base("name=SchoolDbConnectionString")
    {
        //Disable initializer - we don't want to lose data EVER
        Database.SetInitializer<SchoolContext>(null);
    }

    public DbSet<Student> Students { get; set; }
    public DbSet<Standard> Standards { get; set; }
}
```

Conventions

Primary key is Id or <class name>Id (or use Data Annotation)

Every Entity MUST have a primary key

Foreign keys are created as IList<T> or ICollection<T>



By **blinkdata**
cheatography.com/blinkdata/

Not published yet.
 Last updated 13th May, 2016.
 Page 1 of 5.

Sponsored by **Readable.com**
 Measure your website readability!
<https://readable.com>

Data Annotations

| | |
|--|---|
| [Key] | Make this into a primary key |
| [Key] [Column(Order=1)] | First part of composite primary key |
| [Key] [Column(Order=2)] | Second part of composite primary key |
| [TimeStamp] public byte[] RowVersion { get; set; } | Used for concurrency checking. Only works for byte[]. Autofills |
| [ConcurrencyCheck] | Use as a concurrency check. Any type. No autofill |
| [Required] | Required value. Forces NOT NULL |
| [MaxLength(50)] | Maximum of 50 characters |
| [MinLength(2)] | Minimum of 2 characters |
| [MaxLength(50),MinLength(2)] | Min and Max length combined |
| [StringLength(50)] | Make nvarchar(50) instead of nvarchar(max) |
| [Column("Name")] | Use this as field name in the DB instead of the property name |
| [Column("Name", TypeName="varchar")] | Set the fieldname and the data type |
| [NotMapped] | Dont create a field in the database (unbound data) |
| [ForeignKey("SpecificIdField")] | Use the specified id field to hold the foreign key value |
| [Index] | Create a non clustered index on thsi field |
| [Index("INDEX_REGNUM", IsClustered=true, IsUnique=true)] | Create a clustered, unique index with the given name (instead of IX_propertyname) |

[Table("StudentMaster")] Use this as the table name instead of the class name

The "Table" annotation goes just before the public class line. All other annotations go before the properties themselves

DbEntityEntry

| | |
|---|--|
| var entry = context.Entry(student) | Get a DbEntityEntry for the current student |
| entry.State | Return Modified, Deleted, Added, Unchanged or Detached |
| entry.OriginalValues["age"] | The original (unchanged) value |
| entry.CurrentValues["age"] | The current value |
| context.Entry(student).State = System.Data.Entity.EntityState.Modified; | Force to a modified state (even if it hasnt been) Needed for disconnected entities |
| entry.Reload(); | Forces the data to be reloaded from the database (state will become UnChanged) All changes will be lost |

Note : The context will have been created with:
using (var context = new SchoolDBEntities()) { }



By **blinkdata**
cheatography.com/blinkdata/

Not published yet.
Last updated 13th May, 2016.
Page 2 of 5.

Sponsored by **Readable.com**
Measure your website readability!
<https://readable.com>

Add Entity (in disconnected state)

```
// create new Student entity object in disconnected scenario (out of the scope of DbContext)
var newStudent = new Student();
//set student name
newStudent.StudentName = "Bill";
//create DbContext object
using (var dbContext = new SchoolDBEntities()) {
    //Add Student object into Students DbSet
    dbContext.Students.Add(newStudent);

    // call SaveChanges method to save student into database
    dbContext.SaveChanges();
}
```

Update Entity (in disconnected state)

```
//1. Get student from DB
using (var ctx = new SchoolDBEntities())
{
    student = ctx.Students.Where(s => s.StudentName == "New Student").FirstOrDefault();
}
//2. change student name in disconnected mode (out of ctx scope)
if (student != null)
{
    student.StudentName = "Updated Student";
}
//save modified entity using new Context
using (var dbContext = new SchoolDBEntities())
{
    //3. Mark entity as modified
    dbContext.Entry(student).State = System.Data.Entity.EntityState.Modified;

    //4. call SaveChanges
    dbContext.SaveChanges();
}
```

Delete Entity (in disconnected state)

```
//1. Get student from DB
using (var ctx = new SchoolDBEntities())
{
    studentToDelete = ctx.Students.Where(s => s.StudentName == "Student").FirstOrDefault();
}
//Create new context for disconnected scenario
```



Delete Entity (in disconnected state) (cont)

```
> using (var newContext = new SchoolDBEntities())
{
    newContext.Entry(studentToDelete).State = System.Data.Entity.EntityState.Deleted;
    newContext.SaveChanges();
}
```

Update Entity Graph using DbContext

TBA !!!
Complex - needs more research at this stage

Raw SQL

```
using (var ctx = new SchoolDBEntities())
{
    //U pdate command
    int noOfRowsUpdated = ctx.Database.ExecuteSqlCommand("Update student
        set studentname = 'changed student by command' where studentid =1");

    //I nsert command
    int noOfRowsInserted = ctx.Database.ExecuteSqlCommand("insert into student (studentname)
        values ('New Student') ");

    //D elete command
    int noOfRowsDeleted = ctx.Database.ExecuteSqlCommand("delete from student
        where studentid =1");
}
```

Convert DbContext toObjectContext

```
using (var ctx = new SchoolDBEntities()) {
    var objectContext = (ctx as System.Data.Entity.Infrastructure.IDbContextAdapter).ObjectContext;
    //use object Context here..
}
```

Queries

```
// Get a record by its Primary key value - return null if no record found
using (var ctx = new SchoolDBEntities())
{
    var student = ctx.Students.Find(_id);
}

// Get the first (TOP 1) record - return null if no record found
using (var ctx = new SchoolDBEntities())
{
    var student = (from s in ctx.Students
```



Queries (cont)

```
>         where s.StudentName == "Student1"
         select s).FirstOrDefault<Student>());
}
// Get a List of records that match the criteria
using (var ctx = new SchoolDBEntities())
{
    var studentList = (from s in ctx.Students
        where s.StudentName == "Student1"
        orderby s.StudentName ascending
        select s).ToList<Student>();
}
```

Other Notes

How to set default values

Create a new partial class (don't edit the autogenerated one) and set the default values in the constructor of the new class.



By **blinkdata**
cheatography.com/blinkdata/

Not published yet.
Last updated 13th May, 2016.
Page 5 of 5.

Sponsored by **Readable.com**
Measure your website readability!
<https://readable.com>