

### Basic Selectors

*	All Elements (including head)
#ID	Element of specified ID
.classname	Elements of classname
tagname	Elements of tagname
a[href]	Anchor with href attribute
a[href='value']	Anchor with href = 'value'
a[href='value']	Anchor with href = 'value' <b>or</b> href starting with 'value-'
a[href^='value']	Anchor with href beginning with 'value'
a[href!='value']	Anchor with href not equal to value
a[href\$='value']	Anchor with href ending with 'value'
a[href*='value']	Anchor with href containing 'value'
a[href~='value']	Anchor with href = 'value' <b>or</b> href containing complete word 'value'
a[C1][C2]	Anchor with attributes satisfying criteria C1 and C2
s1s2	Elements satisfying selector1 <b>and</b> selector2
s1,s2	Elements satisfying selector1 <b>or</b> selector2
s1>s2	Elements satisfying selector2 <b>and</b> direct child of selector1
s1 s2	Elements satisfying selector2 <b>and</b> descendants of selector1
s1+s2	Elements satisfying selector2 <b>and</b> next immediate sibling of selector1
s1~s2	Elements satisfying selector2 <b>and</b> next sibling of selector1

### Form Filters

:button	<button> <input type = submit, reset or button>
:checkbox	
:checked	checked or selected state
:selected	selected option of <select>
:disabled	
:enabled	
:file	<input type="file">
:focus	
:image	<input type="image">
:input	<input> <select> <textarea> <button>
:password	<input type="password">
:radio	
:reset	
:submit	
:text	<input type="text">

### Attributes and Properties

\$(A).attr(name)	get specified attribute value (in string) for first element in \$(A)
\$(A).attr(name,value Function)	set specified attribute for all elements in \$(A)
\$(A).attr({name:value Function,etc})	
\$(A).removeAttr(name)	
\$(A).prop(name)	get specified attribute value for first element in \$(A)
\$(A).prop(name,value Function)	
\$(A).attr({name:value Function,etc})	
\$(A).removeProp(name)	
\$(A).data(name,value)	Store name=value pair in jQuery memory cache if name is my-love, it is stored as myLove
\$(A).data([name])	Get name value from jQuery Cache else data-name attribute
\$(A).removeData([name])	
\$.removeData(js element,[name])	
\$.hasData(js element)	Check if element has any associated data in jquery cache



### Position Filters

:first nth element (0-based index)  
:last  
:eq(n)

:lt(n) elements before/after nth index  
:gt(n)

:even elements at even /odd index  
:odd

:first-child nth child (1-based index)  
:last-child  
nth-child(n)  
nth-child(even|odd)  
nth-child(Xn+Y)

nth-last-child(n) nth child, starting from the last  
nth-last-child(even|odd)  
nth-last-child(Xn+Y)

nth-of-type(n)  
nth-of-type(even|odd)  
nth-of-type(Xn+Y)

nth-last-of-type(n)  
nth-last-of-type(even|odd)  
nth-last-of-type(Xn+Y)

:only-child elements with no siblings

:only-of-type elements with no siblings of same type

### Content Filters

:contains(text) elements containing text

:empty

:has(selector) elements containing at least one selector

:parent elements with at least one child node

### Other Filters

:animated elements currently under animated control

:header <h1> through <h6>

:visible

:hidden

:lang(language)

:not(selector)

:root element which is root of the document

:target element targeted by the document's URI's identifier

