

# Cheatography

## Stream API (Functional Interface) Cheat Sheet by cod3r via cheatography.com/192130/cs/39950/

### Java Functional Interface

Consumer<T>	<code>void accept(T t)</code>
Function<T,R>	<code>R apply(T t)</code>
Supplier<T>	<code>T get()</code>
UnaryOperator<T>	<code>T apply(T t)</code>
Predicate<T>	<code>boolean test(T t)</code>

### To Primitive Functional Interface

ToDoubleBiFunction<T,U>	<code>double applyAsDouble(T t, U u)</code>
ToDoubleFunction<T>	<code>double applyAsDouble(T value)</code>
ToIntBiFunction<T,U>	<code>int applyAsInt(T t, U u)</code>
ToIntFunction<T>	<code>int applyAsInt(T value)</code>
ToLongBiFunction<T,U>	<code>long applyAsLong(T t, U u)</code>
ToLongFunction<T>	<code>long applyAsLong(T value)</code>

### Boolean Supplier Functional Interface

BooleanSupplier	<code>boolean getAsBoolean()</code>
-----------------	-------------------------------------

### Java Functional Interface (Bi\*\*)

BiConsumer<T,U>	<code>void accept(T t, U u)</code>
BinaryOperator<T>	<code>T apply(T t, T u)</code>
BiFunction<T,U,R>	<code>R apply(T t, U u)</code>
BiPredicate<T,U>	<code>boolean test(T t, U u)</code>

### Primitive Functional Interface (integer)

IntConsumer	<code>void accept(int value)</code>
IntFunction<R>	<code>R apply(int value)</code>
IntSupplier	<code>int getAsInt()</code>
IntUnaryOperator	<code>int applyAsInt(int operand)</code>
IntPredicate	<code>boolean test(int value)</code>
IntBinaryOperator	<code>int applyAsInt(int left, int right)</code>

### Primitive to primitive Functional Interface

DoubleToIntFunction	<code>int applyAsInt(double value)</code>
DoubleToLongFunction	<code>long applyAsLong(double value)</code>
IntToDoubleFunction	<code>double applyAsDouble(int value)</code>
IntToLongFunction	<code>long applyAsLong(int value)</code>
LongToDoubleFunction	<code>double applyAsDouble(long value)</code>
LongToIntFunction	<code>int applyAsInt(long value)</code>

### Object & Primitive Functional Interface

ObjDoubleConsumer<T>	<code>void accept(T t, double value)</code>
ObjIntConsumer<T>	<code>void accept(T t, int value)</code>
ObjLongConsumer<T>	<code>void accept(T t, long value)</code>

### Primitive Functional Interface (double)

DoubleConsumer	<code>void accept(double value)</code>
DoubleFunction<R>	<code>R apply(double value)</code>
DoubleSupplier	<code>double getAsDouble()</code>
DoubleUnaryOperator	<code>double applyAsDouble(double operand)</code>
DoublePredicate	<code>boolean test(double value)</code>
DoubleBinaryOperator	<code>double applyAsDouble(double left, double right)</code>

### Primitive Functional Interface (long)

LongConsumer	<code>void accept(long value)</code>
LongFunction<R>	<code>R apply(long value)</code>
LongSupplier	<code>long getAsLong()</code>
LongUnaryOperator	<code>long applyAsLong(long operand)</code>
LongPredicate	<code>boolean test(long value)</code>
LongBinaryOperator	<code>long applyAsLong(long left, long right)</code>

C

By c0d3r  
cheatography.com/c0d3r/

Not published yet.  
Last updated 22nd August, 2023.  
Page 1 of 1.

Sponsored by **ApolloPad.com**  
Everyone has a novel in them. Finish  
Yours!  
<https://apollopad.com>