

### Bourbon Neat Mixins

#### **fill-parent()**

Forces the element to fill its parent container.

**media**( [\$first-feature] \$first-value [\$second-feature, \$second-value], [\$total-columns] )

Outputs a media-query block with an optional grid context.

**span-columns**( \$columns [of \$container-columns], [\$display] )

Sets the width of an element to that of the number of columns it spans.

**pad**( [\$padding-shorthand] )

Adds padding to the element.

**omega**( [\$pseudo-target \$display] )

Removes block and table elements' gutter.

**outer-container**( )

Centers the element in the viewport, clears its floats, and sets its max-width.

**reset-display**( )

Resets the active display property to block.

**reset-layout**( )

Resets the active layout direction to the default value set in \$default-layout-direction.

**reset-all**( )

Resets both the active layout direction and the active display property.

**row**( [\$display, \$direction] )

Designates the element as a grid row.

**shift**( \$columns )

Translates an element horizontally positively or negatively.

### Bourbon Neat Variables

#### **\$border-box-sizing**

[Boolean] When *true*, it sets the box-sizing property of all elements to *border-box*.

*Default: true*

#### **\$column**

[Number (positive, unit)] Sets the relative width of a single grid-column. *Default: golden-ratio(1em, 3)*

#### **\$default-feature**

[String] Sets the default media feature that *media()* and *new-breakpoint()* revert to when only a breakpoint value is passed.

*Default: min-width*

#### **\$default-layout-direction**

[String (LTR|RTL)] Sets the default layout direction of the grid. *Default: LTR*

#### **\$grids-columns**

[Number (positive, unitless)] Sets the total number of columns in the grid. *Default: 12*

#### **\$gutter**

[Number (positive, unit)] Sets the relative width of a single grid gutter. *Default: golden-ratio(1em, 1)*

#### **\$max-width**

[Number (positive, unit)] Sets the max-width property of the element that includes *outer-container()*. *Default: em(1088)*

### Bourbon Neat Functions

**new-breakpoint**( \$first-feature \$first-value [\$second-feature, \$second-value] [\$total-columns] )

Returns a media context (media query / grid context) that can be stored in a variable and passed to *media()* as a single-keyword argument. Media contexts defined using *new-breakpoint* are used by the visual grid, as long as they are defined before importing Neat.

### Bourbon Neat Visual Grid

#### **\$visual-grid**

[Boolean] When *true*, it displays the visual grid. *Default: false*

#### **\$visual-grid-color**

[Color] Sets the visual grid color. *Default: #eee*

#### **\$visual-grid-index**

[String (back|front)] Sets the z-index of the visual grid. *Default: back*

#### **\$visual-grid-opacity**

[Number (0.0-1.0)] Sets the opacity property of the visual grid. *Default: 0.4*



By **Clay Smith** (claysmith)  
[cheatography.com/claysmith/](http://cheatography.com/claysmith/)  
[janineandclay.com/](http://janineandclay.com/)

Published 30th September, 2013.

Last updated 1st June, 2014.

Page 1 of 1.

Sponsored by **Readability-Score.com**

Measure your website readability!

<https://readability-score.com>