

Cheatsheet version

Version	1.0.2
Last update	2/15/2018
HTTPIe version	0.9.8

Installation

Get the installer at httpie.org

Basic usage

GET	<code>http localhost:8080</code>
GET	<code>http http://localhost:8080</code>
Help	<code>http --help</code>
POST form	<code>http -f POST localhost:8080 name=value</code>
POST json	<code>http POST localhost:8080 name=value</code>
POST json	<code>http -j POST localhost:8080 name=value</code>
POST json	<code>http POST localhost:8080 < data.json</code>
PUT	similar to POST
DELETE	similar to GET
Display request & response (verbose)	<code>http -v localhost:8080</code>
Download	<code>http localhost:8080/file > file</code>
Download wget style	<code>http -d localhost:8080/file</code>
Upload	<code>http localhost:8080 < file</code>

HTTP request headers

```
Set http localhost:8080 User-Agent:Bacon/1.0
headers 'Cookie:valued-visitor=yes;foo=bar' X-
Foo:Bar Referer:http://httpie.org/
```

```
Default GET / HTTP/1.1
HTTPIe Accept: /
request Accept-Encoding: gzip, deflate
headers User-Agent: HTTPIe/<version>
Host: <taken-from-URL>
```

List of [HTTP headers](#)

Common Host, User-Agent, Accept, Accept-Language, Accept-
request Encoding, Accept-Charset, Keep-Alive, Pragma,
headers Cache-Control, Cookie, Content-Type, Content-Length

Authentication

```
Basic auth http -a username:password POST
localhost:8080
```

```
Basic auth (pw prompt) http -a username POST localhost:8080
```

```
Basic auth http -a username: POST localhost:8080
(empty pw)
```

```
Digest auth http -A digest -a username:password POST
localhost:8080
```

Auth plugins [OAuth](#), [SPNEGO](#), [NTLM](#), [JWT](#), [more](#)

