

Plesk Panel	
Error log	/var/log/sw-cp-server/error_log
Error log	/var/log/sw-cp-server/sw-engine.log
Access log	/usr/local/psa/admin/logs/httpd_access_log
Panel log	/usr/local/psa/admin/logs/panel.log
Stop Service	/etc/init.d/psa stop
Start Service	/etc/init.d/psa start
Restart Service	/etc/init.d/psa restart
PHP configuration	/usr/local/psa/admin/conf/php.ini
Panel configuration	/usr/local/psa/admin/conf/panel.ini
Web server configuration	/etc/sw-cp-server/conf.d/plesk.conf

MySQL	
Logs	/var/log/mysql.log
Stop	/etc/init.d/mysqld stop
Start	/etc/init.d/mysqld start
Restart	/etc/init.d/mysqld restart
Configuration	/etc/my.cnf
Configuration	/etc/mysql/my.cnf
Service name differs on different Linux distributives	
mysqld on CentOS/RHEL 5 and 6	
mariadb on CentOS/RHEL 7	
mysql on Debian/Ubuntu	



By **danwiser**

[cheatography.com/danwiser/](http://cheatography.com/danwiser/)

Not published yet.

Last updated 7th June, 2016.

Page 1 of 1.

Sponsored by **CrosswordCheats.com**

Learn to solve cryptic crosswords!

<http://crosswordcheats.com>