

DDL

TABLE

COLUMN

Creation

CREATE TABLE table_name

ALTER TABLE
table_name

column_name1, data_type(size),
column_name2 data_type(size), column-
_name3 data_type(size),

ADD column_name
datatype

Renaming

RENAME old_table_name

ALTER TABLE
table_name

TO new_table_name;

RENAME old_colum-
n_name TO new__colu-
mn_name;

Deleting

DROP TABLE Table_Name

ALTER TABLE
Table_Name DROP
COLUMN column_name;

DML

ADDING ROWS

INSERT INTO table_name (column1,
column2, column3, ...)

DELETING ROWS

DELETE FROM
table_name

VALUES (value1, value2, value3, ...);

WHERE condition (eg ,
column2 = value2;

UPDATING ROWS

UPDATE table_name SET column1 =
value1

, column2 = value2, ...
WHERE condition;

DQL

Wildcard Pattern Matching

SELECT column2,
column1, FROM table_name

WHERE column2
LIKE pattern;
'_r%' Finds any values
that have "r" in the
second position

'a%' Finds any values
that start with "a".

'a%o' Finds any values
that start with "a" and
ends with "o"

'%or%' Finds any
values that have "or" in
any position.

Sorting

DQL (cont)

Sorts the results of a column alphabeti-
cally or numerically, ascending by default

SELECT name_of_c-
olumn1, name_of_c-
olumn2 FROM
name_of_table
WHERE condition1
OR condition2...
ASC/DESC;

Contains

SELECT * FROM TableName

WHERE Country IN
('val1', 'val2', 'val3');

CURSOR

A database cursor is an object that enables traversal over the rows of
a result set. It allows you to process individual row returned by a
query

DECLARE all variables you'll need

DECLARE ... CURSOR FOR SELECT
query, where you'll declare a cursor and
also define the query related to (popul-
ating) that cursor

DECLARE cursor-
_name CURSOR FOR
select_statement;

OPEN the cursor and FETCH NEXT from
the cursor

OPEN cursor_na-
me;...FETCH NEXT
FROM cursor INTO
variable_list;

In the WHILE loop you'll test the
@@FETCH_STATUS variable (WHILE
@@FETCH_STATUS = 0). If the
condition holds, you'll enter the loop
BEGIN ... END block and perform
statements inside that block

WHILE @@FETCH_S-
TATUS = 0 BEGIN
FETCH NEXT FROM
cursor_name; END;

CLOSE the cursor and DEALLOCATE it.

CLOSE cursor_name;
DEALLOCATE cursor-
_name;

CASE



By **datamansam**

Published 19th November, 2021.

Last updated 28th March, 2022.

Page 1 of 3.

Sponsored by **Readable.com**

Measure your website readability!

<https://readable.com>

DQL (cont)

Goes through conditions and returns the value corresponding to the first true condition (like an if-then-else statement)

```
CASE WHEN condition1 THEN result1
      WHEN condition2 THEN result2
      WHEN conditionN THEN resultN
      ELSE result END;
```

DDL Examples

TABLE	COLUMN
-------	--------

Creation

```
CREATE TABLE friends
ALTER TABLE Friends D
```

```
name varchar(100),
age int);
```

Renaming

```
RENAME friends TO fam;
ALTER TABLE fam RENAME name TO first_name;
```

Deleting

```
DROP TABLE Fam;
ALTER TABLE Fam DROP COLUMN age;
```

DML Example

ADDING ROWS

```
INSERT INTO fam (id, name, age)
VALUES (1, 'Ross', 31);
```

DELETING ROWS

```
DELETE FROM fam
WHERE condition (id = 1);
```

UPDATING ROWS

```
UPDATE fam SET name = 'Rachel Geller'
WHERE id = 2;
```

DQL example

Wildcard Pattern Matching

```
SELECT column2, column1,
FROM table_name
```

WHERE column2 LIKE pattern;	'_r%' Finds any values that have "r" in the second position	'a%' Finds any values that start with "a".
-----------------------------	---	--

'a%o' Finds any values that start with "a" and ends with "o"	'%or%' Finds any values that have "or" in any position.
--	---

Order By

DQL example (cont)

```
SELECT name_of_column1, name_of_column2 FROM name_of_table
WHERE condition1 OR condition2... ASC/DESC;
```

Contains

SELECT * FROM Customers WHERE Country IN ('Germany', 'France', 'UK');	SELECT * FROM Customers WHERE Country NOT IN ('Germany', 'France', 'UK');
---	---

CURSOR

Allows us to update one row at a time or perform an administrative process such as SQL Server database backups in a sequential manner.

DECLARE all variables we need	DECLARE @product_name VARCHAR(MAX), @list_price DECIMAL;
-------------------------------	--

DECLARE ... CURSOR FOR SELECT naming our cursor and the query to find the values it will contain	DECLARE cursor_product CURSOR FOR SELECT product_name, list_price FROM production.products;
--	---

OPEN the cursor and FETCH NEXT from the cursor	OPEN cursor_product; FETCH NEXT FROM cursor_product INTO @product_name, @list_price;
--	--



By **datamansam**

Published 19th November, 2021.
Last updated 28th March, 2022.
Page 2 of 3.

Sponsored by **Readable.com**
Measure your website readability!
<https://readable.com>

DQL example (cont)

The WHILE loop to test the weather our condition returned values, when 0 (meaning rows were returned), we fetch the specified values

```
WHILE @@FETCH_S-
TATUS = 0 BEGIN PRINT
@product_name + CAST(@-
list_price AS varchar);
FETCH NEXT FROM cursor-
_product INTO @product_-
name, @list_price; END;
```

CLOSE the cursor and DEALLOCATE it.

```
CLOSE cursor_product;
DEALLOCATE cursor_pr-
oduct;
```

Case

```
SELECT OrderID, Quantity, CASE
WHEN Quantity > 30 THEN 'The
quantity is greater than 30' WHEN
Quantity = 30 THEN 'The quantity is
30' ELSE 'The quantity is under 30'
END AS QuantityText FROM
OrderDetails;
```

```
SELECT CustomerName,
City, Country FROM
Customers ORDER BY
(CASE WHEN City IS NULL
THEN Country ELSE City
END);
```



By **datamansam**

Published 19th November, 2021.

Last updated 28th March, 2022.

Page 3 of 3.

Sponsored by **Readable.com**

Measure your website readability!

<https://readable.com>