Cheatography

jQuery Cheat Sheet

by Dave Child (DaveChild) via cheatography.com/1/cs/2214/

jQuery Links and Info

jQuery Homepage

> http://jquery.com/

jQuery Documentation

> http://api.jquery.com/

This cheat sheet based on, and intended to provide a printable version of, the excellent jQuery cheat sheet by @misteroom

> http://oscarotero.com/jquery/

Cheat sheet based on jQuery 1.10.

jQuery Selectors: Basic

Selector	Description
*	Matches all elements
element	Elements of type "element"
.class	Elements with class "class"
#id	Element with id "id"
#id1, #id2	Use commas to separate selectors

jQuery Selectors: Hierarchy

Selector	Description
parent > child	Match any child which is directly within parent
ancestor descendant	Match any descendant contained within ancestor
prev + next	Match next where it follows prev
prev ~ siblings	Match all siblings where following prev

jQuery Selectors: Basic Filters

Selector	Description
:animated	Has animation in progress
:eq(n)	At position "n" in set
:even	Even elements in set
:first	First element in set
:gt(n)	After position "n" in set
:header	All headers (h1, h2 etc)
:lang(x)	Has lang attribute set to "x"
:last	Last element in set
:lt(n)	Before position "n" in set
:not(x)	In set not matching selector "x"
:odd	Odd elements in set
:root	Document root
:target	Has ID equal to URL fragment

jQuery Selectors: Content Filters

Selector	Description
:contains(x)	Elements containing text "x"
:empty	Elements with no children
:has(x)	Elements containing elements matching selector "x"
:parent	Elements with at least one child

jQuery Selectors: Visibility Filters

Selector	Description
:hidden	Hidden elements
:visible	Visible elements

jQuery Selectors: Attributes

Selector	Description
[name]	Has attribute "name"
[name="val"]	Where "name" equals "-val"
[name|="val"]	Where "name" equals "-val" or starts "val-"
[name*="val"]	Where "name" contains "-val"
[name~="val"]	Where "name" contains "-val" as a word
[name^="val"]	Where "name" starts with "val"
[name$="val"]	Where "name" ends with "-val"
[name!="val"]	Missing attribute "name", or "name" does not equal "val"

Attribute selectors can be combined like so: [name="val1"][name2="val2"]

jQuery Selectors: Child Filters

Selector	Description
:first-child	Elements which are the first child of their parent
:first-of-type	Elements which are, of their element type, the first child
:last-child	Last child of their parent
:last-of-type	Of their element type, the last child
:nth-child(n)[1]	Elements which are the nth child of their parent
:nth-last-child(n)[1]	As :nth-child, but counting from last element in set backwards



By **Dave Child** (DaveChild)
cheatography.com/davechild/
aloneonahill.com

Not published yet.
Last updated 10th May, 2016.

Sponsored by **CrosswordCheats.com**
Learn to solve cryptic crosswords!
http://crosswordcheats.com

jQuery Selectors: Child Filters (cont)	
:nth-of-type(n)[1]	As nth child, but matching by element
:nth-last-of-type(n)[1]	As :nth-of-type, but counting from last element in set backwards
:only-child	Elements which are only child of their parent
:only-of-type	Elements which are only child, of their element type, of their parent

[1] These selectors are 1-indexed, not 0-indexed

jQuery Selectors: Forms	
Selector	**Description**
:button	Button elements
:checkbox	Checkbox elements
:checked	Checked elements
:disabled	Disabled elements
:enabled	Enabled elements
:focus	Elements with focus
:file	File elements
:image	Image elements
:input	Input, textarea, select or button
:password	Password elements
:radio	Radio elements
:reset	Reset elements
:selected	Selected elements
:submit	Submit elements
:text	Text elements



By **Dave Child** (DaveChild)
cheatography.com/davechild/
aloneonahill.com

Not published yet.
Last updated 10th May, 2016.

Sponsored by **CrosswordCheats.com**
Learn to solve cryptic crosswords!
http://crosswordcheats.com