

### Modes

Quick mode	Use default param settings
Update mode	Update default param settings
Analysis mode	Find hyper params
Expert mode	Set params from scratch
Compare mode	Compare against output metrics

### Backend Frameworks

Pytorch	v1.2.0, v1.3.0
Keras	v2.2.5, v2.3.1
GluonCV	v0.5.0
Mxnet	v1.5.1
Cuda - Support	v9.0, v10.0

### OS and Python

Ubuntu	v16.04, v18.04
Mac-OS	-
Windows	v10
Python	v3.5, v3.6, v3.7

### Unique Features

- Write syntax invariant code
- Resume interrupted experiments
- Move workspaces across systems and continue training/inferencing
- Compare experiments visually
- Auto find hyper params
- Run training/inferencing on sub-sample of original datasets

### Installation

```
$ git clone
https://github.com/Tessellate-Imaging/monk_v1
$ pip install -r monk_v1/installation/requirements_cu10.txt
```

Choose the right requirements file as per platform, OS and cuda support

### Setup - Pythonpath

```
import sys
sys.path.append("monk_v1/monk")
```

### Backend selection

```
from pytorch_prototype import
prototype
from gluon_prototype import
prototype
from keras_prototype import
prototype
```

Select from pytorch, gluon and keras

### Experiment creation

```
ptf = prototype(verbose=1);
ptf.Prototype("sample-project-1", "sample-experiment-1");
ptf = prototype(verbose=1);
ptf.Prototype("sample-project-1", "sample-experiment-2");
```

Directory structure created - workspace

```
|---- sample-project-1
|-----sample-experiment-1
|-----sample-experiment-2
```

### Quick Mode - Training

```
ptf.Default(dataset_path="train",
            model_name="resnet18",
            num_epochs=2);
ptf.Train();
```

1. Set dataset path
2. Set model name
3. Set number of epochs to train

### Inferencing

```
out =
ptf.Infer(img_name="path_to_img");
out = ptf.Infer(img_dir="path_to_dataset");
```

Infer over image or entire directory of images.

