

### Linux basics

<code>pwd</code>	Specifies your current directory
<code>ls</code>	List contents of the current directory
<code>rm words.txt</code>	removes the file <i>words.txt</i>
<code>rm -r folder</code>	Recursively removes the directory <i>folder</i>
<code>ctrl+c</code>	End a program
<code>ifconfig</code>	List network interfaces
<code>man application</code>	Opens the help manual for the specified application

### airmon-ng

<code>airmon-ng</code>	Show current interfaces
<code>airmon-ng start wlan#</code>	Start monitoring on the specified interface
<code>airmon-ng stop wlan#</code>	Stop monitoring on the specified interface

### airodump-ng

<code>airodump-ng &lt;options&gt; &lt;mon#&gt;</code>	
<code>airodump-ng -w prac mon0</code>	Start a collecton called <i>prac</i> on <i>mon0</i>
<code>airodump-ng --channel 8 mon0</code>	Start a collecton on channel <i>8</i> using <i>mon0</i>
<code>airodump-ng --output-format pcap mon0</code>	Start a collection, outputting to a <i>.pcap</i> file using <i>mon0</i>
Available formats are:	pcap, ivs, csv, csv, gps, kismet and/or netxml
<code>airodump-ng --bssid ##:##:##:##:##:## mon0</code>	Starts collecting on BSSID <i>##:##:##:##:##:##</i> using <i>mon0</i>
<code>airodump-ng --essid Redback mon0</code>	Starts collecting on ESSID <i>Redback</i> using <i>mon0</i>
<code>airodump-ng -a mon0</code>	Starts collecting on <i>mon0</i> while excluding unassociated clients

### aircrack-ng

<code>aircrack-ng &lt;options&gt; &lt;.cap/.ivs file&gt;</code>	
<code>aircrack-ng prac.cap</code>	Attempts to crack the WEP encryption on <i>prac.cap</i>
<code>aircrack-ng -l password.txt prac.cap</code>	Attempts to crack the WEP encryption on <i>prac.cap</i> and saves it to <i>password.txt</i>
<code>aircrack-ng -w darkc0de.lst prac.cap</code>	Attempts to crack the WPA encryption on <i>prac.cap</i> using the <i>darkc0de.lst</i> dictionary

### airdecap-ng

<code>airdecap-ng &lt;options&gt; &lt;.pcap file&gt;</code>	
<code>airdecap-ng -e Redback -w ##:##:##:##:##:## prac.cap</code>	Decrypts WEP data from the <i>Redback</i> network using cracked key <i>##:##:##:##:##:##</i>
<code>airdecap-ng -e Redback -p password prac.cap</code>	Decrypts WPA data from the <i>Redback</i> network using the password <i>password</i>

