

### Basic Syntax

```
package main

import "fmt"

func main() {
    fmt.Println("Hello Go")
}
```

### Packages

- package declaration at top of every source file
- executables are in package main
- convention: package name == last name of import path (import path math/rand => package rand)
- upper case identifier: exported (visible from other packages)
- Lower case identifier: private (not visible from other packages)

### Operators

#### Arithmetic

- + addition
- subtraction
- \* multiplication
- / quotient
- % remainder
- & bitwise and
- | bitwise or
- ^ bitwise xor
- &^ bit clear (and not)
- << left shift
- >> right shift

#### Comparison

- == equal
- != not equal
- < less than

### Operators (cont)

- <= less than or equal
- > greater than
- >= greater than or equal

#### Logical

- && logical and
- || logical or
- ! logical not

#### Other

- & address of / create pointer
- \* dereference pointer
- <- send / receive operator

### Functions

```
// a simple function
func functionName() {}

// function with parameters
func functionName(param1 string,
param2 int) {}

// multiple parameters of the same
type
func functionName(param1, param2
int) {}

// return type declaration
func functionName() int {
    return 42
}

// return multiple
func returnMulti() (int, string) {
    return 42, "foobar"
}

var x, str = returnMulti()
// Return multiple named results
simply by return
func returnMulti2() (n int, s
string) {
    n = 42
    s = "foobar"
    // n and s will be returned
```

### Functions (cont)

```
return
}

var x, str = returnMulti2()

Functions As Values And Closures
func main() {
    // assign a function to a name
    add := func(a, b int) int {
        return a + b
    }

    // use the name to call the
function
    fmt.Println(add(3, 4))
}

// Closures, lexically scoped:
Functions can access values that
were
// in scope when defining the
function
func scope() func() int{
    outer_var := 2
    foo := func() int { return
outer_var}
    return foo
}

func another_scope() func() int{
    // won't compile because
outer_var and foo not defined in
this scope
    outer_var = 444
    return foo
}

// Closures: don't mutate outer
vars, instead redefine them!
func outer() (func() int, int) {
    outer_var := 2
    inner := func() int {
```

### Functions (cont)

```

    outer_var += 99 // attempt
to mutate outer_var from outer
scope

    return outer_var // => 101
(but outer_var is a newly redefined
    //
variable visible only inside inner)
}

return inner, outer_var // =>
101, 2 (outer_var is still 2, not
mutated by foo!)
}

```

### Variadic Functions

```

func main() {
    fmt.Println(adder(1, 2, 3)) //
6

    fmt.Println(adder(9, 9)) // 18
    nums := []int{10, 20, 30}
    fmt.Println(adder(nums...)) //
60
}

// By using ... before the type
name of the last parameter you can
indicate that it takes zero or more
of those parameters.

// The function is invoked like any
other function except we can pass
as many arguments as we want.

func adder(args ...int) int {
    total := 0

    for _, v := range args { //
Iterates over the arguments
whatever the number.

        total += v
    }

    return total
}

```

### Declarations

```

var foo int // declaration without
initial.

var foo int = 42 // declaration
with initial

var foo, bar int = 42, 1302 //
declare and init

var foo = 42 // type omitted, will
be inferred

foo := 42 // shorthand

const constant = "This is a
constant"

```

### Type Conversions

```

var i int = 42

var f float64 = float64(i)

var u uint = uint(f)
// alternative syntax

i := 42

f := float64(i)

u := uint(f)

```

### Arrays, Slices, Ranges

#### Arrays

```

var a [10]int

// declare an int array with length
10. Array length is part of the
type!

a[3] = 42 // set elements

i := a[3] // read elements

// declare and initialize

var a = [2]int{1, 2}

a := [2]int{1, 2} //shorthand

a := [...]int{1, 2} // elipsis ->
Compiler figures out array length

Slices

var a []int // declare a slice -
similar to an array, but length is
unspecified

```

### Arrays, Slices, Ranges (cont)

```

var a = []int{1, 2, 3, 4} //
declare and initialize a slice
(backed by the array given
implicitly)

a := []int{1, 2, 3, 4} // shorthand

chars := []string{0:"a", 2:"c", 1:
"b"} // ["a", "b", "c"]

var b = a[lo:hi] // creates a
slice (view of the array) from
index lo to hi-1

var b = a[1:4] // slice from index
1 to 3

var b = a[:3] // missing low index
implies 0

var b = a[3:] // missing high
index implies len(a)

// create a slice with make
a = make([]byte, 5, 5) // first arg
length, second capacity

a = make([]byte, 5) // capacity is
optional

// create a slice from an array

x := [3]string{"Лайка", "Белка",
"Стрелка"}

s := x[:] // a slice referencing
the storage of x

```

### Built-in Types

```

bool

string

int int8 int16 int32 int64

uint uint8 uint16 uint32 uint64

uintptr

byte // alias for uint8

rune // alias for int32 ~= a
character (Unicode code point) -
very Viking

float32 float64

complex64 complex128

```



By [deleted]

[cheatography.com/deleted-23330/](https://cheatography.com/deleted-23330/)

Published 7th September, 2015.

Last updated 7th September, 2015.

Page 2 of 3.

Sponsored by [Readability-Score.com](https://readability-score.com)

Measure your website readability!

<https://readability-score.com>

### Control structures

#### If

```
func main() {
    // Basic one
    if x > 0 {
        return x
    } else {
        return -x
    }
    // You can put one statement
    before the condition
    if a := b + c; a < 42 {
        return a
    } else {
        return a - 42
    }
    // Type assertion inside if
    var val interface{}
    val = "foo"
    if str, ok := val.(string); ok
{
    fmt.Println(str)
}
}
```

#### Loops

```
// There only for, no while, no
until
    for i := 1; i < 10; i++ {
    }
    for ; i < 10; { // while -
loop
    }
    for i < 10 { // omit semicolons
    }
    for { //omit the condition ~
while (true)
    }
}
```

#### Switch

### Control structures (cont)

```
switch operatingSystem {
    case "darwin":
        fmt.Println("Mac OS
Hipster")
        // cases break
automatically
    case "linux":
        fmt.Println("Linux Geek")
    default:
        // Windows, BSD, ...
        fmt.Println("Other")
}
// as with for and if, you can
have an assignment statement before
the switch value
switch os := runtime.GOOS; os {
    case "darwin": ...
}
```

