

### Definitions

#### Finite Automaton(FA)

- 5-tuple  $(Q, \Sigma, \delta, q, F)$  where
- i)  $Q$  = states
- ii)  $\Sigma$  = input alphabet
- iii)  $\delta: Q \times \Sigma \rightarrow Q$  = transitions
- iv)  $q \in Q$  = start state
- v)  $F$  = accept states

#### Regular Language(RL)

Is recognized by some FA and is closed under the operations:

- i)  $\cup$
- ii)  $\circ$
- iii)  $*$
- iv)  $\cap$
- v) Complementation

#### Deterministic Finite Automaton(DFA)

FA where there is only one state that can be transitioned to from the current state and current input symbol.

#### Nondeterministic Finite Automaton(NFA)

FA where there is one or more states that can be transitioned to from the current state and current input symbol.

#### Power Set

The set of all subsets of a language.  
Has size  $2^{|A|}$ .

#### Regular Expression(RE)

- Is one of the following:
- i)  $a$  such that  $a \in \Sigma$
- ii)  $\epsilon$
- iii)  $\emptyset$
- iv)  $S \cup T$  where  $S, T$  are RE
- v)  $S \circ T$  where  $S, T$  are RE
- vi)  $S^*$  where  $S$  is a RE

### Definitions (cont)

#### Generalized NFA(GNFA)

- 5-tuple  $(Q, \Sigma, \delta, q, a)$  where
- i)  $Q$  = states
- ii)  $\Sigma$  = input alphabet
- iii)  $\delta: (Q - \{a\}) \times (Q - \{q\}) \rightarrow R$  = transitions
- iv)  $q \in Q$  = start state
- v)  $a \in Q$  = accept state

#### Also must meet the following conditions

- i) Start state has transition arrows going out, but none coming into itself
- ii) There is only one accept state with transition arrows coming in, but none going out from itself
- iii) Except for the start and accept states, only one arrow goes from every state to every other state, including an arrow to itself

### CFL Definitions

#### Context Free Languages(CFL)

Languages described by context free grammars and pushdown automata. They include all RL.  
Any language that can be generated by a CFG.

#### Context Free Grammar(CFG)

- 4-tuple  $(V, \Sigma, R, S)$ , where:
- i)  $V$  = set of variables
- ii)  $\Sigma$  = set of terminals, disjoint from  $V$
- iii)  $R$  = set of rules, with each rule being a variable and a string of variables and terminals
- iv)  $S \in V$  = start variable

#### Ambiguity

A string is ambiguous if there is more than one way to generate the string. If a CFG has an ambiguous string, then the grammar is ambiguous.  
If an ambiguous CFG generates a CFL that can only be generated by ambiguous grammars, then it is **inherently ambiguous**.

#### Leftmost Derivation

At each step of string derivation, the leftmost variable is replaced.

### CFL Definitions (cont)

#### Chomsky Normal Form(CNF)

Every rule is of the form  $A \rightarrow BC$  or  $A \rightarrow a$ , where  $a$  is a terminal and  $A, B, C$  are variables. We allow  $S \rightarrow e$ , where  $S$  is the start variable.

#### Pushdown Automaton(PDA)

- 6-tuple  $(Q, \Sigma, \Gamma, \delta, q, F)$ , where
- i)  $Q$  = states
- ii)  $\Sigma$ , = input alphabet
- iii)  $\Gamma$  = stack alphabet
- iv)  $\delta: Q \times \Sigma \times \Gamma \rightarrow P(Q \times \Gamma)$  = transition function
- v)  $q \in Q$  = start state
- vi)  $F \subseteq Q$  = accept states

By definition, they are nondeterministic.

### Theorems, Lemmas, Corollaries for RL

Every NFA has an equivalent DFA

A language is regular iff some NFA recognizes it

If a language is described by a RE, then it is regular

If a language is regular, it is described by a RE

A language is regular iff some RE describes it

**Pigeonhole Principle:** If we stuff  $n$  items into less than  $n$  holes, at least one hole must have more than one item in it

There is an algorithm that can determine if two FA are equivalent

### Pumping Lemma for RL

Let  $A$  be a RL. Then there exists a number  $p$  (pumping length of  $A$ ), such that any string from the language  $A$  having length at least  $p$  can be broken into three pieces,  $s = xyz$  such that:

- i)  $\forall i \geq 0, xy^iz$  is an element of  $A$
- ii)  $|y| > 0$
- iii)  $|xy| \leq p$

### Theorem, Lemmas, Corollaries for CFL

Any CFL can be generated by a CFG in Chomsky Normal Form.

A language is context free(CFL) iff some PDA recognizes it.

If a language is context free(CFL), then some PDA recognizes it.

If a PDA recognizes some language, then the language is context free(CFL).

Every regular language is context free.

### Pumping Lemma for CFL

If A is a CFL, then there is a number p(pumping length of A) where, if s is any string in A with length at least p, then s may be divided into 5 pieces,  $s = uvxyz$  where:

- i)  $\forall i \geq 0, uv^i xy^i z$  is an element of A
- ii)  $|vy| > 0$
- iii)  $|vxy| \leq p$

### Contradictions by condition:

- ii) At least one of v and y cannot be the empty string
- iii) Can be used in showing some languages are not CFL



By [deleted]  
[cheatography.com/deleted-24231/](http://cheatography.com/deleted-24231/)

Published 30th October, 2015.  
Last updated 30th October, 2015.  
Page 2 of 2.

Sponsored by **CrosswordCheats.com**  
Learn to solve cryptic crosswords!  
<http://crosswordcheats.com>