

1. BREATH

- ☐ Decreased Cardiac output
- ☐ Impaired Gas exchange
- ☐ Ineffective airways cleaning
- ☐ Ineffective Respiratory pattern
- ☐ Difficulty maintaining spontaneous ventilation,
- ☐ Respiratory dysfunctional response to Weaning
- ☐ High risk of Asphyxia
- ☐ High risk of Aspiration

2. FOOD / HYDRATION

- ☐ Nutrition, altered: excess
- ☐ Nutrition, altered: by default
- ☐ Nutrition, potential alterations: excess
- ☐ Liquids, excess volume
- ☐ Liquids, Volume Deficit
- ☐ Liquids, high risk of volume deficit
- ☐ Self-care, deficit: feeding
- ☐ Swallowing, impaired
- ☐ Ineffective Breastfeeding
- ☐ Interrupted Breastfeeding
- ☐ Effective Breastfeeding
- ☐ Infant Feeding ineffective pattern

3. DISPOSAL

- Constipation
- subjective Constipation
- Chronic Constipation
- Diarrhea
- Fecal Incontinence
- Urinary, impaired elimination
- Urinary incontinence: stress
- Urinary Incontinence: reflects
- Urinary Incontinence: emergency
- Urinary Incontinence: Functional
- Urinary Incontinence: total
- Urinary, retention
- Self-care, deficit: use the potty / toilet

4. MOBILIZATION

- Disuse, high risk of syndrome
- Physical mobility, disorder
- Peripheral Neurovascular, high risk of dysfunction
- Activity intolerance
- Fatigue
- Activity, high risk of intolerance

5. REST / SLEEP

- Sleep pattern disturbance

6. WEAR PROPER CLOTHING AND CHOOSE

- ☐ Self-care, deficit: dressing / grooming

7. TEMPERATURE

- Body temperature: high risk of impaired
- Hypothermia
- Hyperthermia
- Ineffective Thermoregulation

8. HEALTH / SKIN

- ☐ Tissue perfusion, altered (specify) renal
- ☐ Cerebral, cardiopulmonary, gastrointestinal, peripheral.
- ☐ Tissue, impaired integrity
- ☐ Oral mucous membrane, altered
- ☐ Skin, impaired
- ☐ Cutaneous, high risk of deterioration of the integrity
- ☐ Self-care, deficit: bathing / hygiene

9. SECURITY

- ☐ Infection, high risk of
- ☐ Dysreflexia
- ☐ Injury, high risk
- ☐ Poisoning, high risk of
- ☐ Trauma, high risk of
- ☐ Protection, impaired
- ☐ Family, alteration processes
- ☐ Role of caregiver, overexertion in
- ☐ The role of caregiver, high risk to overuse in the
- ☐ Defensive coping

9. SECURITY (cont)

- ☐ Denial ineffective
- ☐ Ineffective family coping: disabling
- ☐ Ineffective family coping: engaged
- ☐ Therapeutic regimen, ineffective management of (individual)
- ☐ Growth and development, altered
- ☐ Transfer, stress syndrome
- ☐ Pain
- ☐ Chronic Pain
- ☐ Bereavement dysfunctional
- ☐ Early Mourning
- ☐ Violence, high risk: self-injury, injury to other
- ☐ Self-mutilation, high risk of
- ☐ Post-traumatic response
- ☐ Rape, traumatic syndrome of
- ☐ Violation, trauma syndrome: compound reaction
- ☐ Violation, trauma syndrome: silent reaction
- ☐ Anxiety
- ☐ Fear

10. COMMUNICATION

- Verbal, disorder
- Social, impaired interaction
- Social isolation
- Sexual dysfunction
- Sexuality, altered patterns of
- COPING: ineffective
- Sen-so-perceptual alterations (specify)
- visual
- auditory, kin esthetic, gustatory, tactile, olfactory.

11. Religion / Beliefs

- ☐ Spiritual suffering
- ☐ Treatment, tracking no (specify)
- ☐ Decisions, conflict in the making (specify)
- ☐ Hopelessness
- ☐ Impotence

12. WORK / BE

- ☐ Role, impaired performance
- ☐ Parenteral, alteration
- ☐ Parenteral, high risk of disruption
- ☐ Parenteral, role conflict
- ☐ Adaptation disorder
- ☐ Health, generating conducts (specify)
- ☐ Home, difficulties in maintaining
- ☐ Health, alteration in the maintenance of
- ☐ Body Image, disorder
- ☐ Self-esteem disorder
- ☐ Self-esteem, lack of: chronic
- ☐ Self-esteem, lack of: situational
- ☐ Personal, disorder

13. RECREATIONAL ACTIVITIES

- ☐ Recreation, deficit

14. LEARN

Coping familiar development potential
Knowledge, deficit (specify)
Thought, alteration processes



By [deleted]
cheatography.com/deleted-2754/

Published 21st June, 2016.
Last updated 6th June, 2016.
Page 2 of 2.

Sponsored by **CrosswordCheats.com**
Learn to solve cryptic crosswords!
<http://crosswordcheats.com>