

1. Pattern Perception and Control of Health

Altered health maintenance
Altered protection
Ineffective management of therapeutic regimen
Infection
High risk of injury
High risk of poisoning
High risk of suffocation

2. Pattern Nutrition and Metabolic

High risk for altered nutrition: intake exceeds the body's needs.
Altered nutrition: intake exceeds the body's needs
Altered nutrition: eating less than the body needs.
Effective breastfeeding
Ineffective breastfeeding.
Interrupted breastfeeding.
Ineffective infant feeding pattern.
High risk of aspiration
Swallowing disorder.
Altered oral mucosa.
High risk for fluid volume deficits.
Fluid volume deficits.
Excess fluid volume.
High risk for impaired skin integrity.
Impaired skin integrity.
Impaired tissue integrity.
High risk for altered body temperature.
Ineffective thermoregulation.
Hyperthermia.
Hypothermia.

3. Elimination pattern

Constipation
Constipation perceived
Colonic constipation.
Diarrhea.
Bowel incontinence.
Altered urinary excretion
Functional incontinence
Stress incontinence
Urge incontinence
Total incontinence
Reflex incontinence
Urinary retention

4. Pattern of Activity and Exercise

Activity intolerance.
Inability to sustain spontaneous breathing.
High risk of activity intolerance.
High risk for peripheral neurovascular dysfunction.
Impaired physical mobility.
High risk of syndrome of disuse.
Fatigue.
Forgot Unilateral
Self-care deficit: bathing / hygiene.
Self-care deficit: dressing / under
Self-care deficit: feeding.
Self-care deficit: evacuation.
Deficit recreation
Household altered.
Ineffective cleaning air.
Inefficient breathing pattern.
Altered gas exchange.
Decreased cardiac output.
Altered tissue perfusion (renal, cerebral, cardiac, gastrointestinal, peripheral)
High risk of trauma

5. Standard of Rest and Sleep

Altered sleep patterns.

7. Self-perception and self-concept pattern

Fear
Anxiety
Despair
Sense of powerlessness.
Body Image Disorder
High risk of automutilation.
Personal identity disorder.
Disorder of self-esteem.
Chronic low self-esteem
Situational low self-esteem

6. Cognitive and Perceptual Pattern

Pain.
Chronic Pain
Alterations sensory / perceptual (visual, auditory, kinesthetic, gustatory, tactile, olfactory).
Unilateral oblivion.
Knowledge deficits.
Altered thought processes.
Difficult decision

