

Cheatography

Php code templates for NetBeans Cheat Sheet
by [deleted] via cheatography.com/3973/cs/834/

Php generics

```
cls    class ${ClassName} { function
        ${__construct}() { ${selection}${cursor} } }

fnc    function ${functionName}($ $$ ${param}) { ${selection}${cursor} }

iface  interface ${InterfaceName} {
        ${cursor} }

ifnc   public function ${functionName}($ $$ ${param});

pcon   parent::__construct(); ${cursor}

thr    throw new ${Exception};

tryc   try { ${selection}${cursor} } catch
        (${Exception} $ $$ ${exc}) { echo
        $ $$ ${exc} editable=false->getTrac-
        eAsString(); }

vdoc   / @var $ $$ ${VARIABLE} variableF-
        romNextAssignmentName default-
        ="variable" ${VAR_TYPE} variab-
        leFromNextAssignmentType default-
        ="ClassName" /
```

Php statements

```
do    do { ${selection}${cursor} } while
        ($ ${CONDITION} variableFromPrevio-
        usAssignment instanceof="boolean"
        default="true");

elseif  elseif ($ ${CONDITION} variableFrom-
        PreviousAssignment instanceof="b-
        oolean" default="true") { ${selec-
        tion}${cursor} }

els    else { ${selection}${cursor} }

fore   foreach ($ ${ARRAY} variableFromPre-
        viousAssignment instanceof="array"
        default="$array" as $ $$ ${value}) {
        ${selection}${cursor} }

if     if ($ ${CONDITION} variableFromPrevio-
        usAssignment instanceof="bool-
        ean" default="true") { ${selec-
        tion}${cursor} }

inst   if ($ ${VARIABLE} variableFromPrevio-
        usAssignment default="$variable"
        instanceof ${ClassName}) { ${selec-
        tion}${cursor} }
```

Php statements (cont)

```
itdir  $ $$ ${DIRH} newVarName default="d-
        irh" = opendir($ ${dirname}); if
        ($ $$ ${DIRH} editable=false) { while
        ($ $$ ${DIR_ELEM} newVarName
        default="dirElement" = readdir($-
        ${DIRH} editable=false)) != false) {
        ${selection}${cursor} } closedir($ $$ -
        ${DIRH} editable=false); }

iter   for ($ $$ ${IDX} newVarName default-
        t="index" = 0; $ $$ ${IDX} editable=-
        false) < count($ ${ARRAY} variableF-
        romPreviousAssignment instanceo-
        f="array" default="$array"); $ $$ ${IDX}
        editable=false++) { ${selection}${cursor} }

swi    switch ($ ${VARIABLE} variableFrom-
        PreviousAssignment default="$var-
        iable") { case ${value}: ${selec-
        tion}${cursor} break; default: break; }

while  while ($ ${CONDITION} variableFrom-
        PreviousAssignment instanceof="b-
        oolean" default="true") { ${selec-
        tion}${cursor} }
```

Php print data

```
eco    echo("${message}"); ${cursor}

pr    print ${VARIABLE} variableFromPre-
        viousAssignment default="$variab-
        le"; ${cursor}

prln  print ${VARIABLE} variableFromPre-
        viousAssignment default="$variab-
        le". "\n"; ${cursor}

prs   print "${cursor}";

prv   print "$ ${VARIABLE} variableFrom-
        PreviousAssignment default="$var-
        iable" = ".$ ${VARIABLE} editable=fal-
        se". "\n"; ${cursor}
```



By [deleted]
cheatography.com/deleted-
3973/

Published 11th February, 2013.
Last updated 13th May, 2016.
Page 1 of 1.

Sponsored by **Readable.com**
Measure your website readability!
<https://readable.com>