

Navigation	Editor	Search	Cider
Up <code>k</code>	Toggle line numbers <code>SPC t n</code>	Find in buffer <code>/&lt;search term&gt; Enter</code> <code>n (next)</code> <code>N (prev)</code>	Jack In <code>,'</code>
Down <code>j</code>	Toggle auto complete <code>SPC t a</code>	Find next instance (word under cursor) <code>*</code>	Open REPL <code>C-c C-z</code>
Left <code>h</code>	Highlight mode <code>v</code>	Find prev instance (word under cursor) <code>#</code>	Set REPL ns <code>C-c M-n</code>
Right <code>l</code>	Undo <code>u</code>	Turn off highlighting <code>:nohl ENTER</code>	Eval Buffer <code>,eb</code>
Down a page <code>C-d</code>	Redo <code>C-r</code>	Find in project <code>SPC /</code>	Eval curr. func <code>,ef</code>
Up a page <code>C-u</code>	Comment out line <code>g c c</code>	Find (under cursor) in project <code>SPC *</code>	Eval curr. func in REPL <code>,se</code>
Up to next paragraph <code>{</code>	Comment out highlighted <code>g c</code>	Find and replace (all lines) <code>:%s/foo/-bar/gc (gci case-insensitive)</code>	Show docs <code>,hh</code>
Down to next paragraph <code>}</code>	Copy <code>Y</code>	Find and replace (curr line) <code>:s/foo/bar/gc</code>	Reformat buffer <code>,=</code>
Prev. function <code>[[</code>	Paste <code>p</code>	Layouts	Require missing ns <code>,ram</code>
Next function <code>]]</code>	Paste above <code>P</code>	Split window vertical <code>SPC w v</code>	Add project dependency <code>,rap</code>
Up to outer brace <code>[{</code>	Delete <code>d</code>	Split window horizontal <code>SPC w s</code>	Add require to ns <code>,rar</code>
Down to outer brace <code>}]</code>	Delete char <code>x</code>	Switch window <code>SPC &lt;no of window&gt;</code>	Goto source code <code>,gg</code>
Right a word <code>w</code>	Delete until right paren <code>d f )</code>	Layout help <code>SPC l ?</code>	Inspect last result <code>M-x 'cider-inspect-last-result'</code>
Left a word <code>b</code>	Replace Mode <code>R</code>		Inspect last result (drill down) <code>ENTER</code>
Beginning of file <code>gg</code>	Replace char <code>r</code>		Inspect last result (back out) <code>C-z (exit evil) l</code>
End of file <code>G</code>	Change <code>c</code>		Run all tests <code>,ta</code>
End of line <code>\$</code>	Change all between quotes <code>c i "</code>		
First non-whitespace char of line <code>^</code>	Previous thing copied <code>SPC r y</code>		
Jump to any word <code>SPC SPC &lt;first letter of word&gt;</code>	Indent highlighted text <code>&gt; and &lt; (also 2&gt; ...</code>		
Jump back <code>C-o</code>	Show whitespace <code>SPC t w</code>		
Center buffer <code>zz</code>	Tabs to spaces <code>SPC : untabify</code>		
Last place edited <code>g;</code>			
Last file path under cursor <code>gf</code>			



Lisp

Slurp SPC k s

Barf SPC k b

---

C

By [deleted]  
[cheatography.com/deleted-41571/](https://cheatography.com/deleted-41571/)

Published 23rd August, 2017.  
Last updated 23rd August, 2017.  
Page 2 of 2.

Sponsored by **Readable.com**  
Measure your website readability!  
<https://readable.com>