

### Basics

#### App.Router.map(*fn*)

allows you to add routes and resources to your app

#### App.advanceReadiness()

call this function when your app is ready to be initialized

#### App.deferReadiness()

delays initialization until advanceReadiness is called

#### App.inject(*type, property, injection*)

add a property onto every object of a specific type

#### Ember.ArrayController.extend( {} )

represents several objects

#### Ember.Controller.extend( {} )

grouping of specific, non object related functionality (e.g authentication or search)

#### Ember.Object.create( {} )

create an instance of an object

#### Ember.Object.createWithMixins( *mixins, {}* )

create an instance of an object with mixins

#### Ember.Object.destroy()

set isDestroying to true and schedule removal of all bindings and observing for the end of run loop

#### Ember.Object.get( *keyName* )

return value of property by given name while respecting computed and observed properties

#### Ember.Object.reopenClass( {} )

add methods and properties to a class

#### Ember.Object.set( *keyName, value* )

set the value of property while respecting computed properties, unknown properties, property observers and chaining

#### Ember.ObjectController.extend( {} )

represents a single object

### Basics (cont)

#### Ember.isNone(*obj*)

Returns true if the passed value is null or undefined.

### Ember.Application.initializer

#### after: '*someInitializer*'

name of the initializer to run before running this initializer

#### name: '*preload*'

name for this initializer

#### initialize: *function(container, application)*

function to execute when an app is initializing

### Ember.Application

#### Ember.Application.create: ( {} )

creates an instance that will be your app and your app's namespace

#### LOG\_ACTIVE\_GENERATION: *true*

activate logging of automatically generated routes and controllers

#### LOG\_STACKTRACE\_ON\_DEPRECATION: *true*

activate logging of deprecated method or property usage

#### LOG\_TRANSITIONS: *true*

activate basic logging of successful transitions

#### LOG\_TRANSITIONS\_INTERNAL: *true*

activate detailed logging of all routing steps

#### LOG\_VIEW\_LOOKUPS: *true*

activate logging of results of view and template searches by routes

#### rootElement

DOM element or jQuery-compatible selector string where your app will be rendered

```
});
```

### Ember.Route

#### Ember.Route.extend: (*mixins, {*

#### *beforeModel: function(transition)*

hook executed before resolving models (use for early redirection)

#### *activate: function*

hooked called when router enters route the first time

#### *afterModel: function(model, transition)*

hooked called after models are resolved (use for late redirect)

#### *deactivate: function*

hook executes when the router completely exits this route

#### *model: function(params)*

provides data to be used by the controller and the view

#### *renderTemplate: function(controller, model)*

hook to override default template rendered for this route

#### *serialize: function(model)*

converts model into parameters for the url

#### *setupController: function(controller, model)*

function that can be used to configure the controller

#### *actions*

object with properties

#### *actions: { willTransition: function(transition) }*

called whenever transition triggered on current route

#### *actions: { error }*

```
});
```



### Ember.View

**Ember.View.extend:** (*mixins*, {

**attributeBindings:** [*dataSize*, *href*]

array of View's property names used to calculate View's DOM element's attributes

**classNameBindings:** [*isAvailable*, *color*]

array of View's property names used to calculate View's DOM element's class attribute

**classNames:** [*color*, *size*]

array or string of View's class attribute

**controller:** *Ember.Controller.create*( {} )

instance of descendants of the Ember.Controller

**defaultTemplate:** *Ember.Handlebars.compile*('...')

compiled Handlebars template used when the view doesn't have the template or `templateName` property specified

**eventManager:** {}

an object with properties named after events that this view handles and values are functions that process these events

**layout:** *Ember.Handlebars.compile*('...')

compiled Handlebars template that wraps the view

**tagName:** *'em'*

string HTML tag to be used for View's DOM element

**template:** *Ember.Handlebars.compile*('...')

compiled Handlebars template used to render this view

**templateName:** *'some-template'*

string name of the template to be used to render this view (used instead of `template`)

});

### Ember.Object

**Ember.Object.extend:** (*mixins*, {

**init:** *function*()

method called when an instance of this class is created

});

### Courtesy of

<http://embersherpa.com/cheatsheet/>

