Cheatography

gitchangelog Cheat Sheet by Delqvs via cheatography.com/40606/cs/12449/

KEEP A CHANGELOG



Concept	
Why	keepachangelog.com
What	https://pypi.python.org/pypi/gitchangelog
How	.gitchangelog.rc repository
GIT Tag	[0-9]+\.[0-9]+(\.[0-9]+)?(+)?(\+.+.)?
Tag examples	1.3.0; 1.1.2-beta1; 1.0.0-beta.3+build.20.f42cbd56
Date	(2017-08-11)
Sample result	2.1.1 (2014-04-15)

AUDIENCE		
dev:	for developpers (API changes, refactors)	
usr: or user	for final users (UI changes)	
pkg:	packaging changes	
test:	test only related changes	
doc:	doc only changes	
TAG		
!refactor	for refactoring code only	
!minor	for a very meaningless change (a typo, adding a comment)	
!cosmetic	for cosmetic driven change (re-indentation, 80-col)	
!wip	for partial functionality but complete subfunctionality	
Examples de message		
new: usr: support of bazaar implemented		
chg: re-indentend some lines !cosmetic		
fix: pkg: updated year of licence coverage.		
new: test: added a bunch of test around user usability of feature X.		

 ACTION
 fix: typo in spelling my name in comment.!minor

 new:
 for new features, big improvement

 chg:
 for refactor, small improvement, cosmetic changes...

 fix:
 for bug fixes



By **Delqvs**

ACTION: [AUDIENCE:] COMMIT_MSG [!TAG ...]

cheatography.com/delqvs/

Published 14th August, 2017. Last updated 14th August, 2017. Page 1 of 1. Sponsored by Readability-Score.com Measure your website readability! https://readability-score.com