

Routing in Angular Hybrid Application

Hybrid Application: AngularJs (1.3.7) + Angular (12)

Router:

UI-Router is used in AngularJs and @angular/router is used in Angular.

This document describe more about routing *AS-IS* in AngularJs and *TO-BE* in Angular.

Imports

```
var appModule = angular.module('appModule', [ 'ui.router'
import { RouterModule } from '@angular/router'
]);
```

State Definition

```
$stateProvider.state("userDetails", RouterModule.forChild({
url: "/user/:id",
views: {
"index": {
templateUrl: "userDetails.html",
controller: "userDetailsCtrl",
}
}
}));
```

View Creation

```
<ui-view name="viewName"></ui-view>
<router-outlet name="viewName"></router-outlet>
<div ui-view="viewName"></div>
```



By **kalai** (dev.kalai.m)
cheatography.com/dev-kalai-m/

Not published yet.
 Last updated 27th July, 2022.
 Page 1 of 2.

Sponsored by **Readable.com**
 Measure your website readability!
<https://readable.com>

Params Access

Service: \$stateParams Provider: ActivatedRoute

\$stateParams

Snapshot:

Navigation: user/1 => users-listing => user/2

```
constructor(private route: ActivatedRoute) { }
ngOnInit() {
    this.id = this.route.snapshot.params.id; }
}
```

Observable:

Navigation: user/1 => user/2 => user/3

```
constructor(private route: ActivatedRoute) { }
ngOnInit() {
    this.route.params.subscribe(params: ParamMap => {
        this.id = params.get('id');
    });
}
```

Navigation Basic

\$stateParams router.navigate()

Navigation between AngularJs and Angular

NG1 => NG12

NG12 => NG1

using \$location service

using Location

\$location.url('/user/2');

this.location.go('/user/2')

using Router

router.navigateByUrl('/user/2')

router.navigate(['user', user.id]) // user.id=2

C

By **kalai** (dev.kalai.m)
cheatography.com/dev-kalai-m/

Not published yet.
 Last updated 27th July, 2022.
 Page 2 of 2.

Sponsored by **Readable.com**
 Measure your website readability!
<https://readable.com>