

### Formulas

$l = v\Delta t$  Where  $l$  is the pulse length,  $v$  is the speed, and  $\Delta t$  is the time to create a complete pulse

$v = f\lambda$  Where  $v$  is the speed,  $f$  is the frequency in Hertz, and  $\lambda$  is the wavelength

$L = (1/2)\lambda$  Where  $L$  is the length of each node and  $\lambda$  is the wavelength

**Bold** formulae are not given on the Physics 20 formula sheet

### Definitions

**Wave** Travelling disturbance that carries energy

**Electromagnetic Waves** Do not require a medium to travel (light)

**Mechanical Waves** Require a medium to travel (air, water, string, etc.)

**Transverse Waves** The particles in the medium vibrate (or are displaced) perpendicular to the direction of motion of the wave

**Longitudinal Waves** The particles in the medium vibrate parallel to the direction of motion of the wave


**Constructive Interference** When waves in the same phase overlap, their amplitudes add together

**Destructive Interference** When waves of different phases overlap, their amplitudes cancel

**Nodes** Points of complete destructive interference

**Antinodes** Points of complete constructive interference, largest amplitude

### Transverse Waves




Along the pulse, energy is stored in both elastic potential and kinetic energy

- At max displacement, PE is at max and KE is zero
- At equilibrium, KE is at max

The greater the amplitude, the greater the energy of the wave


### Longitudinal Waves




### Examples of Wave Types

Wave Type	Example	Origin	Medium
Water Wave	Wake of boat	Boat moving	Water
Sound Wave	Stereo	Speaker vibrates	Air
Mechanical Wave	Bull whip	Arm whips	Leather
Seismic Wave	Earthquake	Shifting rock layers	Rock
Shock Wave	Atomic explosion	Nuclear fission	Air
Light Wave	Room light	Hot filament	None

### Wave Behaviour



### Standing Waves, Nodes & Antinodes




**Standing Waves:** when 2 wave trains with the same amplitude and wavelength move through each other, the resulting interfering pattern results in a standing wave, it appears to be standing still in a constant position

- The frequencies at which standing waves exist are the natural or fundamental resonant frequency

**Nodes:** points of complete destructive interference

**Antinodes:** points of complete constructive interference

### Wave Behaviours: Reflection




**Reflection:** straight waves "bounce" off a surface such that the outgoing angle (angle of reflection) or reflection wave equal the incoming angle (angle of incidence) or incident wave

Angles are measured from the normal line (line perpendicular to the surface)

**Wave Train:** a series of waves linked together in phase (moving with identical motion)

Wave fronts are reflected by a barrier

### Wave Behaviours: Refraction



When a wave passes from one medium to another through a boundary, the waves bend and change direction (and speed) at the interface

If the medium on the other side is 'thicker'

**Reflection:** When a wave reflects, it exhibits a phase change (crest -> trough or vice-versa)


**Refraction:**

**Diffraction:**

**Interference:**

(n), then the wave will slow down and bend towards the normal line

### Wave Behaviours: Diffraction



**Diffraction:** waves bend around a corner or opening

The amount of diffraction depends on the wavelength and the size of the opening

Waves lose amplitude, not speed or frequency




By **Diana D** (dianadavis)  
[cheatography.com/dianadavis/](https://cheatography.com/dianadavis/)

Published 17th May, 2021.  
Last updated 17th May, 2021.  
Page 1 of 4.

Sponsored by **Readable.com**  
Measure your website readability!  
<https://readable.com>

### Wave Behaviours: Interference



**Constructive:** "in phase" waves produce larger amplitudes

**Destructive:** "out of phase" waves amplitudes cancel

**Principle of Superposition:** the two waves "superimpose" and "interfere" with each other, creating a temporary waveform that is the sum of the two waves

### Doppler Effect

$$f_o = f_s \left( \frac{V}{V - V_s} \right)$$

$$f_o = f_s \left( \frac{V}{V + V_s} \right)$$

$f_o$  = observers frequency

$f_s$  = emitted frequency

$V$  = speed of sound

$V_s$  = speed of object emitting sound

Subtract when the **source is moving towards the observer**

Add when the **source is moving away from the observer**


### Doppler Effect Cont.

When the source is moving towards the observer with a velocity, the waves spread out in circles around the source, the frequency doesn't change but the waves crowd together, making the wavelength shorter.

When the source is moving away from the observer, the wavelength is lengthened and the detected frequency is lower

### Stringed Resonator

### Closed-Pipe Resonator




**Closed-Pipe Resonator:** tube is closed at one end and open at another

In a closed-tube, node at closed end and either node or antinode at open end.

IF antinode occurs at the open end, resonance occurs and the sound is amplified (louder).


IF a node occurs at the open end, resonance does not occur and almost no sound (hence only odd harmonics)

### Open-Pipe Resonator



**Open-Pipe Resonator:** both ends of the tube are open

### Musical Instruments & Resonance



**Fundamental/1st Harmonic:** the lowest frequency making up the sound

- Wave of frequencies that are whole number multiples of the fundamental are called harmonics (2nd, 3rd, 4th, etc)

**Stringed Resonator:** a resonating instrument that is fixed at both ends



By **Diana D** (dianadavis)  
[cheatography.com/dianadavis/](https://cheatography.com/dianadavis/)

Published 17th May, 2021.  
 Last updated 17th May, 2021.  
 Page 2 of 4.

Sponsored by **Readable.com**  
 Measure your website readability!  
<https://readable.com>