

### NAVIGATION

go to class	<b>ctrl + N</b>
go to file	<b>ctrl + shift + N</b>
go to symbol	<b>ctrl + shift + alt + N</b>
find action	<b>ctrl + shift + A</b>
search everywhere	<b>shift shift</b>
navigate backwards	<b>ctrl + alt + LEFT</b>
navigate forwards	<b>ctrl + alt + RIGHT</b>
go to declaration	<b>ctrl + B</b> or <b>ctrl + CLICK</b>
go to implementation	<b>ctrl + alt + B</b> or <b>ctrl + alt + CLICK</b>

### TESTING

run last thing that was run	<b>ctrl + F10</b>
run test at cursor	<b>ctrl + shift + F10</b>
debug last thing that was run	<b>ctrl + F9</b>
debug test at cursor	<b>alt + shift + F9</b>
go to tests / back to code	<b>ctrl + shift + T</b>

### REFACTORING

rename	<b>shift + F6</b>
change signature	<b>ctrl + F6</b>
extract variable	<b>ctrl + alt + V</b>
extract parameter	<b>ctrl + alt + P</b>
extract field	<b>ctrl + alt + F</b>
extract constant	<b>ctrl + alt + C</b>
extract method	<b>ctrl + alt + M</b>
refactor menu	<b>ctrl + alt + shift + T</b>

### FIND

find in file	<b>ctrl + F</b>
replace in file	<b>ctrl + R</b>
find in path	<b>ctrl + shift + F</b>
replace in path	<b>ctrl + shift + R</b>
find usaged	<b>alt + F7</b>



By **egoldstrom**

Published 20th June, 2023.

Last updated 20th June, 2023.

Page 1 of 1.

Sponsored by **Readable.com**

Measure your website readability!

<https://readable.com>