

### Infos de base

<code>symfony new XXX</code>	Créer un projet dans le répertoire courant, qui sera dans un sous dossier XXX
<code>composer create-project symfony/skeleton XXX</code>	Même chose mais en utilisant composer
<code>symfony serve</code>	Démarrer le server
<code>CTRL+C</code>	Arrêter le serveur
<code>https://1-27.0.0.1:8000/</code>	Adresse de base du projet

### Test

<code>composer require annotations</code>	Installer le système d'annotations pour les routes
<code>#[Route('/')]</code>	Annotation à mettre au dessus de la fonction pour sa route. Exemple ici : route pour la homepage (/)
<code>composer require profiler --dev</code>	Installer la debug bar
<code>composer require twig</code>	Installer Twig

### Maker

<code>composer require --dev symfony/maker-bundle</code>	Installer maker pour simplifier les bundle
<code>php bin/console list make</code>	Liste des commandes
<code>make:controller</code>	Faire un nouveau controller
<code>make:entity</code>	Faire une nouvelle entité (pour Doctrine)



By FredJ  
[cheatography.com/fredj/](https://cheatography.com/fredj/)

Not published yet.  
Last updated 13th February, 2023.  
Page 1 of 1.

Sponsored by [ApolloPad.com](https://apollopad.com)  
Everyone has a novel in them. Finish Yours!  
<https://apollopad.com>