

Console Input/Output

```
#include <stdio.h>
```

Character

`getchar()` Returns a single character's ANSI code from the input stream buffer as an integer. (safe)

`putchar(int)` Prints a single character from an ANSI code integer to the output stream buffer.

Strings

`gets(strName)` Reads a line from the input stream into a string variable. (Unsafe, removed in C11.)

Alternative

`fgets(strName, length, stdin);` Reads a line from the input stream into a string variable. (Safe)

`puts("string")` Prints a string to the output stream.

Formatted Data

`scanf("%d", &x)` Read value/s (type defined by format string) into variable/s (type must match) from the input stream. Stops reading at the first whitespace. & prefix not required for arrays (including strings.) (unsafe)

`printf("I love %c %d", 'C', 99)` Prints data (formats defined by the format string) as a string to the output stream.

Alternative

Console Input/Output (cont)

`fgets(strName, length, stdin); sscanf(strName, "%d", &x);` Uses `fgets` to limit the input length, then uses `sscanf` to read the resulting string in place of `scanf`. (safe)

Dynamic Memory

Remember to `#include <stdio.h>`

Allocate

`malloc ptr = malloc(n sizeof ptr);`

`calloc ptr = calloc(n, sizeof *ptr);`

Change Size

`realloc newspace = n sizeof ptr; tmp = realloc(ptr, newspace); if (tmp) ptr = tmp; else / ptr is still valid /;`

Release

`free free(ptr);`

Escape Character

<code>\a</code>	alarm (bell/beep)	<code>\b</code>	backspace
<code>\f</code>	formfeed	<code>\n</code>	newline
<code>\r</code>	carriage return	<code>\t</code>	horizontal tab
<code>\v</code>	vertical tab	<code>\\</code>	backslash
<code>\'</code>	single quote	<code>\"</code>	double quote
<code>\?</code>	question mark		
<code>\nnn</code>	Any octal ANSI character code.		
<code>\xhh</code>	Any hexadecimal ANSI character code.		

Data type

Character	<code>char</code>	1 byte	-128 to 127
	<code>unsigned char</code>	1 byte	0 to 255
Integer	<code>int</code>	4 byte	-32,767 to 32,767
	<code>unsigned int</code>	4 byte	0 to 65,535



Data type (cont)

short int	2	-32,767 to 32,767
byte		
unsigned short int	2	0 to 65,535
byte		
long int	4	-2,147,483,647 to 2,147,483,647
byte		
unsigned long int	4	0 to 4,294,967,295
byte		
long long int	8	-(263 – 1) to 263 – 1 (It will be added by the C99 standard)
byte		
unsigned long long int	8	264 – 1 (It will be added by the C99 standard)
byte		
Float float	4	1E-37 to 1E+37 along with six digits of the precisions here
byte		
double	8	1E-37 to 1E+37 along with six digits of the precisions here
byte		
long double	8	1E-37 to 1E+37 along with six digits of the precisions here
byte		

File Input/Output

```
#include <stdio.h>
```

Opening

```
FILE *fptr = fopen(filename, mode);
```

FILE Declares fptr as a FILE type pointer (stores stream *fptr location instead of memory location.)

fopen() Returns a stream location pointer if successful, 0 otherwise.

filename String containing file's directory path & name.

File Input/Output (cont)

mode String specifying the file access mode.

Modes

"r" / "rb" Read existing text/binary file.

"w" / "wb" Write new/over existing text/binary file.

"a" / "ab" Write new/append to existing text/binary file.

"r+" / "r+b" / "-rb+" Read and write existing text/binary file.

"w+" / "w+b" / "-wb+" Read and write new/over existing text/binary file.

"a+" / "a+b" / "-ab+" Read and write new/append to existing text/binary file.

Closing

fclose(fptr); Flushes buffers and closes stream. Returns 0 if successful, EOF otherwise.

Random Access

ftell(fptr) Return current file position as a long integer.

fseek(fptr, offset, origin); Sets current file position. Returns false is successful, true otherwise. The offset is a long integer type.

Origins

SEEK_SET Beginning of file.

SEEK_CUR Current position in file.

SEEK_END End of file.

Utilities

feof(fptr) Tests end-of-file indicator.

rename(strOldName, strNewName) Renames a file.

remove(strName) Deletes a file.



File Input/Output (cont)

Characters

<code>fgetc(fptr)</code>	Returns character read or EOF if unsuccessful. (safe)
<code>fputc(int c, fptr)</code>	Returns character written or EOF if unsuccessful.

Strings

<code>fgets(char *s, int n, fptr)</code>	Reads n-1 characters from file fptr into string s. Stops at EOF and \n. (safe)
<code>fputs(char *s, fptr)</code>	Writes string s to file fptr. Returns non-negative on success, EOF otherwise.

Formatted Data

<code>fscanf(fptr, format, [...])</code>	Same as scanf with additional file pointer parameter. (unsafe)
<code>fprintf(fptr, format, [...])</code>	Same as printf with additional file pointer parameter.

Alternative

<code>fgets(strName, length, fptr); sscanf(strName, "%d", &x);</code>	Uses fgets to limit the input length, then uses sscanf to read the resulting string in place of scanf. (safe)
---	---

Binary

<code>fread(void *ptr, sizeof(element), number, fptr)</code>	Reads a number of elements from fptr to array *ptr. (safe)
<code>fwrite(void *ptr, sizeof(element), number, fptr)</code>	Writes a number of elements to file fptr from array *ptr.

Variabels

Declaring

<code>int x;</code>	A variable.
<code>char x = 'C';</code>	A variable & initialising it.
<code>float x, y, z;</code>	Multiple variables of the same type.
<code>const int x = 88;</code>	A constant variable: can't assign to after declaration (compiler enforced.)

Naming

<code>johnny5lsAlive ✓</code>	Alphanumeric, not a keyword, begins with a letter.
<code>2001ASpaceOddysey X</code>	Doesn't begin with a letter.
<code>while X</code>	Reserved keyword.
<code>how exciting! X</code>	Non-alphanumeric.
<code>iamaverylongvariablen-ameohmygoshyesiam X</code>	Longer than 31 characters (C89 & C90 only)

Input Format

Specifier	Input Text is a	Destination type
<code>%c</code>	Character	Char
<code>%d</code>	Decimal	Int, short
<code>%x</code>	Hexadecimal	Int, short, long
<code>%ld</code>	Long Decimal	Long
<code>%lld</code>	Very Long Decimal	Long Long
<code>%f</code>	Floating-point	Float
<code>%lf</code>	Floating-point	Double
<code>%le</code>	Exponential	Double

Read file line-by-line

```
#include <stdio.h>

FILE h;
char line[100];
h = fopen("filename", "rb");
/error checking missing /
while (fgets(line, sizeof line, h)) {
    /deal with line /
}
/if needed test why last read failed /
if (feof(h) || ferror(h)) /whatever */;
fclose(h);
```

main()

```
int main(int argc, char *argv[]){return int;}
```

Anatomy

int Program entry point.

main

int argc # of command line arguments.

char Command line arguments in an array of strings. #1 is always the program filename.

return Exit status (integer) returned to the OS upon program exit.
int;

Command Line Arguments

app Three arguments, "app", "two" and "3".
two 3

app Two arguments, "app" and "two 3".
"two 3"

main is the first function called when the program executes.

Placeholder Types (f/printf And f/scanf)

```
printf("%d%d...", arg1, arg2...);
```

Type	Example	Description
%d or %l	-42	Signed decimal integer.
%u	42	Unsigned decimal integer.
%o	52	Unsigned octal integer.
%x or %X	2a or 2A	Unsigned hexadecimal integer.
%f or %F	1.21	Signed decimal float.
%e or %E	1.21e+9 or 1.21E+9	Signed decimal w/ scientific notation.
%g or %G	1.21e+9 or 1.21E+9	Shortest representation of %f/%F or %e/%E.
%a or %A	0x1.207c8ap+30 or 0X1.207C8AP+30	Signed hexadecimal float.
%c	a	A character.
%s	A string.	A character string.
%p		A pointer
%%	&	A percent character.

Placeholder Types (f/printf And f/scanf) (cont)

%n No output, saves # of characters printed so far. Respective printf argument must be an integer pointer.

Comments

```
// We're single-line comments!
```

```
//Nothing compiled after // on these lines.
```

```
/* I'm a multi-line comment!
```

```
Nothing compiled between these delimiters. */
```

Escape Characters

\a alarm (bell/beep)

\f formfeed

\r carriage return

\v vertical tab

\' single quote

\? question mark

\nnn Any octal ANSI character code.

\xhh Any hexadecimal ANSI character code.

\b backspace

\n newline

\t horizontal tab

\\ backslash

\" double quote

Strings

'A' character Single quotes.

" AB"string Double quotes.

\0 Null terminator.

Strings are char arrays.

```
char name[4] = " Ash ";
```

is equivalent to

```
char name[4] = {'A', 's', 'h', '\0'};
```

```
int i; for(i = 0; name[i]; i++){
```

\0 **evaluates as false.**

Strings must include a char element for \0.