

Predefined functions

sum()

len()

min()

max()

del

String Methods

count("sous-chaine", debut, fin) compte le nombre d'occurrence

chaine.isalpha() chaîne alphabétique ou non

chaine.isalnum() chaîne numérique/alphabétique ou non

chaineisspace() chaîne former des espaces ou non

find("sous-chaine", debut, fin) trouver la position du sous-chaine

startswith("sous-chaine", debut, fin) retourner true si la fonction commence par la souschaîne mentionnée

strip(): supprimer tous les caractères de début et de fin mentionnés dans son argument (valeur par défaut est l'espace)

chaine.replace ("sous-chaine", "new-chaine", max) remplacer la sous-chaine par une nouvelle sous-chaine dans la chaîne.

endswith("souschaine", debut, fin)

islower()/isupper()

lower () /upper()

min ("chaîne") /min ("chaîne")

Lists (cont)

list.sort() Sort the list alphabetically

list.reverse() Reverse the order of the list items

list.count(value) returns the number of elements

list.pop(position) Removes the element at the specified position

Dictionary

dict.get("model") Get the value of the "model" key

add() Ajoute un élément à l'ensemble

dict.keys() Get a list of the keys

dict.items() a list of the key:value pairs

dict.values() return a list of all the values

dict.pop() Removes the element with the specified key

difference() Différence en deux ensembles

union() union de deux ensemble

sorted()

Lists

list.append()	Adding an element to the end of the list
list.insert(-pos,element)	Inserting elements at a particular position
list.index(element)	Returns the index the element
list.extend(list1)	Add the elements of list1 to list
list.remove(item)	removes the specified item.
list.pop(index)	removes the specified index
list.clear()	empties the list



By hanen
cheatography.com/hanen/

Not published yet.
Last updated 4th January, 2024.
Page 2 of 2.

Sponsored by **Readable.com**
Measure your website readability!
<https://readable.com>