

STANDARD PRECAUTIONS

PPE:

Gown & gloves - when touching blood or body fluids, non intact skin, mucous membranes, or contaminated materials

Masks & face/eye protection - when anticipating splashing of body fluids

NURSING INTERVENTIONS:

Implement standard precautions for all pts

Report communicable diseases per CDC policy

Handle all blood and body fluids as if contaminated

Dispose of PPE in pt's room

Private room is only needed if the pt is unable to maintain hygiene

Clean spills w/ a solution of bleach and water (1:10 dilution)

SHARING ROOMS:

Pts must have same organism

Avoid placing pts on isolation precautions in the same room w/ pts who are immunocompromised, have open wounds, or have anticipated prolonged lengths of stay

Ensure pts are located more than 3 ft from each other

Use privacy curtains between beds to minimize opportunities for direct contact

AIRBORNE PRECAUTIONS

AIRBORNE PRECAUTIONS:	PPE	NURSING INTERVENTIONS
-----------------------	-----	-----------------------

Diseases known to be transmitted by air for infectious agents smaller than 5 mcg	Mask	Standard precautions
--	------	----------------------

Measles	N95 respirator for known or suspected TB	Provide private room w/ monitored negative airflow
---------	--	--

Varicella		Keep door closed
-----------	--	------------------

Pulmonary or laryngeal TB		Respiratory protection
---------------------------	--	------------------------

DROPLET PRECAUTIONS

PPE	NURSING INTERVENTIONS:	DROPLET PRECAUTIONS:
Mask	Standard precautions	Protect against droplets larger than 5 mcg
	Private room is preferred	Streptococcal pharyngitis
	May short w/ pt who has infection w/ same organism	Pneumonia
	Keep door closed	Scarlet fever
	Mask is required when personnel is within 3 ft of pt	Rubella
		Pertussis
		Mumps
		Mycoplasma pneumonia
		Meningococcal pneumonia/sepsis
		Pneumonic plague

CONTACT PRECAUTIONS

PPE:	CONTACT PRECAUTIONS:	NURSING INTERVENTIONS:
Gloves	Prevent transmission of infectious agents that are spread by direct or indirect contact w/ the pt or the pt's environment	Standard precautions
Gown	Wound drainage	Private room is preferred
Mask & goggled (as needed)	Fecal incontinence	May cohort w/ pt who has infection w/ same organism
	Bodily discharges	Gloves & gown worn by caregivers and visitors
		Disposal of infectious dressing material into nonporous bag



CONTACT PRECAUTIONS (cont)

Dedicated equipment for the pt or disinfect after each use

Pt to leave room only for essential clinical reasons

PROTECTIVE ISOLATION

PROTECTIVE ISOLATION:

Used to protect pts who have an increased susceptibility to infections, are receiving chemotherapy, or are immunosuppressed or neutropenic

NURSING INTERVENTIONS:

Standard precautions

Institute maximum protection, which can include the use of sterile linens, food, and other supplies

Minimize exposure to microorganisms found on the outer layers of fresh flowers, fruits, and vegetables

Wear sterile gloves and gown/mask when in contact w/ the pt

Maximum protection will require ventilated/positive-pressure room



By harpieee
cheatography.com/harpieee/

Published 4th January, 2019.
Last updated 4th January, 2019.
Page 2 of 2.

Sponsored by [Readable.com](https://readable.com)
Measure your website readability!
<https://readable.com>