

Keywords usable only outside TESTs

link text	Controls the warning options passed to gcc.
link text{{USE('feature_name')}}}	Add a pre-defined feature package to SWATT Test Runner

Keywords usable inside TEST, INIT

SWATT_DESCRIPTION("info")	This keyword adds a tag in the log file that will create a description in the test report
SWATT_TEST_ENVIRONMENT("info")	This keyword adds a tag in the log file that will create an execution environment and a test environment in the test report
SWATT_TRACE("info")	Logs the traceability info (requirement ID, design element ID, architecture ID or change management) (in the log which is late transferred in the report and tractability reports).
SWATT_MATURITY("level")	This keyword adds a tag in the log to indicate the maturity level of the test
SWATT_SKIP_REASON("reason")	This keyword can be mixed with C code, when is executed marks the test as skipped and logs the reason why the test is skipped.
SWATT_SKIP_ALL_TESTS("reason")	This keyword can be mixed with C code, and shall be used from the INIT or another helper function called from INIT
SWATT_FATAL_ERROR("message")	Creates a fatal error (message display followed by the crash of the test script)
SWATT_LOG("message")	Prints the message (message... is the same format as for printf) to the log file only.
SWATT_TRACKED_CALL(function())	Allows backward propagation of the info regarding the failure of a function call
SWATT_TEST_PRECONDITION("message")	This keyword adds a precondition tag in the log file with the message from parameter which is used for CSV export for DOORS.
SWATT_TEST_PROCEDURE("message")	This keyword adds a procedure tag in the log file with the message from parameter which is used for CSV export for DOORS
SWATT_TEST_POSTCONDITION("message")	This keyword adds a postcondition tag in the log file with the message from parameter which is used for CSV export for DOORS
SWATT_TEST_EXPECTED_RESULT("message")	This keyword adds an expected_result tag in the log file with the message from parameter which is used for CSV export for DOORS
SWATT_TEST_COMMENT("message")	This increments the numbering for Test Procedure and Test Expected Result.

Coverage Justification Syntax

Single Line Justification



By hazembenamar

Not published yet.

Last updated 6th November, 2022.

Page 1 of 3.

Sponsored by CrosswordCheats.com

Learn to solve cryptic crosswords!

<http://crosswordcheats.com>

Coverage Justification Syntax (cont)

```
if (x == 0xFF)
{
    y = 3; SWATT- coverage-line text explaining lack of coverage
}
```

Multiple Line Justification

```
SWATT- coverage-off text explaining lack of coverage
if (x == 0xFF)
{
    y = 3;
}
SWATT- coverage-on
```



By hazembenammar

cheatography.com/hazembenammar/

Not published yet.

Last updated 6th November, 2022.

Page 3 of 3.

Sponsored by CrosswordCheats.com

Learn to solve cryptic crosswords!

<http://crosswordcheats.com>

