

Conventions

<type>[optional scope]: <description>

[optional body]

[optional footer(s)]

— Options —

fix: patches a bug in your codebase (this correlates with PATCH in Semantic Versioning).

feat: introduces a new feature to the codebase (this correlates with MINOR in Semantic Versioning).

BREAKING CHANGE: BREAKING CHANGE:, or appends a ! after the type/scope, introduces a breaking API change (correlating with MAJOR in Semantic Versioning). A BREAKING CHANGE can be part of commits of any type.

Others (eg: *build, docs, refactor, test*)

— Examples —

feat: allow provided config object to extend other configs

BREAKING CHANGE: `extends` key in config file is now used for extending other config files

feat(api)!: send an email to the customer when a product is shipped

Lazygit

Move between windows: **Arrows** or

Numbers or **TAB**

Keybindings: ?

Cancel: esc

Quit: q

c: commit

p: push

[1] Status

[2] Files

space: toggle staged/unstaged

d: delete a file

[3] Local Branches

n: new branch

[4] Commits

scroll using PgUp/PgDn (might be changed)

[5] Stash



By **Hezart**
cheatography.com/hezart/

Not published yet.
Last updated 27th June, 2025.
Page 1 of 1.

Sponsored by **CrosswordCheats.com**
Learn to solve cryptic crosswords!
<http://crosswordcheats.com>