Cheatography

maximum-awesome Keyboard Shortcuts by LiBin (holysoros) via cheatography.com/20106/cs/13322/

delete/change surrounding characters

visually select in or around the cursor's

Vp/vp replaces visual selection with default register without yanking selected text (works with any visual selection)

> begins aligning lines on a string, usually used as ,l= to align

ds/cs

vii/vai

,I

indent

assignments

| ctags | |
|-------------------------------------|--|
| Ctrl-] | Jump to the tag underneath the cursor |
| :ts <tag> <enter></enter></tag> | Search for a particular tag |
| :tn | Go to the next definition for the last tag |
| :tp | Go to the previous definition for the last tag |
| :ts[elect] | List all of the definitions of the last tag |
| Ctrl-t | Jump back up in the tag stack |

| ctrlp | |
|------------------------------|--|
| <leader>b</leader> | find buffer |
| <leader>r</leader> | find MRU |
| <leader>t</leader> | open ctrlp |
| <leader>T</leader> | clear cache |
| <c-d></c-d> | switch filename only or path search mode |
| <c-r></c-r> | switch to regexp mode |
| <c-j k=""></c-j> | navigate the result list |
| <c-n p=""></c-n> | next/previous string in prompt's history |
| <c-z>, <c-o></c-o></c-z> | mark/unmark file and open them |

By LiBin (holysoros)

cheatography.com/holysoros/ holysoros.github.com Published 31st October, 2017. Last updated 31st October, 2017. Page 1 of 1. Sponsored by **ApolloPad.com** Everyone has a novel in them. Finish Yours! https://apollopad.com