Common Shortcut

shortcut	usage
,d	toggle NERDTree sidebar
,f	open NERDTree to the current file
,t	brings up ctrlp.vim
ds/cs	delete/change surrounding characters
gcc	toggles current line comment
gc	toggles visual selection comment lines
vii/vai	visually select in or around the cursor's indent
Vp/vp	replaces visual selection with default register
,[space]	strips trailing whitespace
<C-]>	jump to definition using ctags
,l	begins aligning lines on a string, usually used as ,l= to align assignments
<C-hjk-l>	move between windows, shorthand for <C-w> hjkl

ctags for ruby

```
ctags -R --languages=ruby --
exclude=.git --exclude=log .
$(bundle list --paths)
```

fugitive

:Gblame
:Gdiff

ctrlp.vim

<c-f> and <c-b>	to cycle between modes.
<c-r>	to switch to vim regexp mode.
<c-j>, <c-k> or the arrow keys	to navigate the result list.
<c-t> or <c-v>, <c-x>	to open the selected entry in a new tab or in a new split.
<c-n>, <c-p>	to select the next/previous string in the prompt's history.
<c-y>	to create a new file and its parent directories.
Use <c-z> to mark/unmark multiple files and <c-o> to open them.	

NERDTree

o/go	open file
t/T	open file in new tab
i/gi	open file in split window
s/gs	open file in vsplit window
P	Jump to the root node
p	Jump to current nodes parent
<C--J/K>	Jump down to the near sibling of the current directory
C	Change the tree root to the selected dir
u	Move the tree root up one directory
r	Recursively refresh the current directory
m	open menu

Not published yet.
Last updated 11th May, 2016.
Page 1 of 1.