Editor Config

F2	`pastet oggle`	toggle paste mode
[leader] ;	`:set list!`	toggle whitespace characters
[leader] nu	`:set nu!`	toggle line numbers
[leader] rnu	`:set rnu!`	toggle rel. line numbers
[leader] h	`:noh`	disable hl till next search

Navigation

| [ctrl] {h, j,k,l} | move around buffers |
| { \| } | next \| previous blank line |

Buffers

gb	`:bn`	next buffer
gB	`:bp`	previous buffer
[leader] bd	`:bd`	close buffer
[leader] df	`:w !diff %`	diff since last write

Insert Mode Shortcuts

[ctrl] a	0	to line beginning
[ctrl] e	$	to line end
[ctrl] u	ddi	change entire line

lion.vim

gl|gL [motio n][char]	spaces left | right to align
glip=	align '=' till blank line
gLi(,	align ',' within (

vim-surround

cs [target] [repla cement]	replace surround
ds [target]	remove surround
ysiw [surround]	surround word
yss [surround]	surround line

Tags

use `<ta g>` e.g. `<di v>` for replacement
use `t` for target

targets.vim

ci [target]	change in target from cursor
cI [target]	change inside target
ca [target]	change include target

By **hosailei**
cheatography.com/hosailei/

Not published yet.
Last updated 23rd April, 2020.
Page 1 of 3.

targets.vim (cont)

`cA [target]`	change around outside of target

Pairs: `[ ], { }, ( ), < >, t for tags e.g <di v>`

Quotes: `' " ``

Separator: `, . ; : + - = ~ _ * # / | \ & $`

Arguments: `a` (text surrounded by braces and commas)

vim-commentary

`gc[motion]`	comment out using motion
`gcc`	comment out a line
`gcap`	comment out paragraph
`:7,17C omm entary`	comment out a range

Replace

`[leader]\w`		replace word under cursor
`[leader]\h`	`:%s//`	replace last search
`[leader]\r`	`:%s/`	replace

Ferret

`[ctrl] q`	`:cclose`	close quick fix
`[ctrl] a`	`:Ack`	find in CWD
`[ctrl] af`	`:Back`	find in buffer
`[ctrl] s`	`:Ack`	find word under cursor in CWD
`[ctrl] sf`	`:Back`	find word under cursor in buffer
`[ctrl] r`		replace results in quick fix

NerdTree

`[ctrl] f`	`:NERDT ree Toggle`	toggles NERDTree
`[ctrl] t`	`:NERDT ree Focus`	moves focus to NERDTree
`go`		open (focus in NerdTree)
`t	T`		open [silently] in new tab
`i	gi`		open [preview] h-split
`s	gs`		open [preview] v-split
`cd`		move CWD to folder
`CD`		move root to CWD folder
`r	R`		refresh folder	root
`I`		toggle hidden files

By **hosailei**
cheatography.com/hosailei/

Not published yet.
Last updated 23rd April, 2020.
Page 2 of 3.

VIM Keyboard Shortcuts
by hosailei via cheatography.com/121536/cs/22309/

Vifm

`[leader] f`	`:Vifm`	open buffer using vifm
`[leader] fv`	`:Vspli tVifm`	open split using vifm
`[leader] ft`	`:TabVifm`	open tab using vifm

CtrlP

`[ctrl] n`	`:CtrlP`	run CtrlP
`[ctrl] f	b`		next	previous mode

ALE Linter

`[leader] lf`	`:ALEFix`	auto-fix linter issues
`[leader] l`	`:ALEToggle`	toggle ALE Gutter

vim-gitgutter

`[leader]gg`	`:GitGu tte rToggle`	toggle the gutter
`]c	[c`		next	previous hunk
`[leader]hs`		stage hunk
`[leader]hu`		undo hunk
`[leader]hp`		preview hunk
`[leader]hP`		close preview

fugitive

:G	:Git	git alias
[leader]gd	:Git diff	open git diff in file
[leader]gds	:Gdiffsplit	open diff side-by-side