

Editor Config

F2	pastet oggle	toggle paste mode
[leader] ;	:set list!	toggle whitespace characters
[leader] nu	:set nu!	toggle line numbers
[leader] rnu	:set rnu!	toggle rel. line numbers
[leader] h	:noh	disable hl till next search

Navigation

[ctrl] {h, j,k,l}	move around buffers
{ }	next previous blank line

Buffers

gb	:bn	next buffer
gB	:bp	previous buffer
[leader] bd	:bd	close buffer
[leader] df	:w !diff %	diff since last write

Insert Mode Shortcuts

[ctrl] a	0	to line beginning
[ctrl] e	\$	to line end
[ctrl] u	ddi	change entire line

lion.vim

gl gL [motio n][char]	spaces left right to align
glip=	align '=' till blank line
gLi(,	align ',' within (

vim-surround

cs [target] [repla cement]	replace surround
ds [target]	remove surround
ysiw [surround]	surround word
yss [surround]	surround line

Tags

use <tag> e.g. <div> for replacement
 use t for target

targets.vim

ci [target]	change in target from cursor
cI [target]	change inside target
ca [target]	change include target



targets.vim (cont)

cA [target] change around outside of target

Pairs: [], { }, (), < >, t for tags e.g <di v>

Quotes: ' " `

Separator: , . ; : + - = ~ _ * # / | \ & \$

Arguments: a (text surrounded by braces and commas)

vim-commentary

gc[motion] comment out using motion

gcc comment out a line

gcap comment out paragraph

:7,17C omm entary comment out a range

Replace

[leader]\w replace word under cursor

[leader]\h :%s// replace last search

[leader]\r :%s/ replace

Ferret

[ctrl] q :cclose close quick fix

[ctrl] a :Ack find in CWD

[ctrl] af :Back find in buffer

[ctrl] s :Ack find word under cursor in CWD

[ctrl] sf :Back find word under cursor in buffer

[ctrl] r replace results in quick fix

NerdTree

[ctrl] f :NERDT ree Toggle toggles NERDTree

[ctrl] t :NERDT ree Focus moves focus to NERDTree

go open (focus in NerdTree)

t | T open [silently] in new tab

i | gi open [preview] h-split

s | gs open [preview] v-split

cd move CWD to folder

CD move root to CWD folder

r | R refresh folder | root

I toggle hidden files



Vifm		
[leader] f	:Vifm	open buffer using vifm
[leader] fv	:Vspli tVifm	open split using vifm
[leader] ft	:TabVifm	open tab using vifm
CtrlP		
[ctrl] n	:CtrlP	run CtrlP
[ctrl] f b		next previous mode
ALE Linter		
[leader] lf	:ALEFix	auto-fix linter issues
[leader] l	:ALEToggle	toggle ALE Gutter
vim-gitgutter		
[leader]gg	:GitGutterToggle	toggle the gutter
]c [c		next previous hunk
[leader]hs		stage hunk
[leader]hu		undo hunk
[leader]hp		preview hunk
[leader]hP		close preview
fugitive		
:G	:Git	git alias
[leader]gd	:Git diff	open git diff in file
[leader]gds	:Gdiffsplit	open diff side-by-side



By **hosailei**
cheatography.com/hosailei/

Not published yet.
 Last updated 23rd April, 2020.
 Page 3 of 3.

Sponsored by **CrosswordCheats.com**
 Learn to solve cryptic crosswords!
<http://crosswordcheats.com>