

### Server Level Options

*option/min/max/def*

### Configuration Option Table

Option	Minimum Value	Maximum Value	Default
access	0	16384	0
check			
cache			
bucket			
count (A)			
access	0	2147483647	0
check			
cache quota (A)			
ad hoc	0	1	0
distributed			
queries (A)			
affinity I/O	-	2147483647	0
mask (A, RR)	2147483648		
affinity64	-	2147483647	0
I/O mask	2147483648		
(A, only	48		
available on			
64-bit			
version of			
SQL			
Server)			
affinity	-	2147483647	0
mask (A)	2147483648		
	48		
affinity64	-	2147483647	0
mask (A,	2147483648		
RR), only	48		
available on			
64-bit			
version of			
SQL Server			
Agent XPs	0	1	0
(A)			

### Configuration Option Table (cont)

allow updates	0	1	0
(Obsolete. Do not			
use. Will cause an			
error during			
reconfigure.)			
backup	0	1	0
compression default			
blocked process	0	86400	0
threshold (A)			
c2 audit mode (A,	0	1	0
RR)			
clr enabled	0	1	0
common criteria	0	1	0
compliance enabled			
(A, RR)			
contained database	0		0
authentication			
cost threshold for	0	32767	5
parallelism (A)			
cross db ownership	0	1	0
chaining			
cursor threshold (A)	-	2147483647	-1
	1		
Database Mail XPs	0	1	0
(A)			
default full-text	0	2147483647	1033
language (A)			
default language	0	9999	0
default trace	0	1	1
enabled (A)			

### Configuration Option Table (cont)

disallow results	0	1	0
from triggers (A)			
EKM provider	0	1	0
enabled			
filestream_access	0	2	0
_level			
fill factor (A, RR)	0	100	0
ft crawl	0	32767	100
bandwidth (max),			
see ft crawl			
bandwidth(A)			
ft crawl	0	32767	0
bandwidth (min),			
see ft crawl			
bandwidth(A)			
ft notify	0	32767	100
bandwidth (max),			
see ft notify			
bandwidth(A)			
ft notify	0	32767	0
bandwidth (min),			
see ft notify			
bandwidth(A)			
index create	704	2147483647	0
memory (A, SC)			
in-doubt xact	0	2	0
resolution (A)			
lightweight	0	1	0
pooling (A, RR)			
locks (A, RR, SC)	5000	2147483647	0



By **huda127**

[cheatography.com/huda127/](http://cheatography.com/huda127/)

Published 25th February, 2015.

Last updated 25th February, 2015.

Page 1 of 4.

Sponsored by **Readability-Score.com**

Measure your website readability!

<https://readability-score.com>

### Configuration Option Table (cont)

max degree of parallelism (A)	0	32767	0
max full-text crawl range (A)	0	256	4
max server memory (A, SC)	16	2147483647	2147483647
max text repl size	0	2147483647	65536
max worker threads (A)	128	32767	0
media retention (A, RR)	0	365	0
min memory per query (A)	512	2147483647	1024
min server memory (A, SC)	0	2147483647	0
nested triggers	0	1	1
network packet size (A)	512	32767	4096
Ole Automation Procedures (A)	0	1	0
open objects (A, RR, obsolete)	0	2147483647	0
optimize for ad hoc workloads (A)	0	1	0
PH_timeout (A)	1	3600	60
precompute rank (A)	0	1	0

### Configuration Option Table (cont)

priority boost (A, RR)	0	1	0
query governor cost limit (A)	0	2147483647	0
query wait (A)	-	2147483647	-1
recovery interval (A, SC)	0	32767	0
remote access (RR)	0	1	1
remote admin connections	0	1	0
remote login timeout	0	2147483647	10
remote proc trans	0	1	0
remote query timeout	0	2147483647	600
Replication XPs Option (A)	0	1	0
scan for startup procs (A, RR)	0	1	0
server trigger recursion	0	1	1
set working set size (A, RR, obsolete)	0	1	0
show advanced options	0	1	0
SMO and DMO XPs (A)	0	1	1

### Configuration Option Table (cont)

transform noise words (A)	0	1	0
two digit year cutoff (A)	1753	9999	2049
user connections (A, RR, SC)	0	32767	0
user options	0	32767	0
xp_cmdshell (A)	0	1	0

### Server Configuration Tools

1. Ad Hoc Remote Queries
2. CLR enabled
3. Remote Admin Connections (the tool refers to this setting as DAC)
4. OLE Automation Procedures
5. SQL Mail XPs
6. Web Assistant Procedures
7. Xp\_cmdshell
8. HTTP access to SQL Server through endpoints
9. Service Broker

### Change Server Level Options

```
Use AdventureWorks2012;
GO
sp_configure 'show advanced options', 1;
GO
RECONFIGURE;
GO
```



### Change Server Level Options (cont)

```
sp_configure 'fill factor', 100;
GO
RECONFIGURE;
GO
```

### Database Level Options

*option/statement*

### Auto Options

Option	Statement
AUTO_CLOSE	True
AUTO_CREATE_STATISTICS	True
AUTO_UPDATE_STATISTICS	True
AUTO_SHRINK	False
Auto_Update_Statistics_Asynchro usly	False

### Database Mirroring Options

Options	Statment
PARTNER	FAILOVER
PARTNER	FORCE_SERVICE_ALLOW_DAT A_LOSS

### Database Mirroring Options (cont)

PARTNER	OFF
PARTNER	RESUME
PARTNER	SAFETY OFF
PARTNER	SUSPEND
PARTNER	TIMEOUT 20
WITNESS	OFF

### Date Correlation Optimization Option

Option	Stateme nt
DATE_CORRELATION_OPTIMIZA TION	ON

### PAGE VERIFY Options

Option	Statement
PAGE_VERIFY	TORN_PAGE_DETECTION
PAGE_VERIFY	CHECKSUM

### Emergency Mode Options

Options	Statement
PAGE_VERIFY	CHECKSUM
PAGE_VERIFY	TORN_PAGE_DETECTION

### PARAMETERIZATION Options

Options	Statement
PARAMETERIZATION	FORCED
PARAMETERIZATION	SIMPLE

### SQL Options

Options	Statement
READ_COMMITTED_SNAPSHO T	OFF
ANSI_NULLS	OFF
ANSI_PADDING	OFF
ANSI_WARNINGS	OFF
ARITHABORT	OFF
CONCAT_NULL_YIELDS_NULL	OFF
QUOTED_IDENTIFIER	OFF
NUMERIC_ROUNDABORT	OFF
RECURSIVE_TRIGGERS	OFF



By **huda127**  
[cheatography.com/huda127/](http://cheatography.com/huda127/)

Published 25th February, 2015.  
Last updated 25th February, 2015.  
Page 3 of 4.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

### CURSOR Options

Options	Statement
CURSOR_CLOSE_ON_COMMIT	OFF
CURSOR_DEFAULT	GLOBAL

### Create Table Database

```
CREATE TABLE [dbo].[Categories] (
  [CategoryID] [int] IDENTITY(1,1) NOT
  NULL, [CategoryName] [nvarchar] (15)
  COLLATE SQL_Latin1_General_CP1_CI_AS
  NOT NULL, [Description] [ntext]
  COLLATE SQL_Latin1_General_CP1_CI_AS
  NULL, [Picture] [image] NULL ) ON
  [SECONDARY] TEXTIMAGE_ON
  [SECONDARY]
```

### Create a database snapshot

```
USE master; GO CREATE DATABASE
northwind_snapshot1115 ON ( NAME =
northwind, FILENAME = 'C:\Program
Files\Microsoft SQL
Server\MSSQL\Data\nwindspars1.ss'),
( NAME = northwind_data2, FILENAME
= 'C:\Program Files\Microsoft SQL
Server\MSSQL\Data\nwindspars2.ss')
AS SNAPSHOT OF northwind; GO
```

### Change Database-Level Options

```
ALTER DATABASE <database_name> SET
<options> <statement>
```

### Reverting Database

```
USE master; GO CREATE DATABASE
AdventureWorks_130PM ON ( NAME =
AdventureWorks_data, FILENAME =
'C:\Program Files\Microsoft SQL
Server\MSSQL.2\MSSQL\Data\aw1.ss')
AS SNAPSHOT OF AdventureWorks;
```



By **huda127**  
[cheatography.com/huda127/](https://cheatography.com/huda127/)

Published 25th February, 2015.  
 Last updated 25th February, 2015.  
 Page 4 of 4.

Sponsored by **Readability-Score.com**  
 Measure your website readability!  
<https://readability-score.com>