

SETTING UP A REPOSITORY

Git init

`git init`

Creates a new repository in a directory

Git clone

`git clone [url] [new directory name]`

Clone a repo into a new directory

`git clone [url]`

Clone a repo into the current directory

SAVING CHANGES

Git add

`git add [file name]`

Add files to staging area

`git add .`

Add all changed files to staging area

`git add *[file type]`

Example "git add *.txt" to add only text files to the staging area

`git add [directory]`

Stages changes of files in a directory

<https://www.atlassian.com/git/tutorials/saving-changes#git-add>

Git reset

`git reset HEAD [file name]`

Resets file in working directory to be the same as the HEAD (last) commit

`git reset [commit ID]`

Resets files in working directory to be the same as the commit specified

Git commit

`git commit`

Opens atom, so you can add a commit message on top line. Remember to save

`git commit -m ["commit message"]`

Add commit message using the command line

`git commit -a -m ["commit message"]`

Commits changed tracked files

* Style guide for writing commit messages: <http://udacity.github.io/git-styleguide/>

Keep commits small. Make one commit per logical change.

Messages written in present tense.

<https://www.atlassian.com/git/tutorials/saving-changes#git-commit>

Git diff

`git diff`

Display changes to files in working directory (not staged)

`git diff --staged`

Display changes to staged files

`**git diff [commit id 1] [commit id 2]`

Compare two commits

`git diff HEAD`

Display changes between staged and unstaged file changes

Compare changes between files

UNDOING CHANGES

git clean

`git clean -n`

Dry run. Does not delete files, but shows which files would be deleted

`git clean -f`

Initiates the actual deletion of untracked files

`git clean -d`



git clean (cont)

Remove any untracked directories. Use in combination with previous commands above

- Command works on **untracked files** (not added to staging area yet)
- Hard filesystem deletion
- Works on files, not directories

<https://www.atlassian.com/git/tutorials/undoing-changes/git-clean>

git revert

git commit HEAD

Reverses most recent commit

git commit [commit ID]

Reverses changes made associated with a specific commit ID

git commit [commit ID] --no-edit

Will not open the editor. Default command will open editor

- Inverts changes made from the previous commit
- History of commits is not lost
- Good for shared repos

<https://www.atlassian.com/git/tutorials/undoing-changes/git-revert>

REWRITING HISTORY

git commit --amend

git commit --amend m [new commit message]*

Edit the commit message on last commit

git commit --amend --no-edit

Adding forgotten staged files to recent commit with no commit message

git commit --amend

Take most recent commit and add new staged changes to it

- Run when nothing is staged*
- Amended commits are new commits. Previous commit will no longer be available
- Don't use on public commits which other devs have based their work on

<https://www.atlassian.com/git/tutorials/rewriting-history>

COLLABORATING AND SYNCING - GITHUB

Git remote

git remote

Check if you have any remote repositories. *Exception* - if you have cloned a repo, command will return original repo as a remote repo

git remote -v

Displays the full path to the remote repo

git remote add origin [github url]

Add a remote repo. Origin = name of remote repo. Can add alternative name instead of origin

git remote [url] [branch name]

Point remote branch to correct url

git remote rm [remote repo name]

Remove connection to remote repo specified

git remote rename [remote repo name] [new name]

Rename a remote repo

When you have multiple branches, you can:

- **merge all branches** into your local repo, and push to remote repo, or;
- **push individual branches** from local to remote repo

<https://www.atlassian.com/git/tutorials/syncing#git-remote>

Git fetch

git fetch [remote repo name]

Retrieve all branches from remote repo

git fetch [remote repo name] [branch]

Retrieve all commits on remote's (origin) master branch*. Use when both local and remote have changes the other does not have

git fetch --dry-run



Git fetch (cont)

See changes to the remote repo before pulling into local repo

- Use to see what everybody else has been working on
- Fetched content is represented as a remote branch. Does not affect local repo
- Follow with `git merge origin/master` to merge remote repo changes to local repo
- Then push new merge commit back to the remote repo
- `git push origin master`

<https://www.atlassian.com/git/tutorials/syncing#git-fetch>

Git pull

`git pull [remote repo]`

Pull changes from remote repo to your local repo. Fast forward merge. Alternative is `git fetch`

`git pull [remote repo]/[branch name]`

Pull changes from remote repo branch to your local repo

`git pull --rebase [remote repo]*`

Pull and merge remote into local

- To be used if remote repo may have changes in the form of merged commits
- `git pull` command = `git fetch` and `git merge`
- using `rebase` ensures a linear history by preventing unnecessary merge commits
- can use following command to ensure `git pull` uses `rebase` automatically, instead of `merge`:
`git config --global branch.autosetuprebase always`

<https://www.atlassian.com/git/tutorials/syncing#git-pull>

git push

`git push [remote repo] [branch name]`

Push commits from local repo to remote repo. *Example: `git push origin master`*

`git push [remote repo] --all`

Push commits from all local branches to remote repo

`git push [remote repo] --tags*`

Sends all of your local tags to the remote repository

- Tags are not automatically pushed with other `git push` commands

<https://www.atlassian.com/git/tutorials/syncing#git-push>

INSPECTING A REPOSITORY

Git shortlog & git log

`git shortlog`

Alphabetical list of names and commit messages made by each person

`git shortlog -s -n`

Displays the number of commits made next to each person's name

`git log`

Shows all commits made. Full history

`git log --stat`

Displays names of files changed during the commits

`git log --graph`

Visual representation of branches, including commits

`git log --graph --oneline`

Condensed visual representation of branches, including commits

`git log -n [number]`

Displays specified number of commits only

`git log -p [commit id]`

Displays changes made to the file(s)

`git log -patch [commit id]`

Displays changes made to the file(s)

`git log -p -w`

Ignores whitespace changes

`git log -p [file/directory]`

Displays change history of file or directory

`git log --author=[name]`

Filter by author name. Show only their commits

`git log --author="full name"`

Filter by author's full name. Show only their commits

`git log --author="[person 1]\"[person 2]"`

Show commits by either person 1 or person 2

`git log --grep="Search term"`

Show commits which contain the search term only in the commit message

`git log --after="[date]"`

Display commits made after a certain date

Git shortlog & git log (cont)

git log --before="[date]"

Display commits made before a certain date

git log --after="[date]" --before="[date]"

Display commits made after **but** before a certain date

git log -- [file name 1] [file name 2]

Display history related to file or files

git log --branches= *

View commits across all branches

Displays list of commits made.

- **Down arrow** scrolls through commit history.
- **Press q** to exit.
- date format = yy-m-d

<https://www.atlassian.com/git/tutorials/git-log>

Git status

git status

List which files are staged, unstaged, and untracked.

Git show

git show

Display changes made in the last commit

git show [commit id]

Display changes made in a specific commit

git show HEAD

Show details of the commit HEAD is currently pointing at

USING BRANCHES

Git branch

git branch

List of branches in repository

git branch [new branch name]

Creates a new branch

git branch [new branch name] [commit id]

Creates a new branch and points it to the commit specified

git branch -d [branch name]

Deletes a branch. Use -D to force delete

git branch -m [new name]

Rename an existing branch

git branch -a

List all remote branches

<https://www.atlassian.com/git/tutorials/using-branches>

Git checkout

git checkout [branch name]

Switch to working on another branch

git checkout -b [new branch name]

Create a new branch and switch to it

git checkout [commit id]

Viewing how files were when the commit was created

git checkout HEAD [filename]

Use with unstaged changes. Restore file in working directory to how it is at the last commit

<https://www.atlassian.com/git/tutorials/using-branches/git-checkout>

Git merge

git merge [branch name]



Git merge (cont)

[Branch name] is name of branch that will be merged into receiving branch (where HEAD is currently pointing to)

- Integrate independent lines of development, created by git branch, and integrate them into a single branch
- use git status to ensure HEAD is pointing to merge receiving branch
- use git fetch to ensure all branches are up to date with remote changes

<https://www.atlassian.com/git/tutorials/using-branches/git-merge>

OTHER

Git tag

git tag

Displays all current tags

git tag -a [new tag name]

Create a new tag at current commit

git tag -a [new tag name] [7 digits of commit id]

Create a new tag at a previous commit

git tag -d [tag name]

Delete a tag

- Purpose: to point out particular commits / make them stand out
- Example: label with a version number
- Tag stays locked to a commit

git rebase

git rebase -i HEAD~[num]

Merge a number [num] of commits*. Creates a new commit id

*HEAD points to the current location

