

Step 1 - Terminal

```
dotnet tool install --global dotnet-ef           You will only ever need to run this once as it is a global install not project specific
```

```
dotnet new mvc --no-https -o Projec tDi rec tor yN ame      Creates new dotnet MVC Project for development
```

Step 2 - Terminal (Inside Project Directory)

```
dotnet add package Pomelo.EntityFrameworkCore.MySql --version 3.1.1      Entity Framework Core provider for MySQL DB's
```

```
dotnet add package Microsoft.EntityFrameworkCore.Design --version 3.1.5      EF Core tools for DB creation/migration
```

These two commands must be run in your project folder every time you set up a new MVC project!

Step 3 - appsettings.json && Startup.cs

```
" DBI nfo ":  
  {  
    " Nam e": " MyS QLc onn ect ",  
    " Con nec tio nSt rin g": " ser ver =lo cal hos t;u ser id= roo t;p ass wor d=r oot ;po rt= 330 6;d  
=SchemaName;SslMode=None"  
  }  
}
```

```
using Microsoft.EntityFrameworkCore;
```

```
services.AddDbContext<MyContext>(options => options.UseMySQL(Configuration["DBInfo:ConnectionString"]));
```

```
services.AddSession();
```

```
app.UseSession();
```



Step 4 - Context File

```
using Microsoft.EntityFrameworkCore;
namespace ProjDi rNameModels
{
    public class DBContext : DbContext
    {
        DBContext(DbContextOptions options) : base(options) { }
        public ModelName> TableName { get; set; }
        Add more tables here
    }
}
```

Sample code for context model file

Step 5 - Model Example

```
using System;
using System.ComponentModel.DataAnnotations;
namespace ProjDi rNameModels
{
    public class ModelName
    {
        [Key]
        public ModelNameId { get; set; }
        Set all properties here
        public DateTime CreatedAt { get; set; } = DateTime.Now;
        public DateTime UpdatedAt { get; set; } = DateTime.Now;
        Set Navigation Properties
    }
}
```

Class model for database table



By B C Williams | Dev
(Jackfruit)
cheatography.com/jackfruit/

Published 14th April, 2022.
Last updated 17th April, 2022.
Page 2 of 3.

Sponsored by [Readable.com](https://readable.com)
Measure your website readability!
<https://readable.com>

Step 6 - Context Dependency Injection

```
using System;
using System.Collections.Generic;
using System.Linq;
using Microsoft.EntityFrameworkCore;
using ProjDirectoryModels;
public HomeController(Context class context)
{
    _context = context;
}

[HttpGet("")]
public IActionResult Index()
{
    modelName > variableName = _context.TableName.ToList();

    return View();
}
```

Sample of the code required to make DB Context available in controllers

Step 7 - Terminal - Migration

```
dotnet ef migrations add MigrationName      Creates a migration in preparation for Creating/Updating your DB Schema
dotnet ef database update                    Updates Database schema with most recent migration
```

This step to be done after all previous steps are complete and, preferably, after all models and relationships are in place.



By **B C Williams | Dev**
(Jackfruit)
cheatography.com/jackfruit/

Published 14th April, 2022.
Last updated 17th April, 2022.
Page 3 of 3.

Sponsored by **Readable.com**
Measure your website readability!
<https://readable.com>