

Instructions

Find the element you want to style and add class="[class-name]" to the HTML tag.

Examples

```
<h3 class="space-bot-0">Header with no bottom spacing</h3>
<p class="rteindent1"> Paragraph text here will be indented. </p>
<table class="table">
<tr>
<td>your table</td>
</tr>
</table>
```

NOTE

You CAN use more than one class on a single element, and in the case of buttons, you need to use both the "btn" and then the preferred style (btn-primary or btn-gold, etc.).

Example

```
<a class="btn btn-primary btn-block">CTA link</a>
```

Paragraph styles

TEXT INDENTATION	TEXT ALIGN
rteindent1	rteleft
rteindent2	rteright
rteindent3	rtecenter
rteindent4	rtejustify

Spacing

space-top-0	space-bot-0
space-top-sm	space-bot-sm
space-top-md	space-bot-md
space-top-lg	space-bot-lg
space-top-xl	space-bot-xl

Table

table	default style
table-condensed	same as default
table-bordered	adds full borders to default style
table-striped	adds alternating row striping
table-hover	adds a row highlight effect on hover
table-responsive	makes table responsive on smaller devices
no-border-top	removes gray border at the top

Buttons & Call to Actions

btn	default (always use)
btn-primary	maroon
btn-secondary	gray
btn-gold	gold
btn-blue	blue (only use with degrees)
btn-lg	makes btn size and text bigger
btn-block	makes btn span the width of the parent element
btn-group	
btn-default	



By **Jacquelyn**
cheatography.com/jacquelyn/

Not published yet.
 Last updated 29th October, 2014.
 Page 1 of 1.

Sponsored by **Readability-Score.com**
 Measure your website readability!
<https://readability-score.com>