

Miscellaneous Formulas	
Area of a Circle	$3.14r^2$
Volume	area x height
Density	mass/volume
% Composition of Element	$[(\# \text{ of atoms of element}) \times (\text{atomic weight of element})] / \text{formula weight of substance} \times 100$
% Yield	$[(\text{actual yield}) / (\text{theoretical yield})] \times 100$
Molarity	$(\text{moles of solute}) / (\text{volume of solution in Liters})$
Effective Nuclear Charge	$(\text{atomic number}) - (\text{screening constant})$
Dipole Moment	Qr
Bond Order	$(\# \text{ shared electrons}) - (\# \text{ nonbonding electrons})$
Pressure	$(\text{force}) / (\text{area})$
Pressure x Volume	nRT
Density of Gas	mass / volume
Density of Gas	$(\text{pressure} \times \text{Molarity}) / (R \times \text{temp.})$
Molarity of Gas	$(\text{density} \times R \times \text{Temperature}) / \text{pressure}$
Vapor Pressure	$-(\text{change in Hvap}) / RT + C1$

Activity Series	
Lithium	
Potassium	
Barium	
Calcium	
Sodium	
Magnesium	
Aluminium	
Manganese	
Zinc	
Chromium	

Activity Series (cont)	
Iron	
Cobalt	
Nickel	
Tin	
Lead	
Hydrogen	
Copper	
Silver	
Mercury	
Platinum	
Gold	
The higher up, the greater the ease of oxidation	

Light Formulas	
The speed of light (c) 3.00×10^8 ms	
c =	$(\text{wavelength}) \times (\text{velocity})$
Planck's Constant (h)	6.626×10^{-34} J-s
E =	hv
Rydberg Constant (Rh)	1.097×10^7 m ⁻¹
wavelength =	$h / (mv)$

Calories in Food	
Fat	8.8
Protein	4.1
Carbs	4.1

Intermolecular Forces			
Bond	Substance	Melting Point (K)	Boiling Point (K)
Covalent	Diamond	3800	4300
Metallic	Beryllium	1560	2742
Ionic	Lithium Fluoride	1118	1949
Dispersion Force	Nitrogen	63	77

Intermolecular Forces (cont)			
Dipole-Dipole Force	HCl	158	188
Hydrogen	HF	190	293

Metric System		
Prefix	Abbreviation	Meaning
Peta	P	10 ¹⁵
Tera	T	10 ¹²
Giga	G	10 ⁹
Mega	M	10 ⁶
Kilo	k	10 ³
Deci	d	10 ⁻¹
Centi	c	10 ⁻²
Milli	m	10 ⁻³
Micro	u	10 ⁻⁶
Nano	n	10 ⁻⁹

Temperature Conversions	
Celsius to Kelvin	$K = C + 273.15$
Kelvin to Celsius	$C = K - 273.15$
Celsius to Fahrenheit	$F = 9/5(C) + 32$
Fahrenheit to Celsius	$C = 5/9(F) - 32$

Laws	
Law of Constant Composition	-French Chemist, Joseph Louis Proust (1800): the elemental composition of a compound is almost always the same
Law of Conservation of Mass	The total mass of substances present at the end of a chemical process is the same as the mass of substances present before the process took place



Energy Formulas

Kinetic Energy (Ek)	$\frac{1}{2}mv^2$
Potential Energy (Eel)	$(kQ_1Q_2)/d$
Work	force x distance
Work	-Pressure x (change in Volume)
Internal Energy	$E(\text{final}) - E(\text{initial})$
Enthalpy (H)	(internal energy) + (pressure x volume)
Enthalpy of Reaction	$H(\text{products}) - H(\text{reactants})$
Specific Heat	(heat transferred) / (mass x change in temp.)
Change in Enthalpy	$m \times s \times (\text{change in } T)$
Lattice Energy	$K [(Q_1Q_2) / d]$

Exceptions to the Octet Rule

- ions or molecules have an odd number of electrons
- ions or molecules with less than an octet
- ions or molecules with more than 8 valence electrons

Conversions

1 amu	$1.66054 \times 10^{-24}g$
Grams to Moles	divide by formula weight
Moles to Grams	multiply by formula weight
Moles to Molecules	multiply by 6.022×10^{23}
Molecules to Moles	divide by 6.022×10^{23}

Magnetic Quantum Number

n	l	m _l
1	0	0
2	0	0
-	1	1, 0, -1
3	0	0
-	1	1, 0, -1
-	2	2, 1, 0, -1, -2
4	0	0
-	1	1, 0, -1
-	2	2, 1, 0, -1, -2
-	3	3, 2, 1, 0, -1, -2, -3

The Scientific Method

- hypothesis: tentative explanation
- theory: an explanation of the general causes of phenomena
- scientific law: a concise law that summarizes something
- mass: a measurement of the amount of material in an agent

SI Units

Physical Quantity	Name of Unit	Abbreviation
Mass	Kilogram	kg
Length	Meter	m
Time	Second	s or sec
Temperature	Kelvin	K
Amount of Substance	Mole	mol
Electric Current	Ampere	amp or A
Luminous Intensity	Candela	cd

States of Matter

Liquid	Gas	Solid
assumes shape of the portion of container it occupies	assumes volume and shape of container	retains own shape and volume

States of Matter (cont)

does not expand to fill container	expands to fill container	does not expand to fill container
is virtually incompressible	is compressible	is virtually incompressible
flows readily	flows readily	does not flow
diffusion occurs slowly	diffusion occurs rapidly	diffusion occurs extremely slowly

Molecular Shapes

Steric #	Electron Domain	Bonding / Nonbonding	Molecular Geometry
2	Linear	2 / 0	Linear
3	Trigonal Planar	3 / 0	Trigonal Planar
		2 / 1	Bent
4	Tetrahedral	4 / 0	Tetrahedral
		3 / 1	Trigonal Pyramid
		2 / 2	Bent
5	Trigonal Bipyramidal	5 / 0	Trigonal Bipyramidal
		4 / 1	Seesaw
		3 / 2	T-shaped
		2 / 3	Linear
6	Octahedral	6 / 0	Octahedral
		5 / 1	Square Pyramidal
		4 / 2	Square Planar

Steric # = (# of bonds) - (nonbonding electron pairs)

Metals vs. Nonmetals

Metals	Nonmetals
shiny luster, various colors, more silvery	no luster, various colors
solids are malleable, ductile	solids are brittle, some hard, some soft
good conductors of heat and electricity	poor conductors of heat and electricity
most oxides are ionic, most solids are basic	most oxides form acidic solutions
tend to form cations in aqueous solutions	tend to form anions or oxyanions in aqueous solutions

Strong Bases and Acids

Strong Acids	Strong Bases
HCl	LiOH
HBr	NaOH
HI	KOH
HClO ₃	RbOH
HClO ₄	CsOH
HNO ₃	Sr(OH) ₂
H ₂ SO ₄	Ba(OH) ₂

C

By **JadeWatson**
cheatography.com/jadewatson/

Published 28th April, 2015.
Last updated 28th April, 2015.
Page 3 of 3.

Sponsored by **Readability-Score.com**
Measure your website readability!
<https://readability-score.com>