

Inserting sections		Inserting environments (cont)		Font commands (textmode) (cont)			Insert mathematical snippets		
Prefix	Environment	Prefix	Environment	Prefix	Shortcut	Font command	Prefix	Command	
SPA + TAB	part	BFI + TAB	figure	FSC	CTRL+L, CTRL+C	\textsc	@(\left(\right)	
SPC + TAB	chapter	Other: Type <code>\begin + TAB</code> and enter the environment identifier		FUL	CTRL+L, CTRL+u	\underline	@{	\left{ \right}	
SSE + TAB	section	OR type <code>\environment + TAB</code> .		FUC		\uppercase	@[\left[\right]	
SSS + TAB	subsection	Surround existing text with <code>\begin{}</code> / <code>\end{}</code> environment:		FLC		\lowercase	—	_{} }	
SS2 + TAB	subsubsection	Select text, then enter CTRL + SHIFT + P , enter surround and select Surround/wrap selection with <code>\begin{}</code>...-<code>\end{}</code> from the Command Palette		FBF	CTRL+L, CTRL+B	\textbf	**	^{} }	
SPG + TAB	paragraph			FSS	CTRL+L, CTRL+6	\textsuperscript	...	\dots	
SSP + TAB	subparagraph			FBS	CTRL+L, CTRL+-	\textsubscript	@.	\cdot	
Modifying sections			Environment commands			Surround existing text with command:			
Shortcut	Altern.	Action	Shortcut	Action	Prefix	Shortcut	Font command	Prefix	Command
CTRL+ALT+[CTRL+L, [Promote sectioning	CTRL+L,	Insert	CTRL+L, CTRL+W			@_	\bar{ }
CTRL+ALT+]	CTRL+L,]	Demote sectioning	CTRL+ENTER	newline + \item				@@	\circ
Activate alternative shortcuts: Set <code>latex-workshop.bind.altKey-map.enabled</code> to <code>true</code>			Font commands (textmode)			Font commands (mathmode)			
Inserting environments		Prefix	Shortcut	Font command	Prefix	Shortcut	Font command	@%	\frac{ }{ }
BEQ + TAB	equation	FNO	CTRL+L, CTRL+N	\textn-ormal	MRM	CTRL+M, CTRL+R	\mathrm	@^	\hat{ }
BSEQ + TAB	equation*	FRM	CTRL+L, CTRL+R	\textrm	MBF	CTRL+M, CTRL+B	\mathbf	@_	\bar{ }
BAL + TAB	align	FEM	CTRL+L, CTRL+E	\emph	MBB	CTRL+M, SHIFT+-, CTRL+B	\mathbb	@@	\circ
BSAL + TAB	align*	FSF		\textsf	MCA	CTRL+M, CTRL+C	\mathcal	@0	^{\circ}
BIT + TAB	itemize	FTT	CTRL+L, CTRL+T	\texttt	MIT	CTRL+M, CTRL+I	\mathit	@;	\dot{ }
BEN + TAB	enumerate	FIT	CTRL+L, CTRL+I	\textit	MTT	CTRL+M, CTRL+T	\mathtt	@::	\ddot{ }
BSPL + TAB	split	FSL	CTRL+L, CTRL+S	\textsl			\mathsf	@=	\equiv
BCAS + TAB	cases							@*	\times
BFR + TAB	frame							@<	\leq
								@>	\geq
								@2	\sqrt{ }
								@l	\int_{ }^{ }
								@	\Big
								@\	\setminus
								@+	\bigcup
								@-	\bigcap
								@,	\nonumber



Debugging

Shortcut	Action
CTRL + SHIFT + M	Show/ hide all errors
F8	Go to next error
SHIFT + F8	Go to previous error

Magic strings

% !TEX root = filename.tex
Sets filename.tex as the master file.

Insert these commands into your document if needed.

Insert greek letters

Prefix	Letter
@a	\alpha
@b	\beta
@c	\chi
@d	\delta
@e	\epsilon
@ve	\varepsilon
@f	\phi
@vf	\varphi
@g	\gamma
@h	\eta
@i	\iota
@k	\kappa
@l	\lambda
@m	\mu
@n	\nu
@p	\pi

Insert greek letters (cont)

@q	\theta
@vq	\vartheta
@r	\rho
@s	\sigma
@vs	\varsigma
@t	\tau
@u	\upsilon
@o	\omega
@x	\xi
@y	\psi
@z	\zeta
@D	\Delta
@F	\Phi
@G	\Gamma
@Q	\Theta
@L	\Lambda
@X	\Xi
@Y	\Psi
@S	\Sigma
@U	\Upsilon
@W	\Omega



By **jcwinkler**
cheatography.com/jcwinkler/

Not published yet.
Last updated 11th October, 2020.
Page 2 of 2.

Sponsored by **Readable.com**
Measure your website readability!
<https://readable.com>