

:Gread

:Gread Reads the index into the buffer

:Gwrite

:Gwrite Writes the buffer to the index.

Miscellaneous

:Gremove git rm and wipes the buffer

:Gmove target git mv and renames the buffer

:Gmove /target git mv (relative to the repo) and renames the buffer

:Gedit

:Gedit :path/to/file Edits the indexed version of a file

:Gedit :0 Edits the indexed version of the current file

:Gstatus

<C-N> / <C-P> next/previous file

<CR> :Gedit

- :Git add/reset

ca :Gcommit --amend

cc :Gcommit

D :Gdiff

p :Git add --patch

r reload

o / S :Gsplit / :Gvsplit

:Gdiff

:Gwrite Resets the working copy from the index
(from index)

:Gwrite Adds the working copy to the index
(from working copy)

:Gread Resets the working copy from the index
(from working copy)

:diffget Copies the diff from the other
do buffer to this

:diffput Copies the selected diff from this
du buffer to the other

:diffupdate Updates the highlighting

Displays the difference between the index (left) and the working copy (right).

:Gcommit

:Gpull

:Gpush



By **Stephen Jennings** (jennings)
cheatography.com/jennings/

Not published yet.
Last updated 18th September, 2015.
Page 1 of 1.

Sponsored by **CrosswordCheats.com**
Learn to solve cryptic crosswords!
<http://crosswordcheats.com>