

Surface Area

outside area of an object
 the area around the outside of a cell
 unit: m²

Application in Living Things

increased surface area = increased diffusion
 microvilli: increases absorption in intestines
 root hairs: increases water/nutrient absorption in plants
 endomembrane system: increased folds in organelles allow for more surface area to do cellular work
 cristae of the mitochondria: folds in the inner mitochondria increase amounts of ETC (more ATP)

Structure of Phospholipid

hydrophilic head:	hydrophobic tail:
phosphate	saturated fatty acid
glycerol	unsaturated fatty acid

cholesterol

at warm temperatures:	at cool temperature:
restrains the movement of phospholipids and reduces fluidity	maintains fluidity by preventing tight packing

Passive Transport

no energy
 high to low concentration
 diffusion
 osmosis
 facilitated diffusion
 ion channels

Diffusion

passive transport
 molecules spread out to available spaces
 move down concentration gradient (high to low concentration)
 work to reach equilibrium

Active Transport

no energy
 low to high concentration
 sodium potassium pump: 3 sodium leave and 2 potassium enter cell against the concentration gradient
 proton pump: hydrogen atoms pumped against concentration gradient
 cotransport: H⁺ gradient helps to bring other molecules into cell
 endocytosis and exocytosis

Prokaryotic vs. Eukaryotic Cells

similarities: cell membrane, DNA, ribosomes, cytoplasm

	Prokaryotes:	Eukaryotes:
organelles:	no nucleus	nucleus
	no membrane bound organelles	membrane bound organelles
reproduction:	binary fission	mitosis and meiosis
average size:	smaller	larger
DNA:	DNA is circular	DNA is linear
	single chromosome	paired chromosomes

Plant Cells in Pure Water

pure water (hypotonic solution) will initially move into the cells
 after a period of time the cells will become turgid (swollen)
 as turgor pressure increases, water will diffuse out of the cell... eventually equilibrium will be reached

Osmoregulation

organisms without cell walls that live in hypertonic or hypotonic environment must have adaptations for osmoregulation
 the control of water balance



By **julescrisfulla**

cheatography.com/julescrisfulla/

Published 17th May, 2020.
 Last updated 17th May, 2020.
 Page 1 of 3.

Sponsored by **Readable.com**
 Measure your website readability!
<https://readable.com>

Volume

amount of space inside of the object
 the space inside of the cell
 unit: cm^3

Fluid Mosaic Model

phospholipids: provides fluidity and elasticity
 proteins and other molecules embedded in membrane

Phospholipid Bilayer

amphipathic
 hydrophilic heads
 hydrophobic tails

Proteins

integral proteins:	peripheral proteins:
imbedded through the membrane (inside)	on hydrophilic portion of the cell membrane (outside)

Carbohydrates

cell to cell recognition:	membrane carbohydrates:
cell's ability to distinguish one type of neighboring cell from another	interact with the surface molecules of other cells, facilitating cell to cell recognition

Passive Transport (diffusion)

the tendency for molecules of any substance to spread out into available space
 substances will move down a concentration gradient
 high to low concentration

Passive Transport (osmosis)

the diffusion of water
 water moves from hypotonic to hypertonic
 isotonic: equal solute across a membrane
 hypotonic: less solute, more water
 hypertonic: more solute, less water
 low to high concentration


Active Transport (endocytosis)

cell takes in macromolecules by forming vesicles from plasma membrane
 phagocytosis: "cellular eating," engulfing solids
 pincytosis: "cellular drinking," engulfing solutes

Active Transport (exocytosis)

transport vesicles migrate to the membrane, fuse with it and release their contents

Osmoregulation (paramecium)



The Endosymbiotic Theory

an evolutionary theory of the origin of eukaryotic cells from prokaryotic organisms
 endosymbiosis: one organism living inside another
 evidence 1) chloroplasts and mitochondria multiply in the same way as ancient bacteria
 evidence 2) chloroplasts and mitochondria both control their own DNA and ribosomes
 evidence 3) chloroplasts and mitochondria both have two membranes (inner membrane contains different proteins than the outer membrane)

Surface Area to Volume Ratio

a comparison between the size of the outside of an object and the amount inside
 smaller cells have an increase SA:V
 as the cell gets bigger, the SA:V decreases
 small cells are more efficient at diffusion as they have a high ratio

Structure of Cellular Membrane

two main components:	other important molecules:
phospholipids	cholesterol
proteins	carbohydrates

Functions of Membrane Proteins

intercellular joinings
enzymatic activity
transport (active/passive)
cell to cell recognition
anchorage/attachment
signal transduction

Cell Membranes are Semipermeable

properties of molecules that can get through the phospholipid bilayer:	properties of molecules that can not get through the phospholipid bilayer:
--	--

small	large
nonpolar	polar
nonionic	ionic
hydrophobic	hydrophilic

O₂ and CO₂


Passive Transport (facilitated diffusion)

transport proteins allow molecules to flow from high to low concentration
aquaporins: tunnel that allows water to go through the membrane
glut: glucose transporter

Passive Transport (ion channels)

transport proteins allow ion to flow from a high to low concentration

Passive and Active Transport



Water Potential

the force responsible for movement of water in a system

solute potential: determined by solute concentration

pressure potential: results from exertion of pressure on membranes/walls as water moves in or out; can be positive or negative

Plant vs. Animal Cell

Plant Cell:	Animal Cell:
chloroplast	cilia and flagella
central vacuole	centrioles
cell wall	lysosomes

The Endomembrane System

a system of synthesizing proteins for export

- 1) Nucleus: ~transcription (DNA -> RNA)
~make ribosomes
- 2) Rough ER: ~translation (RNA -> proteins) ~proteins for export
- 3) Vesicle: transports proteins in cells
- 4) Golgi Apparatus: process and package proteins
- 5) Vesicle: transports proteins in cells
- 6) Cell Membrane: exocytosis